



IOL CHEMICALS AND PHARMACEUTICALS LIMITED

IOLCP/EC/MOEFCC/2026/003

Date: 04/05/2026

To

Director, Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, Chandigarh.

Subject: Submission of Six-Monthly Environmental Clearance Compliance Report.

Reference: (i) EC Identification No.: EC25A2406PB541684N

(ii) File No.: IA-J-11011/25/2025-IA-II(I)

Respected Sir,

With reference to the above subject, we are submitting herewith Six-monthly compliance report (October'2025 to March'2026) against conditions of Environmental Clearance for your kind consideration and for display on website of Ministry of Environment, Forests and Climate Change.

We hope that all the documents / information submitted shall be in right order.

Thank you

With regards,

For IOL Chemicals and Pharmaceuticals Limited


Authorized Signatory

CC: i). Environmental Engineer, PPCB, Barnala.

ii). Member Secretary (SEIAA) MGSIPA Complex, Sector-26, Chandigarh - 160019.

iii). IA Division, Ministry of Environment, Forest and Climate Change, - Indra

Paryavaran Bhawan, Jor Bagh New Delhi -110003.

Enclosures:

- Six-Monthly Environmental Clearance (EC) compliances with Annexures.

COMPLIANCE REPORT OF ENVIRONMENTAL CLEARANCE

EC Identification No. : EC25A2406PB5416846N
Proposal No. : IA/PB/IND3/544289/2025
Date of Issue : 27th August'2025

I. Specific Condition

S.No.	EC Conditions	Status of Compliance for the period October'2025 to March'2026
1	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented	Noted and agreed to comply.
2	EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project. Conversion of land use (CLU) certificate shall be obtained before start of construction activities	Noted, we shall obtain CLU before starting construction activities.
3	ESP along with stack height of 60 m shall be provided to the proposed biomass / coal fired Boiler (1 x 40 TPH) and biomass /coal fired boiler (1 x 80 TPH) to control particulate emissions as per CPCB /SPCB norms. ESP along with stack height of 65 m shall be provided to the proposed biomass fired Boiler (1 x 55 TPH) and biomass /coal fired boiler (1 x 130 TPH) to control particulate emissions as per CPCB /SPCB norms. Stack height of 30 m shall be provided to the proposed natural gas / HSD fired furnace (2 x 15 lakh KCal/hr) as per CPCB/SPCB norms. Stack height of 50 m shall be provided to the proposed natural gas / HSD fired furnace (1 x 40 lakhKCal/hr) as per CPCB/SPCB norms. Stack height of 20 m shall be provided to the proposed natural gas / HSD fired Thermic fluid heater (7 x 20 lakh KCal/hr)	Noted, we shall install adequate stacks and APCD's before operation as advised in EC.

	as per CPCB/SPCB norms. Stack height of 31 m along with acoustic enclosure shall be provided to the proposed D.G sets (2 x 2250 KVA) as per CPCB/SPCB norms. Stack height of 30 m along with acoustic enclosure shall be provided to the proposed D.G sets (2 x 1000 KVA; 1 x 625 KVA) as per CPCB/SPCB norms. PP shall not use HHC (High Hydrocarbon) as a fuel for utilities	
4	Alkali scrubber and water scrubber along with adequate stack height shall be provided to control process emissions viz., acid mist generated from the proposed product manufacturing activities. The scrubbed water should be sent to ETP for further treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards	Noted, we shall install adequate stacks and scrubbers before operation as advised in EC.
5	Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by SPCB.	Noted and we shall comply with all the emission norms prescribed by SPCB.
6	Total fresh water requirement from canal water/ ground water shall not exceed 3772 KLD.	Noted and agreed to comply
7	NOC from the PWRDA shall be obtained for withdrawal of water for domestic purpose only before start of the plant for the project activities. State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission.	Noted, we have obtained permission from PWRDA with vide no: GW/PWRDA/07/2025/L3/270 issue on dated 23.07.2025 valid up to 22.07.2028, attached as annexure no: 1
8	Total Industrial Effluent shall not exceed 3720KLD. Effluent shall be segregated into High TDS/COD and Low TDS/COD effluent streams. High TDS/COD effluent stream shall be passed through stripper followed by MEE and ATFD. Low TDS/COD effluent stream shall be treated	We confirm that all stipulated conditions will be followed once the unit becomes operational.

	<p>in the ETP. MEE Condensate will be treated in ETP. Treated water shall be reuse/recycle in Utility. Automatic / online monitoring system i.e. pH meter, flow meter, TSS, COD and TOC analyzer shall be installed. Domestic sewage shall be treated in the STP and treated sewage shall be reused for horticulture and flushing purposes. The unit shall maintain Zero Liquid Discharge (ZLD).</p>	
9	<p>The green belt of at least 5 m-10 m width shall be developed in an area of 145765 sq m (35.51%) within the plant premises. The industry shall plant 28,720 nos. of trees/saplings/plants. Tree saplings selected for the plantation should be of sufficient height, preferably 6-ft shall be planted in greenbelt area. Indigenous species shall only be developed as part of greenbelt and non-indigenous / alien species shall be replaced with native species. No invasive or alien or non-native tree species shall be selected for plantation. PP shall develop at least 20 variety of species as a part of greenbelt. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. The budget earmarked for the plantation shall be kept in a separate account and should be audited annually. The PP shall annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.</p>	Noted and agreed to comply.
10	<p>Plantation of saplings shall be carried out as a part of tree plantation campaign "EK PED MAA ke NAAM" and details of the same to be uploaded in the Meri LiFE portal (https://merilife.nic.in) in respect to this Ministry's OM No.</p>	Noted and agreed to comply

	IA3-22/3/2024-IA.III(E-241594) dated 24th July 2024	
11	Roof top rain water shall be collected in 5 x 200 KL underground RCC storage tank. The rain water collected shall be reused within the plant after filtration as per requirement. Storm water from the open area shall be collected separately and stored in underground RCC storage tank, which shall be recycled/reused within the plant premises	Noted and agreed to comply, the process for obtaining CLU is currently under process. We confirm that all stipulated conditions will be followed once the unit becomes operational.
12	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP Rs. 10000Lakhs (Capital cost) and Rs. 6175 Lakhs per annum (Recurring cost)] shall be kept in a separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs (before & after with geo-location date & time) and other document as applicable to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year	Noted and agreed to comply
13	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB servers. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises	Noted and we shall install continuous online (24x7) monitoring system for stack emissions after the unit is operational.
14	No banned chemicals shall be manufactured by the project proponent. No banned raw materials shall be used in the unit. The project proponent shall adhere to the	Noted and agreed to comply

	notifications/guidelines of the Government in this regard	
15	The project proponent shall comply with the environment norms for synthetic organic chemical as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 608 (E), dated 21.7.2010 under the provisions of the Environment (Protection) Rules, 1986.	Noted and agreed to comply
16	All the hazardous waste shall be managed and disposed as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Hazardous waste such as Distillation Residue and Off Specification Products shall be either sent to common incineration site or send for coprocessing. Solid waste shall be segregated into dry and wet garbage at site in accordance to the Solid Waste Management Rules, 2016. Wet garbage shall be converted into compost and used as manure for greenbelt development.	Noted and agreed to comply
17	Fly ash shall be stored in silos and used for filling low lying area after prior approval of SPCB or sent for brick manufacturers or co-processing in cement industries.	Noted and agreed to comply
18	A separate Environmental Management Cell (having qualified persons with Environmental Science / Environmental Engineering / specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions by engaging Environment Officials. In addition to this, one safety & health officer as per the qualification given in Factories Act, 1948 shall be engaged within a month of grant of EC. The PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.	Noted and agreed to comply

19	The PP shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF&CC in this regard.	Noted and agreed to comply
20	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The PP shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996. The occupier of new as well as expansion projects shall be required to comply with the provisions of the MSHIC Rules, 1989 including notifying their activities or seeking site approval from the concerned authorities, to address operational safety aspects. In doing so, various schedule, particularly Schedule-5 of the said rules may be referred.	Noted and agreed to comply
21	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out. PP shall install ammonia sensor along with alarm system at workplace as well as common point at prominent area in and around the plant.	Noted and agreed to comply, we shall install control fugitive emission with effective chillers/Modern technologies.
22	Captive hazardous waste incinerator shall be designed according to the guidelines provided by the Central Pollution Control Board (CPCB). The incinerator shall meet specific performance standards and pollution control norms. Incinerated ash shall be sent to treatment storage disposal facility (TSDF).	Noted and agreed to comply
23	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of	Noted and agreed to comply

	storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.	
24	The occupational health center for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Noted and agreed to comply. We shall establish an occupational health center for workers and will provide all necessary safety PPE and equipment to ensure their protection.
25	Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies	Noted and agreed to comply
26	The unit shall make the arrangement for the protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	Noted and agreed to comply
27	The storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water	Noted and agreed to comply
28	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce wastewater generation.	Noted and agreed to comply
29	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places.	Noted and agreed to comply

30	Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Chemicals shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.	Noted and agreed to comply
31	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.	Noted and agreed to comply
32	The activities and the action plan proposed by the project proponent to address the issues raised during the public hearing as well as the related socio-economic issues in the study area shall be completed as per the schedule presented before the Committee and as described in the EIA report in letter and spirit	Noted and agreed to comply

II. Standard EC Conditions

S.No.	EC Conditions	Status of Compliance for the period October'2025 to March'2026
1.1	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of	Noted and agreed to comply

	deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any	
1.2	The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.	Noted and agreed to comply
1.3	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment	Noted, we shall use preferably LED based for lighting purposes, or advanced having preference in energy conservation and environment betterment
1.4	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Noted and agreed to comply
1.5	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Noted and agreed to comply, we already started CSR/CER Activities in nearby Villages detail attached as annexure no: 2
1.6	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State	Noted and agreed to comply

	Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	
1.7	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Noted and complied, copy of clearance letter submitted to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body are attached as Annexure no: 3
1.8	The project proponent shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company	Noted and agreed to comply
1.9	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.	Noted and agreed to comply
1.10	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in	Noted, copy of clearance letter advertisement in newspaper attached as Annexure no: 4

	the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry	
1.11	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted and agreed to comply
1.12	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project	Noted, Agreed with the condition.

Annexure-01



PUNJAB WATER REGULATION AND DEVELOPMENT AUTHORITY
SCO 149-152, SECTOR 17, CHANDIGARH – 160017

PERMISSION FOR EXTRACTION OF GROUNDWATER

(Under The Punjab Groundwater Extraction And Conservation Directions, 2023)

Unit ID	Permission Number	Date of Grant of Permission	Valid up to
20250100096	GW/PWRDA/07/2025/L3/270	23-Jul-2025	22-Jul-2028

1	Name of Unit	IOL Chemicals and Pharmaceuticals Limited (Unit-II)		
2	Activity of Unit	Industrial		
3	Address/Location of Unit	NH-7, Bathinda Chandigarh Highway , Village Badbar, Opposite Best Milk Plant		
		Badbar (69)	PIN: 148106	
4	Assessment Area(Block)	BARNALA	Status: ORANGE	
5	District	BARNALA		
6	Head Office Address	85,Industrial Area A Ludhaina		
		LUDHIANA, PUNJAB	PIN: 141003	
	Email	kkrana@iolcp.com		
	Phone/Mobile No.	9878996201		
7	Project Status	New : 01-10-2025		
8	No. of Existing Tube-Wells	No. of Proposed Tube-Wells	Total Number of Tube-Wells Permitted	
	0	2	2	
9	Volume of Ground Water Permitted to be Extracted (m3/month)	Fresh	Brackish/Saline	De-watering
		30000	0	0

Note: This permission is granted in terms of the Punjab Groundwater Extraction and Conservation Directions, 2023 notified on 27th January, 2023 under section 15 of the Punjab Water Resources (Management and Regulation) Act, 2020 and is subject to the conditions given overleaf.

Digitally signed by RAJESH VASHISHT
Reason: Approval
Location: Chandigarh
Date: 23-07-2025 13:55:03 PM

Designation : A.O.L-3

Terms and Conditions

1. User shall comply with the provisions of the Punjab Water Resources (Management and Regulation) Act, 2020, The Punjab Groundwater Extraction and Conservation Directions, 2023 and other Regulations, Directions and instructions issued by the Authority from time to time.
2. The User shall install a water meter of required Specifications at each extraction structure and inform PWRDA along with a Calibration Certificate. The water meter shall conform to the technical specifications, performance parameters and connectivity standards, etc. as required by the Authority. The timeline for installation of water meters of required specifications shall be:
The unit having existing extraction structure/(s), shall install required water meter on each existing extraction structure within six months of the date of permission.
The unit proposing to construct extraction structure/(s), shall install required water meter on each of the proposed extraction structure within six months from the date of installation of the extraction structure/(s).
3. The User (if required to install piezometer as per Directions) shall install the piezometer of the required specifications within six months of the date of permission or the date of commencement of groundwater extraction, whichever is later. (refer para 5.2 of the Directions).
4. Payment Cycle and Schedule shall be as per para 4.8 of the Directions.
5. In case of proposed water extraction structure which is yet to be commissioned, the user will intimate the Authority regarding all the details of the structure within 15 days of energizing of structure.
6. In case a Unit comprises or contains a stadium/cricket ground or other sports ground/sports court or golf course etc. then the User shall ensure an appropriate mechanism for rainwater harvesting i.e. storage and reuse (without artificial recharge), within three months of the date of permission.
7. This Permission does not absolve the Unit of its obligations to obtain other required statutory and administrative clearances from appropriate Authorities.
8. The issue of this Permission does not imply that other statutory or administrative clearances shall necessarily be granted to the unit by the concerned Authorities.
9. This Permission is being issued without any prejudice to the orders of any court of law in cases related to groundwater or any other related matters.
10. The Authority may inspect the Unit and original documents at any time. In case it is found that any material facts have been concealed or misrepresented or any material difference is found in the information submitted and the site conditions or documents, the Authority may suspend the permission granted immediately and may cancel or alter the permission after giving a notice to the Unit. This will be without prejudice to any other action that may be taken under the law for supply of wrong information.
11. The User is advised to keep on checking the website of the Authority for updates on Directions and instructions on matters related to extraction of groundwater.
12. The User shall obtain revised/varied/fresh permission as the case may be, in case there is any change in ground water extraction structure, volume etc, before the aforesaid change is affected or within the time permitted under the Directions.
13. In case of dewatering, the disposal of de-watered volume (into a drain, sewer, nearby land, water body etc.) will be as per PPCB consent wherever applicable.
14. A user shall apply for renewal of permission in the required format three months prior to the expiry of permission.

Annexure-02

CER/CSR ACTIVITIES IN BADBAR AREA 2025-2026				
Sr.	AREA	ACTIVITY	AMOUNT INCURRED	REMARKS
1	VILLAGE BADBAR	Medicines for dispensary , Paint work on Schools and in village And Cemented benches	767702	
2	VILLAGE KUNNRAN	Mid day meal shed, Paint work and intelock tile installation in Govt high school Kunran	906930	
		TOTAL	1674632	Sixteen Lakh seventy four thousand six hundred thirty two

Annexure-03



IOL CHEMICALS AND PHARMACEUTICALS LIMITED

IOLCP/ZP/2025/002

Date: 01/09/2025

To,

The Chairman,
Zila Parishad
Barnala

Subject: Regarding Submission copy of Environmental Clearance.

Respected Sir,

With due respect, this is to inform you that the Ministry of Environment, Forest and Climate Change has granted **Environmental Clearance** vide letter no. *IA-J-11011/25/2025-IA-II(I)* dated *27.08.2025* to **M/s IOL Chemicals and Pharmaceuticals Limited, Unit-II**, located at NH-7, Bathinda-Chandigarh Highway, Village Badbar, Tehsil & District Barnala, Punjab-148106, for the manufacturing of Chemicals and Active Pharmaceuticals Ingredients.

In compliance with the stipulated conditions of Environmental Clearance, a copy of Environmental Clearance is hereby submitted to your office for kind perusal and record. You are kindly requested to acknowledge the receipt of this submission.

Thanking You

Authorized Signatory

Document Attached:

1. Copy of Environmental Clearance

Zila Parishad
Barnala



IOL CHEMICALS AND PHARMACEUTICALS LIMITED

IOLCP/BR/2025/003

Date: 01.09.2025

To,

The Sarpanch,
Village: Badbar

Subject: Regarding Submission copy of Environmental Clearance.

Respected Sir,

With due respect, this is to inform you that the Ministry of Environment, Forest and Climate Change has granted **Environmental Clearance** vide letter no. *IA-J-11011/25/2025-IA-II(I)* dated 27.08.2025 to **M/s IOL Chemicals and Pharmaceuticals Limited, Unit-II**, located at NH-7, Bathinda-Chandigarh Highway, Village Badbar, Tehsil & District Barnala, Punjab-148106, for the manufacturing of Chemicals and Active Pharmaceuticals Ingredients.

In compliance with the stipulated conditions of Environmental Clearance, a copy of Environmental Clearance is hereby submitted to your office for kind perusal and record.

You are kindly requested to acknowledge the receipt of this submission.

Thanking You

hishal aus

Authorized Signatory

Document Attached:

1. Copy of Environmental Clearance

ਜਰਬੰਸ ਕੋਰ

ਸਰਪੰਚ
ਗ੍ਰਾਮ ਪੰਚਾਇਤ, ਬਡਬਰ
ਬਲਾਕ-ਜ਼ਿਲ੍ਹਾ ਬਰਨਾਲਾ

ਜਰਬੰਸ ਕੋਰ ਸਰਪੰਚ/ਗ੍ਰਾਮ ਪੰਚਾਇਤ



IOL CHEMICALS AND PHARMACEUTICALS LIMITED

IOLCP/ULB/2025/004

Date: 01.09.2025

To,

The Chairman,
Urban Local Bodies
Barnala

Subject: Regarding Submission copy of Environmental Clearance.

Respected Sir,

With due respect, this is to inform you that the Ministry of Environment, Forest and Climate Change has granted **Environmental Clearance** vide letter no. *IA-J-11011/25/2025-IA-II(I)* dated *27.08.2025* to **M/s IOL Chemicals and Pharmaceuticals Limited, Unit-II**, located at NH-7, Bathinda–Chandigarh Highway, Village Badbar, Tehsil & District Barnala, Punjab-148106, for the manufacturing of Chemicals and Active Pharmaceuticals Ingredients.

In compliance with the stipulated conditions of Environmental Clearance, a copy of Environmental Clearance is hereby submitted to your office for kind perusal and record.

You are kindly requested to acknowledge the receipt of this submission.

Thanking You

Authorized Signatory

Document Attached:

1. Copy of Environmental Clearance

ਦਫਤਰ ਨਗਰ ਕੰਮਲ ਬਰਨਾਲਾ
ਕੋਪੀ ਨੰ. 1838
1-9-25



IOL CHEMICALS AND PHARMACEUTICALS LIMITED

IOLCP/MOEF&CC/2025/005

Date: 02.09.2025

To,

The Director (s),
Ministry of Environment, Forests and Climate Change,
Regional Office,
Chandigarh.

Subject: Regarding Submission Copy of Advertisement of Environmental Clearance.

Respected Sir,

With due respect, this is to inform you that the Ministry of Environment, Forest and Climate Change has granted **Environmental Clearance** vide letter no. *IA-J-11011/25/2025-IA-II(I)* dated *27.08.2025* to **M/s IOL Chemicals and Pharmaceuticals Limited, Unit-II**, located at NH-7, Bathinda–Chandigarh Highway, Village Badbar, Tehsil & District Barnala, Punjab-148106, for the manufacturing of Chemicals and Active Pharmaceuticals Ingredients.

In compliance with the stipulated conditions of Environmental Clearance, an advertisement copy of Environmental Clearance in two local newspapers is hereby submitted to your office for kind perusal and record.

You are kindly requested to acknowledge the receipt of this submission.

Thanking You

Mushal Kans

Authorized Signatory

Document Attached:

1. Advertisement copy of Environmental Clearance.

*Received the hard copy of the EC
Please email the EC
copy
Submitted
02/09/2025*

मुख्य शूटर को गिरफ्तार कर लिया है। यह जानकारी पंजाब के डी.जी.पी. गौरव यादव ने दी। गिरफ्तार आरोपी की पहचान जगरोशन सिंह निवासी नौशहरा पन्ना, तरनतारन के रूप में हुई है। आरोपी का कोई आपराधिक पिछला रिकॉर्ड नहीं है।

14 अगस्त, 2025 को शाम 6 बजे फिरोजपुर के जीरा में कुछ अज्ञात व्यक्तियों ने एक ज्वैलरी शॉप के मालिक पर फायरिंग की थी, जिसमें दुकान मालिक गंभीर रूप से घायल हो गया था। जांच में पता चला है कि शूटरों ने विदेश आधारित गैंगस्टर लखबीर सिंह उर्फ लंडा के इशारों पर इस वारदात को अंजाम दिया था।



ज्वैलर हमले में गिरफ्तार किया गया शूटर।

करते हुए डी.एस.पी. ए.जी.टी.एफ. राजन परमिंदर की अगुवाई में ए.जी.टी.एफ. की पुलिस टीमों ने जीरा के गांव मनसूर देवा में झटारा रोड पर नहर के पुल से आरोपी जगरोशन को गिरफ्तार किया।

ए.डी.जी.पी. ने बताया कि जगरोशन ज्वैलर हमले से संबंधित मामले में गिरफ्तार किया गया तीसरा आरोपी है और वही इस हमले में मुख्य शूटर था।

इससे पहले 2 अन्य आरोपियों हरजीत उर्फ जीता और सनमुख उर्फ सनी को ए.जी.टी.एफ. की टीमों ने पहले ही गिरफ्तार कर लिया था। इस संबंध में थाना जीरा में पहले ही एफ.आई.आर. दर्ज की जा चुकी है।

आतंकी माइयूल के गुर्गे गाने से आरोपी घायल



कार्यकर्ता देते पुलिस कमिश्नर (अवधेश)

शुरू कर दी। जवाबी कार्रवाई

में वह घायल हो गया। इस मामले में एक जुवेनाइल सहित कुल 5 आरोपियों को काबू किया गया है। आरोपियों की पहचान करणदीप के अलावा गुरसेवक, अमृतपाल, अर्शदीप और एक जुवेनाइल के रूप में हुई और ये सभी तरनतारन के रहने वाले हैं।

भुल्लर ने बताया कि पूछताछ में पता चला कि ये आतंकी विदेश में बैठे सत्ता और लखबीर लंडा के साथी हैं। आरोपी करणदीप ने बाकी चारों आरोपियों को पैसों का लालच देकर अपने साथ मिलाया था। करणदीप सिंह पर पहले से ही कई मामले दर्ज हैं। करणदीप सिंह विदेश में बैठे आतंकी सत्ता व लंडा के संपर्क में था और उन्होंने ही उसे विदेशी हैंडलरों से संपर्क करवाया था। इसके बाद से करणदीप सिंह व अन्य सभी आरोपी टारगेट किलिंग के नैटवर्क के साथ जुड़े।

कार्यकर्ताओं को दिए निर्देश लिए रहने का प्रबंध, की व्यवस्था की जाए



से उचित लंगर की व्यवस्था की जाए। इसके साथ ही जत्थेदार ज्ञानी हरप्रीत सिंह ने नाजुक स्थिति को देखते हुए उन सभी अकाली कार्यकर्ताओं से अपील की है, जो डाक्टर हैं या चिकित्सा से जुड़े हैं, वे तुरंत इन अस्थायी आश्रय स्थलों में चिकित्सा सेवाएं शुरू करें।

उन्होंने कहा कि इस स्थिति में सबसे बड़ा नुकसान पशुधन का हुआ है। उन्होंने अकाली कार्यकर्ताओं से

अपील की कि वे अपने स्तर पर और अपने-अपने नगरों से पशुओं के लिए सूखे चारे की व्यवस्था करें।

ज्ञानी हरप्रीत सिंह ने कहा कि आज हालात बेहद गंभीर हो चुके हैं। सामने आ रही तस्वीरें यह बता रही हैं कि राज्य की आर्थिक स्थिति को बड़े आर्थिक पैकेज के बिना पूरा नहीं किया जा सकता। उन्होंने केंद्र सरकार से अपील की कि प्रधानमंत्री नरेंद्र मोदी बिना किसी देरी के राहत फंड जारी करें।

वडिंग ने डैमों और हैडवर्क्स के कुप्रबंधन की जांच की मांग की

चंडीगढ़, 30 अगस्त (विनय): पंजाब कांग्रेस अध्यक्ष एवं सांसद अमरिंदर सिंह राजा वडिंग ने डैमों और हैडवर्क्स के कुप्रबंधन व उनके रखरखाव के लिए जिम्मेदार लोगों की आपराधिक लापरवाही की जांच की मांग की है। भारी बारिश के पूर्वानुमान के बावजूद डैमों में पानी जमा होने देने और समय पर पानी न छोड़े जाने की रिपोर्ट्स पर प्रतिक्रिया व्यक्त करते हुए उन्होंने कहा कि यह अप्रत्याशित प्राकृतिक आपदा से ज्यादा 'आपराधिक लापरवाही' है।

वडिंग ने पिछले 3 दिनों में राज्य के विभिन्न बाढ़ प्रभावित इलाकों का दौरा करने के बाद कहा कि तबाही



का एहसास होना चाहिए। हजारों लोग बेघर हो गए हैं और कई लोगों की जान चली गई है। जबकि फसलों और पशु धन को हुए नुकसान का आंकलन अभी बाकी है। इस दौरान लोगों द्वारा पूछा जाने वाला एक आम सवाल यह था कि क्यों अधिकारियों ने आखिरी समय तक डैमों में पानी ओवरफ्लो होने दिया, फिर चाहे इसके लिए कोई भी जिम्मेदार हो।

इसी तरह पहले धीरे-धीरे पानी क्यों नहीं छोड़ा गया, ताकि डैम बाद में अतिरिक्त पानी को रोक सकते। इन सब बातों को आधार बनाकर उन्होंने पूछा कि अगर यह समय पर किया गया होता, तो नुकसान कम हो सकता था।

आईओएल कैमीकल्स एंड फार्मास्युटिकल्स लिमिटेड
 CIN: L24116PB1986PLC007030
 पंजीकृत कार्यालय: गांव एवं डाकघर हंडियाया, फतेहगढ़
 छत्रा रोड, बरनाला-148107, पंजाब (भारत)

कॉर्पोरेट कार्यालय: 85 औद्योगिक क्षेत्र 'ए', लुधियाना-141001
 दूरभाष : +91-161-2225531-35
 ईमेल: contact@iolcp.com, वेबसाइट: www.iolcp.com

सार्वजनिक सूचना

सभी संबंधित व्यक्तियों को सूचित किया जाता है कि परियोजना 'मैसर्स आईओएल कैमीकल्स एंड फार्मास्युटिकल्स लिमिटेड (यूनिट-II) द्वारा प्रस्तावित रसायन एवं एपीआई निर्माण इकाई' खसरा संख्या: 124, 125, 126, 131, 132, 165, 166, 171, 172, 208, एनएच-7, बठिंडा चंडीगढ़ राजमार्ग, गांव बड़बर, तहसील और जिला बरनाला, पंजाब-148106, में स्थित है" को पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय (पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय) द्वारा दिनांक 27 अगस्त 2025 के एफ.सं. आईए-जे-11011/25/2025-1ए-II(1) के तहत पर्यावरणीय मंजूरी प्रदान की गई है और मंजूरी पत्र की प्रतियां मंत्रालय की वेबसाइट <https://parivesh.nic.in/> पर देखी जा सकती हैं।

आईओएल कैमीकल्स एंड फार्मास्युटिकल्स लिमिटेड के लिए
 हस्ता/-

स्थान : बरनाला
 दिनांक : 30 अगस्त 2025

अभय राज सिंह
 वरिष्ठ उपाध्यक्ष एवं कंपनी सचिव

... ਸੁਭੇ... ਏਣ ਜਾ... ਆਉਣ...
 ... ਅਰਜ਼ਦੀਪ ਸਿੰਘ 19 ਸਾਲ ਦਾ ਹੈ ਅਤੇ 11ਵੀਂ ਵਿੱਚ ਪੜ੍ਹਦਾ ਹੈ। ਜਦੋਂ ਕਿ ਅੰਮ੍ਰਿਤਪਾਲ ਸਿੰਘ ਬੇਰੁਜ਼ਗਾਰ ਹੈ।

... ਨੂੰ 1 ਸਤੰਬਰ ਨੂੰ ਸਵੇਰੇ 10 ਵਜੇ ਨਿੱਜੀ ਰੂਪ ਵਿੱਚ ਦਫ਼ਤਰ ਸਕੱਤਰੇਤ ਸ੍ਰੀ ਅਕਾਲ ਤਖ਼ਤ ਸਾਹਿਬ ਵਿਖੇ ਪਹੁੰਚ ਕੇ ਆਪਣਾ ਪੱਖ ਰੱਖਣ ਦਾ ਆਦੇਸ਼ ਕੀਤਾ ਹੈ।

... 'ਚ 'ਸਿਆਸੀ ਭੂਚਾਲ' ਆ ਗਿਆ ਹੈ। ਗੁਰਦੀਪ ਢਿੱਲੋਂ ਪੰਜਾਬ ਕਾਂਗਰਸ ਦੇ ਚੋਟੀ ਦੇ ਲੀਡਰਾਂ ਵਿੱਚੋਂ ਇੱਕ ਰਹੇ ਰਾਣਾ ਗੁਰਮੀਤ ਸਿੰਘ ਸੋਢੀ ਦੇ ਚਾਰ ਵਾਰ ਵਿਧਾਇਕ ਰਹਿੰਦਿਆਂ ਪੀਏ ਹੁੰਦਾ ਸੀ। ਰਾਣਾ ਸੋਢੀ ਵੱਲੋਂ ਭਾਜਪਾ ਵਿੱਚ ਜਾਣ ਮਗਰੋਂ ਗੁਰਦੀਪ ਢਿੱਲੋਂ ਕਾਂਗਰਸ ਵਿੱਚ ਹੀ ਰਹਿ ਗਿਆ ਅਤੇ ਆਪਣੇ ਸਾਬਕਾ ਬੌਸ ਰਾਣਾ ਸੋਢੀ ਦੇ ਜੱਦੀ ਹਲਕਾ ਗੁਰੂਹਰਸਾਹਾਏ ਤੋਂ ਕਾਂਗਰਸੀ ਟਿਕਟ ਦਾ ਦਾਅਵੇਦਾਰ ਦੱਸਿਆ ਜਾ ਰਿਹਾ ਹੈ। ਵਾਇਰਲ ਵੀਡੀਓ ਵਿੱਚ ਗੁਰਦੀਪ ਢਿੱਲੋਂ ਜ਼ਿਲ੍ਹਾ ਪ੍ਰਬੰਧਕੀ ਕੰਪਲੈਕਸ ਵਿਖੇ ਭੜ ਲੋਕਾਂ ਨਾਲ ਕੰਮ ਕਰਵਾਉਣ ਬਦਲੇ ਪੈਸਿਆਂ ਦੇ ਲੈਣ-ਦੇਣ ਦੀ ਗੱਲ ਦੱਸਦਿਆਂ ਉਸ ਸਮੇਂ ਦੇ ਡਿਪਟੀ ਕਮਿਸ਼ਨਰ ਦਾ ਰੇਟ ਦੱਸ ਰਿਹਾ ਹੈ। ਮਾਮਲਾ

... ਖੁੱਲ੍ਹੀ ਡੁੱਪਿੰਦ ਸਿੰਘ ਸਿੰਘ ਕੋਲ ਸ਼ਿਕਾਇਤ ਦਰਜ ਕਰਵਾਈ ਗਈ ਜਿਨ੍ਹਾਂ ਵੱਲੋਂ ਮਾਮਲੇ ਦੀ ਰੀਡਿੰਗ ਨੂੰ ਵੇਖਦਿਆਂ ਢਿੱਲੋਂ ਖ਼ਿਲਾਫ਼ ਮਾਮਲਾ ਦਰਜ ਕਰ ਲਿਆ ਹੈ। ਅਖੇ; '2 ਲੱਖ ਤੋਂ ਘੱਟ ਨਹੀਂ ਲੈਂਦੇ ਡੀਸੀ ਸਾਬ!' : ਹਾਲਾਂਕਿ 'ਪੰਜਾਬੀ ਜਾਗਰਣ' ਪੁਰਾਣੀ ਦੱਸੀ ਜਾ ਰਹੀ ਇਸ ਵਾਇਰਲ ਵੀਡੀਓ ਦੀ ਤਸਦੀਕ ਨਹੀਂ ਕਰਦਾ ਅਤੇ ਵਾਇਰਲ ਵੀਡੀਓ ਵਿੱਚ ਕਿਹੜੇ ਡੀਸੀ ਸਾਬ ਬਾਰੇ ਗੱਲ ਕਰ ਰਿਹਾ ਹੈ, ਕੁਝ ਸਪੱਸ਼ਟ ਨਹੀਂ ਹੋ ਰਿਹਾ ਹੈ ਪਰ ਵੀਡੀਓ ਵਿੱਚ ਗੁਰਦੀਪ ਢਿੱਲੋਂ ਇਹ ਆਖਦਾ ਹੋਇਆ ਨਜ਼ਰ ਆ ਰਿਹਾ ਹੈ, '50 ਹਜ਼ਾਰ ਰੁਪਏ ਤਾਂ ਤੁਸੀਂ ਤਹਿਸੀਲੇ ਰਜਿਸਟਰੀ ਮੌਕੇ ਦੇ ਦਿੰਦੇ ਹੋ, ਮੇਰੇ ਹਿਸਾਬ ਨਾਲ ਡੀਸੀ 2 ਲੱਖ ਰੁਪਏ ਤੋਂ ਵੱਧ ਹੀ ਲਵੇਗਾ'।

ਤਰੀ ਨਰਿੰਦਰ ਮੋਦੀ ਨੂੰ ਲਿਖੀ ਚਿੱਠੀ ਪੂਰਤੀ ਲਈ ਮਿਲੇ ਵਿਸ਼ੇਸ਼ ਰਾਹਤ ਪੈਕੇਜ

ਹੋਏ ਹਨ। ਹਜ਼ਾਰਾਂ ਏਕੜ ਫਸਲ ਬਰਬਾਦ ਹੋ ਗਈ ਹੈ। ਬੇਸ਼ੱਕ ਐਨਡੀਆਰਐੱਫ ਅਤੇ ਵਿੱਤੀ ਸਹਾਇਤਾ ਦੇ ਮਾਧਿਅਮ ਰਾਹੀਂ ਕੇਂਦਰ ਸਰਕਾਰ ਨੇ ਮਦਦ ਕੀਤੀ ਹੈ ਪਰ ਇਸ ਸਥਿਤੀ ਵਿੱਚ ਹੋਰ ਮਦਦ ਦੀ ਜ਼ਰੂਰਤ ਹੈ। ਉਨ੍ਹਾਂ ਕਿਹਾ ਕਿ ਸਰਹੱਦੀ ਸੂਬਾ ਹੋਣ ਕਾਰਨ ਨੁਕਸਾਨ ਦਾ ਜਾਇਜ਼ਾ ਲੈਣ ਲਈ ਵਿਸ਼ੇਸ਼ ਟੀਮ ਗਠਿਤ ਕੀਤੀ ਜਾਵੇ ਅਤੇ ਸੂਬੇ ਨੂੰ ਵਿਸ਼ੇਸ਼ ਪੈਕੇਜ ਦਿੱਤਾ ਜਾਵੇ। ਵਿਰੋਧੀ ਧਿਰ ਦੇ ਨੇਤਾ ਪ੍ਰਤਾਪ ਸਿੰਘ ਬਾਜਵਾ ਨੇ ਵੀ ਪ੍ਰਧਾਨ ਮੰਤਰੀ ਤੋਂ ਵਿਸ਼ੇਸ਼ ਪੈਕੇਜ ਦੀ ਮੰਗ ਕੀਤੀ ਹੈ। ਉਨ੍ਹਾਂ ਕਿਹਾ ਕਿ ਕਿਸਾਨਾਂ ਦੀ ਜਿੰਨੀ ਫਸਲ ਦਾ ਨੁਕਸਾਨ

ਹੋਇਆ ਹੈ, ਉਸ ਦਾ ਮੁਆਵਜ਼ਾ ਦਿੱਤਾ ਜਾਵੇ। ਅਨੁਮਾਨ ਅਨੁਸਾਰ ਤਿੰਨ ਲੱਖ ਏਕੜ ਫਸਲ ਬਰਬਾਦ ਹੋ ਚੁੱਕੀ ਹੈ। ਪਠਾਨਕੋਟ, ਗੁਰਦਾਸਪੁਰ, ਕਪੂਰਥਲਾ, ਫਾਜ਼ਿਲਕਾ, ਤਰਨਤਾਰਨ ਅਤੇ ਫਿਰੋਜ਼ਪੁਰ ਜ਼ਿਲ੍ਹਿਆਂ ਵਿੱਚ ਭਾਰੀ ਨੁਕਸਾਨ ਹੋਇਆ ਹੈ। ਉਧਰ ਵਿਧਾਇਕ ਸੰਦੀਪ ਜਾਖੜ ਨੇ ਮੁੱਖ ਮੰਤਰੀ ਭਗਵੰਤ ਮਾਨ ਨੂੰ ਪਾਰਟੀ ਪੱਧਰ ਤੋਂ ਉੱਠ ਕੇ ਵਿਰੋਧੀ ਧਿਰ ਦੇ ਨੇਤਾ ਪ੍ਰਤਾਪ ਸਿੰਘ ਬਾਜਵਾ, ਪੰਜਾਬ ਭਾਜਪਾ ਪ੍ਰਧਾਨ ਸੁਨੀਲ ਜਾਖੜ, ਸ਼੍ਰੋਮਣੀ ਅਕਾਲੀ ਦੇ ਪ੍ਰਧਾਨ ਸੁਖਬੀਰ ਬਾਦਲ ਨੂੰ ਨਾਲ ਲੈ ਕੇ ਪ੍ਰਧਾਨ ਮੰਤਰੀ ਕੋਲ ਜਾਣ ਦਾ ਸੁਝਾਅ ਦਿੱਤਾ ਹੈ।

ਜਿਊਲਰ 'ਤੇ ਹਮਲੇ ਪਿੱਛੇ ਗੈਂਗਸਟਰ ਲੰਡਾ ਦਾ ਹੱਥ, ਮੁੱਖ ਸੂਟਰ ਕਾਬੂ

ਪਰਮਿੰਦਰ ਸਿੰਘ ਬਿੰਦੋ•ਪੰਜਾਬੀ ਜਾਗਰਣ
 ਫਿਰੋਜ਼ਪੁਰ : ਐਟੀ-ਗੈਂਗਸਟਰ ਟਾਸਕ ਫੋਰਸ (ਏਜੀਟੀਐੱਫ) ਨੇ ਜਿਊਲਰ 'ਤੇ ਹਮਲੇ ਮਾਮਲੇ ਵਿੱਚ ਸ਼ਾਮਲ ਮੁੱਖ ਸੂਟਰ ਨੂੰ ਗ੍ਰਿਫ਼ਤਾਰ ਕਰ ਲਿਆ ਹੈ। ਇਹ ਜਾਣਕਾਰੀ ਡਾਇਰੈਕਟਰ ਜਨਰਲ ਆਫ਼ ਪੁਲਿਸ (ਡੀਜੀਪੀ) ਪੰਜਾਬ ਗੌਰਵ ਯਾਦਵ ਨੇ ਦਿੱਤੀ। ਮੁਲਜ਼ਮ ਦੀ ਪਛਾਣ ਜਗਰੋਸ਼ਨ ਸਿੰਘ ਵਾਸੀ ਨੌਸ਼ਹਿਰਾ ਪੰਨੂਆਂ, ਤਰਨਤਾਰਨ ਵਜੋਂ ਹੋਈ ਹੈ। ਮੁਲਜ਼ਮ ਦਾ ਕੋਈ ਅਪਰਾਧਿਕ ਪਿਛੋਕੜ ਨਹੀਂ ਹੈ। ਜਾਣਕਾਰੀ ਅਨੁਸਾਰ 14 ਅਗਸਤ 2025 ਨੂੰ ਸ਼ਾਮ 6 ਵਜੇ ਦੇ ਕਰੀਬ ਜ਼ਿਲ੍ਹਾ ਫਿਰੋਜ਼ਪੁਰ ਦੇ ਜ਼ੀਰਾ ਵਿੱਚ ਕੁਝ ਅਣਪਛਾਤੇ ਵਿਅਕਤੀਆਂ ਨੇ ਜਿਊਲਰੀ ਸ਼ਾਪ ਦੇ ਮਾਲਕ 'ਤੇ ਗੋਲੀਬਾਰੀ ਕੀਤੀ ਸੀ ਅਤੇ ਇਸ ਹਮਲੇ ਦੌਰਾਨ ਦੁਕਾਨ ਮਾਲਕ ਰੰਗੀਰ ਰੂਪ ਵਿੱਚ ਜ਼ਖਮੀ ਹੋ ਗਿਆ ਸੀ। ਡੀਜੀਪੀ ਗੌਰਵ ਯਾਦਵ ਨੇ ਦੱਸਿਆ ਕਿ ਮੁੱਢਲੀ ਜਾਂਚ ਤੋਂ ਪਤਾ ਲੱਗਾ ਹੈ ਕਿ ਸੂਟਰਾਂ ਨੇ ਵਿਦੇਸ਼ ਅਧਾਰਤ ਗੈਂਗਸਟਰ ਲਖਬੀਰ ਸਿੰਘ ਉਰਫ਼ ਲੰਡਾ ਦੇ ਇਸ਼ਾਰਿਆਂ 'ਤੇ ਇਸ ਵਾਰਦਾਤ ਨੂੰ ਅੰਜਾਮ ਦਿੱਤਾ ਸੀ। ਉਨ੍ਹਾਂ ਦੱਸਿਆ ਕਿ ਇਸ ਮਾਮਲੇ ਵਿੱਚ ਅਗਲੇ-

ਕਾਬੂ ਕੀਤਾ ਗਿਆ ਸੂਟਰ ਵਿਦੇਸ਼ ਅਧਾਰਤ ਗੈਂਗਸਟਰ ਲਖਬੀਰ ਲੰਡਾ ਦੇ ਇਸ਼ਾਰਿਆਂ 'ਤੇ ਵਾਰਦਾਤਾਂ ਨੂੰ ਦਿੰਦਾ ਸੀ ਅੰਜਾਮ : ਡੀਜੀਪੀ
 ਪਿਛਲੇ ਸਬੰਧ ਸਥਾਪਤ ਕਰਨ ਲਈ ਹੋਰ ਜਾਂਚ ਜਾਰੀ ਹੈ ਤਾਂ ਜੋ ਇਸ ਪੂਰੇ ਨੈੱਟਵਰਕ ਦਾ ਪਰਦਾਫਾਸ਼ ਕੀਤਾ ਜਾ ਸਕੇ। ਏਜੀਟੀਐੱਫ ਦੇ ਐਡੀਸ਼ਨਲ ਡਾਇਰੈਕਟਰ ਜਨਰਲ ਆਫ਼ ਪੁਲਿਸ (ਏਡੀਜੀਪੀ) ਪ੍ਰਮੋਦ ਬਾਨ ਨੇ ਦੱਸਿਆ ਕਿ ਭਰੋਸੇਯੋਗ ਜਾਣਕਾਰੀ 'ਤੇ ਕਾਰਵਾਈ ਕਰਦਿਆਂ ਡੀਐੱਸਪੀ ਏਜੀਟੀਐੱਫ ਰਾਜਨ ਪਰਮਿੰਦਰ ਦੀ ਅਗਵਾਈ ਵਿੱਚ ਏਜੀਟੀਐੱਫ ਦੀਆਂ ਪੁਲਿਸ ਟੀਮਾਂ ਨੇ ਜ਼ੀਰਾ ਦੇ ਪਿੰਡ ਮਨਸੂਰ ਦੇਵਾ ਵਿੱਚ ਝਟਕਾ ਰੋੜ 'ਤੇ ਨਹਿਰ ਦੇ ਪੁਲ ਤੋਂ ਜਗਰੋਸ਼ਨ ਨੂੰ ਗ੍ਰਿਫ਼ਤਾਰ ਕਰ ਲਿਆ। ਜਗਰੋਸ਼ਨ ਜਿਊਲਰ ਹਮਲੇ ਸਬੰਧੀ ਮਾਮਲੇ ਵਿੱਚ ਗ੍ਰਿਫ਼ਤਾਰ ਕੀਤਾ ਗਿਆ ਤੀਜਾ ਮੁਲਜ਼ਮ ਹੈ ਅਤੇ ਉਹ ਇਸ ਹਮਲੇ ਵਿੱਚ ਮੁੱਖ ਸੂਟਰ ਸੀ। ਇਸ ਤੋਂ ਪਹਿਲਾਂ, ਦੋ ਹੋਰ ਮੁਲਜ਼ਮਾਂ ਜਿਨ੍ਹਾਂ ਦੀ ਪਛਾਣ ਹਰਜੀਤ ਉਰਫ਼ ਜੀਤਾ ਅਤੇ ਸਨਮੁਖ ਉਰਫ਼ ਸੰਨੀ ਵਜੋਂ ਹੋਈ ਹੈ, ਨੂੰ ਏਜੀਟੀਐੱਫ ਦੀਆਂ ਟੀਮਾਂ ਨੇ ਪਹਿਲਾਂ ਹੀ ਗ੍ਰਿਫ਼ਤਾਰ ਕਰ ਲਿਆ ਸੀ।

ਪੰਜਾਬ ਏੱਫ ਸਿੰਘ ਬੈਂਕ
 (A GOVT. OF INDIA UNDERTAKING)
 PUNJAB & SIND BANK
 (A GOVT. OF INDIA UNDERTAKING)
 Where Service is a way of life

ਜਨਤਕ ਸੂਚਨਾ
 ਮੈਸ. ਕਿਸਾਨ ਕੋਲਡ ਸਟੋਰ, ਲੀਲਾ ਬੋਖਦੇਲਤ ਰੋਡ ਪਿੰਡ, ਸ਼ੇਖੋਲੋਲ, ਜਗਰਾਉ, ਲੁਧਿਆਣਾ, ਪੰਜਾਬ ਨੇ ਆਪਣੇ ਭਾਈਵਾਲਾਂ (1) ਗੁਰਪ੍ਰੀਤ ਸਿੰਘ ਪੁੱਤਰ ਦਵਿੰਦਰ ਸਿੰਘ ਅਤੇ (2) ਪਰਨੀਤ ਕੌਰ ਪਤਨੀ ਜਸਮੀਤ ਸਿੰਘ ਦੋਵੇਂ ਵਾਸੀ ਮਕਾਨ ਨੰ. 402, ਗੋਰਦ ਕੋਲਾਬ, ਮਕਸੂਦ, ਜਲੰਧਰ 144008, (3) ਬਿਵਸ ਭਾਰਦਵਾਜ ਪੁੱਤਰ ਨਵੀਨ ਭਾਰਦਵਾਜ ਅਲੀਆਸ ਨਵੀਨ ਕੁਮਾਰ ਵਾਸੀ ਮਕਾਨ ਨੰ. 381 ਫਰੋਡਬ ਕਲੋਨੀ, ਡੇਵੀ ਵਾਲਜ ਦੇ ਨੇੜੇ, ਜਲੰਧਰ, 144008 ਅਤੇ (4) ਰੁਚਿਕਾ ਰੋਹੜਾ ਪਤਨੀ ਨਵਜੁਗ ਰੋਹੜਾ ਵਾਸੀ ਮਕਾਨ ਨੰ. 1054, ਦੁਜੀ ਮੰਜਿਲ, ਸੈਕਟਰ 44 ਥੀ, ਚੰਡੀਗੜ੍ਹ 160047 ਰਾਹੀਂ ਬੈਂਕ ਨਾਲ ਸੰਬੰਧ ਕੀਤਾ ਹੈ ਜੋ ਹੇਠਾਂ ਦਿੱਤੀ ਜਾਇਦਾਦ ਦੁਆਰਾ ਸੁਰੱਖਿਅਤ ਕੀਤੀ ਜਾਣ ਵਾਲੀ ਵਿੱਤੀ ਸਹਾਇਤਾ ਲਈ ਪਹੁੰਚ ਕੀਤੀ ਹੈ।
 ਸਿਰਲੇਖ ਵੇਰਵਾ: ਪਿੰਡ ਬੋਖਦੇਲਤ ਵਿਖੇ ਸਥਿਤ 16 ਹਜ਼ਾਰ ਮੀਟਰ ਦੀ ਜਾਇਦਾਦ ਦਾ ਸਾਰਾ ਹਿੱਸਾ ਅਤੇ ਪਾਰਸਲ ਮਹਲਾ ਮੁਸਤੱਲ ਨੰ. 59, ਕਿਲਾ ਨੰ. 25/1(4-0), 16/1(4-0), 16/2(4-0), 25/2(4-0) ਖਾਤਾ ਨੰ. 455/490, 550/598 ਦੇ ਅਧੀਨ ਮਾਲ ਰਿਕਾਰਡ ਵਿੱਚ ਸ਼ਾਮਲ ਹੈ, ਸਾਲ 2018-2019 ਦੀ ਜਮਾਬੰਦੀ ਅਨੁਸਾਰ, ਹਦਬਸਤ ਨੰ. 47, ਤਹਿਸੀਲ ਜਗਰਾਉ, ਮਿਸਰਜ਼ ਕਿਸਾਨ ਕੋਲਡ ਸਟੋਰ ਦੀ ਮਲਕੀਅਤ ਅਤੇ ਕਬਜ਼ੇ ਵਾਲੀ ਵਿਕਰੀ ਡੀਡ ਨੰ. 2024-25/20/1/3407 ਮਿਤੀ 08.12.2024 ਦੁਆਰਾ ਐਸ਼ਾਹ ਜਗਰਾਉ, ਲੁਧਿਆਣਾ ਨਾਲ ਵਿਧਿਵਤ ਰੋਂ ਤੇ ਰਜਿਸਟਰਡ ਹੈ ਅਤੇ ਖ਼ਤ ਨੰ. 5494 ਦੁਆਰਾ ਮਾਲ ਰਿਕਾਰਡ ਵਿੱਚ ਸ਼ਾਮਲ ਹੈ।
 ਆਮ ਜਨਤਾ ਦੇ ਧਿਆਨ ਵਿੱਚ ਲਿਆਂਦਾ ਜਾ ਰਿਹਾ ਹੈ ਕਿ ਉਪਰੋਕਤ ਜਾਇਦਾਦ ਵਿੱਚ ਦੋ ਗੁੰਮਬਾਜ਼ ਮੁਲ ਲਿੰਕ ਡੀਡ ਹਨ ਜਿਵੇਂ ਕਿ ਹੇਠਾਂ ਦੱਸੇ ਗਏ ਹਨ:
 ਸੇਲ ਡੀਡ ਨੰ. 2021-22/20/1/2902 ਮਿਤੀ 13.01.2022 16K OM ਮਾਪ ਰਜਿੰਦਰ ਸਿੰਘ ਪੁੱਤਰ ਸੁਖਰਾਮ ਦੇ ਹੱਕ ਵਿੱਚ ਸਬ ਰਜਿਸਟਰਾਰ ਜਗਰਾਉ ਦੇ ਦਫ਼ਤਰ ਵਿੱਚ ਰਜਿਸਟਰਡ ਅਤੇ ਸੇਲ ਡੀਡ ਨੰ. 1043 ਮਿਤੀ 06.06.2014 08K OM ਮਾਪ ਸਵਰਨਸ਼ੀਤ ਕੌਰ ਪਤਨੀ ਸੁਰਿੰਦਰ ਸਿੰਘ ਦੇ ਹੱਕ ਵਿੱਚ ਸਬ ਰਜਿਸਟਰਾਰ ਜਗਰਾਉ ਦੇ ਦਫ਼ਤਰ ਵਿੱਚ ਰਜਿਸਟਰਡ। ਇਹ ਤੱਥ ਦਿੱਤਾ ਗਿਰਵੀਕਾਰ ਦੁਆਰਾ LR N: 621337/2025 ਮਿਤੀ 28.08.2025 ਨੂੰ ਪੁਲਿਸ ਸਟੇਸ਼ਨ PSOC ਮਕਸੂਦ, ਜਲੰਧਰ ਦਿਹਾੜੀ, ਜ਼ਿਲ੍ਹਾ ਜਲੰਧਰ, ਪੰਜਾਬ ਵਿਖੇ ਰਜਿਸਟਰਡ ਗੁੰਮਬਾਜ਼ ਜਾਣਕਾਰੀ ਰਿਪੋਰਟ ਰਾਹੀਂ ਸੁਚਿਤ ਕੀਤਾ ਗਿਆ ਹੈ।
 ਆਮ ਜਨਤਾ ਆਪਣੇ ਇਤਰਾਜ਼ ਅਤੇ/ਜਾਂ ਕੋਈ ਵੀ ਦਾਅਵਾ, ਇਤਰਾਜ਼ ਦੇ ਸਬੂਤ ਅਤੇ/ਜਾਂ ਦਾਅਵੇ ਦੇ ਨਾਲ, ਜੇਕਰ ਕੋਈ ਹੈ, ਪੰਜਾਬ ਐਂਡ ਸਿੰਧ ਬੈਂਕ, ਫੁੱਟਬਾਲ ਚੌਕ, ਜਲੰਧਰ ਸ਼ਾਖਾ ਨੂੰ ਉਕਤ ਜਾਇਦਾਦ ਦੇ ਗਿਰਵੀਨਾਮੇ ਲਈ ਲਿਖਤੀ ਰੂਪ ਵਿੱਚ ਬ੍ਰਾਂਚ ਮੈਨੇਜਰ, ਫੁੱਟਬਾਲ ਚੌਕ, ਜਲੰਧਰ 144001 ਨੂੰ ਨੋਟਿਸ ਦੇ 15 ਦਿਨਾਂ ਦੇ ਅੰਦਰ ਜਮ੍ਹਾਂ ਕਰਵਾ ਸਕਦੀ ਹੈ।
 ਮਿਤੀ : 31-08-2025
 ਸਥਾਨ : ਜਲੰਧਰ
 ਬਰਾਦ ਮੰਨਸਰ

ਆਈਓਲੈ ਕੈਮੀਕਲਜ਼ ਐਂਡ ਫਾਰਮਾਸਿਊਟੀਕਲਜ਼ ਲਿਮਿਟਡ
 IOLP
 CIN: L24116PB1986PLC007030
 ਰਜਿ. ਦਫ਼ਤਰ : ਪਿੰਡ ਤੇ ਡਾਕਖਾਨਾ - ਗੁੰਡਿਆਇਆ, ਫਤਿਹਗੜ੍ਹ ਫ਼ਨਾ ਰੋਡ, ਬਰਨਾਲਾ-148107, ਪੰਜਾਬ (ਭਾਰਤ)
 ਕਾਰਪੋਰੇਟ ਦਫ਼ਤਰ : 85, ਇੰਡਸਟ੍ਰੀਅਲ ਏਰੀਆ 'ਏ', ਲੁਧਿਆਣਾ-141003 (ਪੰਜਾਬ)
 ਫੋਨ : +91-161-2225531-35
 ਈ-ਮੇਲ : contact@iolcp.com, ਵੈਬਸਾਈਟ: www.iolcp.com

ਜਨਤਕ ਨੋਟਿਸ
 ਸਾਰੇ ਸੰਬੰਧਿਤ ਵਿਅਕਤੀਆਂ ਨੂੰ ਸੂਚਿਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਮੈਸ. ਆਈਓਲੈ ਕੈਮੀਕਲਜ਼ ਐਂਡ ਫਾਰਮਾਸਿਊਟੀਕਲਜ਼ ਲਿਮਿਟਡ (ਯੂਨਿਟ ਨੰਬਰ-2), ਜੋ ਕਿ ਖਸਰਾ ਨੰ: 124, 125, 126, 131, 132, 165, 166, 171, 172, 208, ਨੈਸਨਲ ਹਾਈਵੇ-7, ਬਠਿੰਡਾ ਚੰਡੀਗੜ੍ਹ ਹਾਈਵੇ, ਪਿੰਡ ਬਠਬਰ, ਤਹਿਸੀਲ ਅਤੇ ਜ਼ਿਲ੍ਹਾ ਬਰਨਾਲਾ, ਪੰਜਾਬ-148106 ਵਿਖੇ ਸਥਿਤ ਹੈ, ਇਸ ਪ੍ਰਸਤਾਵਿਤ ਪ੍ਰੋਜੈਕਟ ਕੈਮੀਕਲਜ਼ ਅਤੇ ਏਪੀਆਈਜ਼ ਮੈਨੂਫੈਕਚਰਿੰਗ ਯੂਨਿਟ ਨੂੰ ਐਮ ਓ ਏ ਐਫ ਐੱਫ ਸੀਸੀ (ਵਾਤਾਵਰਣ, ਜੰਗਲਾਤ ਅਤੇ ਜਲਵਾਯੂ ਪਰਿਵਰਤਨ ਮੰਤਰਾਲਾ) ਦੁਆਰਾ ਮਿਤੀ 27 ਅਗਸਤ 2025 ਨੂੰ ਵਾਤਾਵਰਣ ਸਬੰਧੀ ਮਨਜ਼ੂਰੀ ਦੇ ਦਿੱਤੀ ਗਈ ਹੈ, ਜਿਸਦਾ ਫਾਈਲ ਨੰ : IA-J-11011/25/2025- IA-II(I) ਹੈ। ਇਸ ਮਨਜ਼ੂਰੀ ਪੱਤਰ ਦੀਆਂ ਕਾਪੀਆਂ ਮੰਤਰਾਲੇ ਦੀ ਵੈੱਬਸਾਈਟ <https://parivesh.nic.in/> 'ਤੇ ਦੇਖੀਆਂ ਜਾ ਸਕਦੀਆਂ ਹਨ।
 ਵਾਸਤੇ ਆਈਓਲੈ ਕੈਮੀਕਲਜ਼ ਐਂਡ ਫਾਰਮਾਸਿਊਟੀਕਲ ਲਿਮਿਟਡ
 ਸਹੀ/-
 ਸਥਾਨ : ਬਰਨਾਲਾ
 ਮਿਤੀ : 30 ਅਗਸਤ, 2025
 ਅਭਯ ਰਾਜ ਸਿੰਘ
 ਸੀਨੀ. ਵਾਈਸ ਪ੍ਰੈਜ਼ੀਡੈਂਟ ਅਤੇ ਕੰਪਨੀ ਸੈਕਟਰੀ