



**IOL CHEMICALS AND PHARMACEUTICALS LIMITED**

IOLCP/MoEF/2021/004

Date: 12.01.2021

To,

The Director (s),  
Ministry of Environment & Forests,  
Regional Office,  
Chandigarh.

**Subject:** Regarding the submission of six monthly compliance report.


R/Sir,

With due respect, we are here submitting six monthly progress point wise compliance report with latest testing reports of treated effluent, ground water, air and noise monitoring in hard copy and soft copy for your reference and for display on website of Ministry of Environment & Forest.

Thanking You

With kind regards

For IOL Chemicals and Pharmaceuticals Limited.

  
(Authorized Signatory)

## COMPLIANCE REPORT

Name of Project : Expansion and addition of Chemicals and Pharmaceutical products of IOL Chemicals and Pharmaceuticals Limited, V&P.O Fatehgarh Channa, Mansa Road, Dhaula, Barnala (Punjab)

MOEF Clearance Letter No & Date : F. No 11011/976/2008-I A II (I) Dated 23.08.2019

### A- SPECIFIC CONDITIONS

S.No	EC Conditions	Compliances
(i)	Necessary permission as mandated under the water ( Prevention and control of Pollution ) Act, 1974 and the Air ( Prevention and Control of Pollution) Act,1981as applicable from time to time, Shall be obtained from the state pollution control board	Agreed with the condition, We shall take permission from PPCB under the water ( Prevention and control of Pollution ) Act, 1974 and the Air ( Prevention and Control of Pollution) Act,1981as applicable from time to time
(ii)	As already committed by the project proponent, zero liquid discharge shall be ensured and no waste water /treated water shall be discharge outside the premises , Effluent shall not be discharged in to land area /adjoining canal	Effluent Water is treated in Four Stage at ETP, 1 <sup>st</sup> Stage Anaerobic Hybrid Reactor, 2 <sup>nd</sup> Stage Moving Bed Bio Reactor , 3 <sup>rd</sup> Stage Extended Aeration Tank and 4 <sup>th</sup> Stage Tertiary Treatment. After Treatment , treated water of ETP sent in to MVR for further treatment, where condensate of MVR is used in cooling towers. High TDS is Treated in MEE.
(iii)	Necessary authorization required under the Hazardous and other waste (Management and Trans boundary Movement) Rules 2016, Solid waste management rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.	Agreed with the condition,We shall take permission from PPCB under the the Hazardous and other waste (Management and Trans boundary Movement) Rules 2016, Solid waste management rules, 2016.
(iv)	National Emission Standards for Bulk drugs Manufacturing Industry issued by the Ministry vide G.S.R.149(E) date 4 <sup>th</sup> March, 2009 and amended from time to time shall be followed. Fugitive emissions shall be controlled at 99.98% with effective chillers.	Agreed with the condition,

(v)	No Raw material/solvent prohibited by the concerned regulatory authorities from time to time, shall be used.	Agreed with the condition
(vi)	To control source and the fugitive emission, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.	Agreed with the condition, stack height as per CPCB/SPCB norms
(vii)	<p>Solvent management shall be carried out as follows:</p> <p>(a) Reactor shall be connected to chilled brine condenser system.</p> <p>(b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages.</p> <p>(c) The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery.</p> <p>(d) Solvent shall be stored in a separate space specified with all safety measures.</p> <p>(e) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.</p> <p>(f) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.</p> <p>(g) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.</p>	<p>Agreed with the condition</p> <p>a) Already in Practices, Condensers and chillers are already installed on reactors the recovery of vapors.</p> <p>b) Already in practices.</p> <p>c) Well designed and calculated with 21% extra efficiency condensers are already installed.</p> <p>d)-Already in practices, Solvent Should be stored in separate Area</p> <p>e) Earthing is already provided in all the electrical equipment wherever solvent handling is done.</p> <p>f) Agreed with the conditions, Solvent Storage tank already provided with breather valve</p> <p>(g) Already in practices, all volatile/Explosive chemicals are connected with vent condensers with chilled brine circulation.</p>
(viii)	Total Fresh water requirement shall not exceed 807 cum/day , proposed to be met from surface water sources. Prior permission in this regard shall be obtained from the concerned regulatory authority. No ground water shall be used for the industrial purpose.	Agreed with the condition

(ix)	Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.	Agreed with the condition,
(x)	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and solvent transfer through pumps.	Agreed with the condition, All Hazardous chemicals stored in tank farm area. Flame arresters are provided in tank farm areas.
(xi)	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.	Agreed with the condition, We have done agreement with GGEPIIL, Rajasthan and Nimbua (TSDF)
(xii)	The Company shall strictly comply with the rules and guidelines under Manufacture, storage and import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Agreed with the condition
(xiii)	Fly ash should be stored separately as per CPCB guidelines so that it may not adversely affect the air quality. Direct exposure of workers to fly ash and dust should be avoided	Agreed with the condition
(xiv)	The company shall undertake waste minimization measures as below:- (a) Metering and control of quantities of active ingredients to minimize waste.  (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.  (c) Use of automated filling to minimize spillage.  (d) Use of Close Feed system into batch reactors.  (e) Venting equipment through vapour recovery system.  (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Agreed with the condition  (a).In all process Raw Material and API Quantities are taken by weight or by volume  (b) Reuse of by product is already in use, as well as HCl is being use in DM plant.  (c). Automatic filling machines are already installed for filling finish goods.  (d) Feed of liquid input in reactor is already in closed system  (e) Condensers and chillers are already installed on the recovery of vapors.  (f) Equipments cleaning are already being done by high pressure jet system to minimize the use of water/ waste reduction.

(xv)	The green belt of at least 5-10 m width shall be developed in nearly 33 % of the total project area, mainly along the plant periphery, in downward wind direction and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	Agreed with the condition, We have already developed 33% green Belt Area of total project area. Plant Spices are as Per CPCB Guidelines like Eucalyptus Plant, Arjun, Neem, Sukhchain and others
(xvi)	All commitments made during public consultation/hearing shall be properly implemented by the project proponent.	We shall complete the all the commitments that are made during public consultation/Hearing .
xvii	At least 2 % of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office.	Agreed with the condition, CER Activities details and photographs are attached as annexure no 1
xviii	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	Agreed with the condition, Stack Height are as per CPCB norms, Canopies are provided on DG sets for Controlling noise Pollution
xix	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling . Fire Fighting system shall be as per norms	Agreed with the condition, Fire Fighting system installed as per Factory Act.
Xx	Occupational Health Surveillance of the workers shall be done on regular basis and records maintained as per Factories Act	Occupational health surveillance of the workers is done on a regular basis and records maintained as per rules and regulations. Medical Examination record of employees attached as annexure No :2
Xxi	Continuous online (24 x7 ) monitoring system for stack emissions shall be installed for measurement of the flue gas discharge and pollutants concentration, and the data to be transmitted to the CPCB and SPSB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises	Already in Practices, Continuous online (24 x7 ) monitoring system for stack emissions already installed for measurement of the flue gas discharge and pollutants concentration and online continuous monitoring of effluent, web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises already installed and readings of the same sent to CPCB server
<b>10.1</b>	<b>The grant of Environment Clearance is further subject to compliance of other generic condition as under :-</b>	
(i)	The project authorities must strictly adhere to the stipulation made by the state pollution control board (SPCB), state government and /or any other statutory authority.	Agreed with the condition

(ii)	No further expansion or modification in the plant shall be carried out without prior approval of ministry of environment, forest and climate change . In case of deviations or alteration in the project proposal from those submitted to this ministry for clearance , a fresh reference shall be made to the ministry to assess the adequacy of conditions imposed and to add additional environment protection measure required , if any	Agreed with the condition, No further expansion or modification in the plant shall be carried out without prior approval of ministry of environment, forest and climate change
(iii)	The locations of ambient air quality monitoring station shall be decided in consultation with the state pollution control board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentration are anticipated .	Agreed with the condition, Ambient air quality monitoring stations is installed in the up wind and downwind directions in plant. Ambient Air quality report is attached as annexure no 3
(iv)	The national ambient air quality emission standards issued by the ministry vide G.S.R. No. 826(E) dated 16 <sup>th</sup> November ,2009 shall be complied with .	Agreed with the condition
(v)	The overall noise levels in and around the plant area shall b kept well within the standards by providing noise control measures including acoustic hoods , silencers , enclosures etc.on all sources of noise generation . Th e ambient noise levels shall conform to the standards prescribed under the environment (protection) act, 1986 and the rules made thereunder	Noise level monitoring is in continue practice and results are under limit as per prescribed standards attached as per annexure no: 4
(vi)	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operation within the plant.	Rain water Harvesting System is developed by Facility, attached as annexure no 5
(vii)	Training shall be imparted to all employees on safety and health aspects of chemicals handling . Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis training to all employees on handling of chemicals shall be imparted.	Training to employee on safety and health aspect is already in practices and periodically training sessions are being organized. Training sheets & Mock drill photos are attached as per annexure no 6  Medical examinations for all employees are in regular practice attached as per annexure no 2

(viii)	The company shall comply with all the environmental protection measures and safeguards proposed in the document submitted to the ministry . All the recommendations made in the EIA/EMP in respect of environment management, risk mitigation measure and public hearing shall be implemented.	Agreed with the condition, We shall implemented all the recommendations made in the EIA/EMP in respect of environment management, risk mitigation measure. We shall complete the all the commitments that are made during public consultation/Hearing .
(ix)	The company shall undertake all measure for improving socio-economic conditions of the surroundings area. CER activities shall be undertaken by involving local villagers, administration and other stake holders. Also eco-development measures shall be undertaken for overall improvement of the environment.	Agreed with the condition. The CER activities concept is already implemented in plant  Agreed with the condition. The company takes eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment attached as per annexure no 1
(x)	A separate environment management cell equipped with full-fledged laboratory facilities shall be set up to carry out the environment management and monitoring functions.	Agreed with the condition, Environment Management Cell is already set up that includes Senior General Manager, Deputy Manager(Environment), officer, Chemist, Operators and Helpers. Environment Management Cell is attached as per annexure no 7
(xi)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the ministry of environment, forest and climate changes as well as the state government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management / pollution control measures shall not be diverted for any other purpose.	Agreed with the condition
(xii)	A copy of the Clearance letter shall be sent by the project proponent to concerned panchayat, zila parishad/ municipal corporation, urban local body and the local NGO, if any , from whom suggestion/ representations, if any, were received while processing the proposal.	Agreed with the condition, copy of the clearance letter is already sent to Zila Parishad/ concerned panchayat/urban local body attached as annexure no 8

(xiii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard as well as e-mail) to the respective regional office of MOEF&CC, the respective zonal office of CPCB and SPCB. A Copy of environmental clearance and six monthly compliance status report shall be posted on the website of the company.	Agreed with the condition, Last compliance Submitted to MoEF attached as annexure No 9
(xiv)	The environmental statement for each financial year ending 31 <sup>st</sup> march in Form-v as is mandated shall be submitted to the concerned state pollution control board as prescribed under the environmental (protection) Rules, 1986, as amended subsequently , shall also be put on the website of the company along with the status of compliance of environment clearance conditions and shall also be sent to the respective regional offices of MOEF&CC by e-mail.	The environmental statement for financial year 2018-2019 in Form-V has been submitted to PPCB regional office report is attached as per annexure no 10
(xv)	The project proponent shall inform the public that the project has been accorded environmental clearance by the ministry and copies of the clearance letter are available with the SPCB/committee and may also be seen at website of the ministry at <a href="http://moef.nic.in">http://moef.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspaper that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same be forwarded to the concerned regional office of the ministry.	Agreed with the condition, Already published in News Papers, attached as Annexure no 11
11.	The ministry reserves the right to stipulate additional conditions , if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The ministry may revoke or suspend the environmental clearance if implementation of any of the above conditions is not found satisfactory.	Agreed with the condition



## CER Activities

Sr. no	Activity	Estimated Cost(Rs. Lac)	Recurring Cost (Rs. Lac)
1	Upgradation of Schools ( Smart Class Room for Smart Classes)	50.0	0.0
2	Road Repair and Maintenance	6.0	0.0
3	Plantation in near by Area	10.0	0.0
4	Distribution of Stching Machine to women	1.0	0.0
5	Cleanliness of ponds	10.0	2.0
6	Free Medicines and Hospital Equipments to near by Dispensaries and Hospitals	50.0	24.0
<b>Total</b>		<b>127.0</b>	<b>26.0</b>

## **Brief of CSR**

- ❖ Given Chairs to Aaganwadi centre saran kothe
- ❖ Given Projectors and LED s to Near By Schools to make smart Schools
- ❖ Medicines given to villages Govt Dispensary Handiaya, Dhaula, Fatehgarh Channa, Sandhu Patti, Barnala, Sanghera.
- ❖ Distribution of Ration to slum peoples in Barnala in COVID-19 Pandemic Lockdown.
- ❖ Distribution of Sanitazation Items and PPEs kits to Nagar Council of Barnala.

## **Social Initiative**

### **Allocation of funds for Public Development**

- ❖ Providing Bags of sugar to Jangham
- ❖ Sponsor a child at CRY
- ❖ Provide education expenditures for the physically disable persons i.e. deaf and dumb "Ek Prayas" and "Govind Dham"
- ❖ Donation to schools such as Sacred Heart Convent School
- ❖ Distribution of free medicines to the poor in nearby villages.
- ❖ Misc. benefit like providing cash to poor students.
- ❖ Celebrate Environment Day at Govt High School Village, Handiaya
- ❖ Distribute Trees to peoples of Govt High School, Handiaya
- ❖ Donate 60,000 rupees to NGO for Kedarnath Tragedy
- ❖ Distribute Blankets and cloths Civil, Hospital, Ludhiana
- ❖ Celebrate Children day at Govt High School, Longowal

## **Employee Welfare**

- ❖ Mediclaim (Medical, Sickness benefits)
- ❖ Group Personal Accident (Accident, Disability benefits)
- ❖ EPF
- ❖ Superannuation Pension scheme (SAS from LIC of India)
- ❖ Financial Security (PF, Gratuity)
- ❖ Physical Security (Good Working Condition, Employment Safety)
- ❖ Salary Structure Pattern
- ❖ Working hours
- ❖ Medical Facilities
- ❖ Risk Benefits
- ❖ Canteen Services
- ❖ Games/Sports
- ❖ Transportation facilities
- ❖ Easy Education of Children

- ❖ Loans & Advances
- ❖ Shagun Scheme
- ❖ Diwali gifts with bonus

#### **Employee Recreation**

- ❖ Birthdays are celebrated in the office premises with full enthusiasm
- ❖ Religious activities
- ❖ Occasion celebrations
- ❖ Ladies Club
- ❖ In house competitions
- ❖ Suggestion schemes
- ❖ Management games
- ❖ Skill enhancement
- ❖ E-magazines

Our commitment towards society also covers educational, charitable, and artistic provision

#### **Initiatives taken towards social commitments include:**

- ❖ Zero Tolerance to Narcotics
- ❖ Zero Tolerance for work force violence
- ❖ Zero tolerance to product quality by design

**We, at IOLCP ensures that the no person under the age of 18 years is employed with us directly or under contracted manpower and strictly comply with The Child Labour (Prohibition & Regulation) Act, 1986.**

SANITIZATION ITEMS DISTRIBUTED TO  
NAGAR COUNCIL, BARNALA



# RATION DISTRIBUTION IN LOCK DOWN



Medicines given to villages Govt Dispensary Handiaya, Dhaula,

Fatehgarh Channa, Sandhu Patti, Barnala, Sanghera

## ਸਰਕਾਰੀ ਡਿਸਪੈਂਸਰੀ ਨੂੰ ਮੁਫਤ ਦਵਾਈਆਂ ਦਿੱਤੀਆਂ

ਪਿੱਛੇ ਕਲਾ. 21 ਸਤੰਬਰ  
(ਕੁਲਦੀਪ ਰਾਜੂ) : ਪਿੱਛੇ  
ਧੌਲਾ ਦੀ ਸਰਕਾਰੀ  
ਡਿਸਪੈਂਸਰੀ ਨੂੰ  
ਆਈ ਓ ਐਲ. ਕੋਮਰੋਕਲਜ  
ਫਾਰਮਾਸਿਊਟੀਕਲਜ ਲਿਮ  
ਟਿਡਿਹਗੜ੍ਹ ਫੋਨਾ ਵੱਲੋਂ  
ਚਮੜੀ, ਸੂਰਾਹ, ਬੀ ਪੀ  
ਅਤੇ ਦਰਦ ਸੁਖਾਰ ਆਦਿ



ਦੀਆਂ ਦਵਾਈਆਂ ਮੁਫਤ ਦਿੱਤੀਆਂ ਗਈਆਂ। ਇਸ ਮੌਕੇ ਕੰਪਨੀ ਦੇ ਵਾਈਸ  
ਪ੍ਰੈਜੀਡੈਂਟ ਆਰ ਕੇ ਰਤਨ ਨੇ ਕਿਹਾ ਕਿ ਉਨ੍ਹਾਂ ਇਹ ਦਵਾਈਆਂ ਲੜਕਿਆਂ ਦੇ ਇਲਾਜ  
ਲਈ ਦਿੱਤੀਆਂ ਹਨ ਤੇ ਇਹ ਹਰ ਮਹੀਨੇ ਦਿੱਤੀਆਂ ਜਾਂਦੀਆਂ ਰਹਿਣਗੀਆਂ। ਇਸ  
ਮੌਕੇ 'ਤੇ ਉਨ੍ਹਾਂ ਨਾਲ ਮਨਦੀਪ ਸ਼ਰਮਾ, ਸਿਮਰਜੀਤ ਰਤਨ, ਤਰਨਜੀਤ ਸ਼ਰਮਾ,  
ਅਸ਼ਵਨੀ ਸਿੰਘ, ਡਾ ਗਨੇਸ਼ ਦੱਤ ਅਤੇ ਡਾ ਤਰਨਜੀਤ ਕੌਰ ਆਦਿ ਹਾਜ਼ਰ ਸਨ।

## CSR Activities

### Given Chairs to Aaganwadi centre saram kothe

ਗਿਆ ਅਤੇ ਜਿਸ ਦੀ ਤਾਈਦ ਸੁਦੇਸ਼ ਹਾਈ ਹਮੀਦੀ ਨੇ ਕੀਤੀ। ਇਸੇ ਤਰ੍ਹਾਂ ਵਿਕਾਸ ਤੇ ਪੰਚਾਇਤ ਅਫ਼ਸਰ ਬਰਨਾਲਾ ਸ੍ਰੀ ਰਮਨ ਲਾਲ ਲਾਲਕਾ ਸਮੇਤ ਹੋਰ ਪੰਚਾਇਤ ਮਿਤੀ ਦੇ ਮੈਂਬਰ ਹਾਜ਼ਰ ਸਨ।



ਪਿੰਡ ਸਰਾਂ ਕੋਠੇ ਦੇ ਆਗਵਾਦੀ ਸੇਂਟਰ ਵਿਚ ਪੜ੍ਹਦੇ ਵਿਦਿਆਰਥੀਆਂ ਲਈ ਆਈ. ਓ. ਐਲ. ਸੀ. ਪੀ. ਕੰਪਨੀ ਫ਼ਤਿਹਗੜ੍ਹ ਛੋਨਾ ਦੇ ਅਧਿਕਾਰੀ ਬਸੰਤ ਸਿੰਘ, ਆਰ.ਕੇ. ਰਤਨ ਸਿੰਘ, ਕੁਰਸੀਆਂ ਦੇਣ ਮੌਕੇ ਨੌਬਰਦਾਰ ਗੁਰਸੇਵਕ ਸਿੰਘ ਸਰਾਂ, ਪੰਚ ਜਤਿੰਦਰ ਸਿੰਘ, ਪ੍ਰਦੀਪ ਸਿੰਘ, ਹਾਕਮ ਸਿੰਘ, ਮਨਦੀਪ ਸ਼ਰਮਾ ਅਤੇ ਹੋਰ।

ਭਾਸ਼ਾਵੀਰ : ਗੁਰਜੀਤ ਸਿੰਘ ਖੁੰਡੀ

ਚਰਚਾ \*\*\*B CM K

### Given Projectors and LED ,s to Near By Schools to make smart Schools

ਇਸ ਖ਼ਬਰ  
ਦੀ ਰਿਪੋਰਟ  
ਨੇ ਕਰਾਏ  
ਜਨੀਓਕ  
ਸ਼ਾ ਸੰਬੰਧੀ

ਨ ਖ਼ਬਰੀ ਯ  
ਜਨਕਾਰੀ ਯ  
ਲਗਾਈ ਗਈ  
ਕ ਹੋਈ ਹੈ।  
ਇਸ ਪ੍ਰੀਤਵੀ  
ਤਲਵਾਰਬਾ

## ਨ

ਕੀ ਫ਼ਾਰਾ 75  
ਵਿਭਾਗਾਂ ਕੀ  
ਕੀ ਸੇ ਪੜ੍ਹੇ  
। ਪੜ੍ਹ ਵਿਖ  
ਕੀਸਾ, ਕੇਕੇ  
ਅਧਿਕਾਰੀ  
ਸੁਵਿਧਾਵਾਂ

ਕ ਖੇਤ ਸਮ  
ਰ, ਪ੍ਰਿਥਿਪਲ  
ਅਧਿਕਾਰੀ  
ਰਖ਼ਾਏ ਆਯ  
ਸੇਵਕ ਸਿੰਘ,  
ਅਧਿਕਾਰੀ  
ਅ ਖ਼ਬਰਬੰਦ

## ਆਈਓਐਲ ਨੇ ਸਕੂਲਾਂ ਕੀ ਪ੍ਰੋਜੈਕਟਰ ਮੋਟ ਕੀਏ


ਯੋਗਰਾਜ ਸੰਗਠਕਾਂ, ਬਰਨਾਲਾ  
: ਆਈਓਐਲ ਕੰਪਿਊਟਰਜ਼ ਪ੍ਰਾਈ  
ਵੈਟੀਵੀ ਸੇਕੰਡਰੀ ਸਕੂਲ ਵਿਚ ਹੁਣ ਕੇ  
ਨੇਤੁਲ ਮੇ ਚਿਲੇ ਕੇ ਚੀਨਿਯਰ ਸੇਕੰਡਰੀ  
ਸਕੂਲ ਫ਼ਤਿਹਗੜ੍ਹ, ਚੀਲਾ, ਲੁਠੀਏ ਕਲਾ  
ਕੁਝ ਡੀ ਕਲਾ ਕ ਸਿਡਲ ਸਕੂਲ ਚੀਲਾ ਕੀ  
ਏਕ ਪ੍ਰੋਜੈਕਟਰ, ਏਕ ਕੰਪਿਊਟਰ ਕ ਏਕ  
ਏਕ ਏਲੀਡੀ ਜਵਾਕ ਸਰਕਾਰੀ ਪ੍ਰਾਇਮਰੀ  
ਸਕੂਲ ਫ਼ਤਿਹਗੜ੍ਹ ਕੀ ਡੀ ਏਲੀਡੀ ਮੋਟ  
ਕੀ। ਆਈਓਐਲ ਕੰਪਨੀ ਕੇ ਡੀ ਪ੍ਰਬਾਨ  
ਆਰਕੇ ਰਮਨ ਨੇ ਵਿਮਿੰਨ ਸਕੂਲੀ ਕੇ  
ਸੁਵਿਧਾਵਾਂ ਤਥਾ ਵਟਾਫ਼ ਕੇ ਸਾਥ ਕਾਲ ਕਰਕੇ  
ਹੁਏ ਕਹਾ ਕਿ ਤਨਕੀ ਕੰਪਨੀ ਸਮਾਜ ਕੇ  
ਪ੍ਰੀਤ ਅਧੀਨੀ ਨੈਤਿਕ ਜਿੰਮੇਦਾਰੀ ਕੀ  
ਸਮਝਾਏ ਹੁਏ ਆਫ਼ਲ ਕੇ ਸਿਡਲ ਕੇ ਡੀ  
ਮੇ ਸਰਕਾਰੀ ਸੰਸਥਾਨਾਂ ਕੀ ਸੁਵਿਧਾਵਾਂ  
ਤਪਲਕਾ ਕਰਵਾਨੇ ਕੇ ਲਿਏ ਪ੍ਰਯੋਜਨਸ਼ੀਲ  
ਹੈ। ਡੀਸ ਕ੍ਰਮ ਕੇ ਸਹਾਏ ਤਪਲ ਸਕੂਲੀ ਕੀ  
ਪ੍ਰੋਜੈਕਟਰ ਕ ਏਲੀਡੀ ਮੋਟ ਕੀ ਗਈ ਹੈ।

ਜਿਹਾਦੀ ਸਰਕਾਰੀ ਸਕੂਲੀ ਕੇ ਵਿਭਾਗੀ  
ਕੀ ਤਨਕੀਕੀ ਸਿਡਲ ਕੇ ਸਾਥ ਕੁਝ ਕਰਕੇ  
ਕਰਕੇ ਕੇ ਸਾਥੀ ਕੀ ਸਕੇ। ਡੀਓਓ  
ਸੇਕੰਡਰੀ ਸਰਕਾਰੀ ਸਿਡਲ ਕੁਝ ਨੇ ਕਹਾ ਕੇ  
ਮੁਠੀਕਾ ਕਰਵਾਨੇ ਕੇ ਲਿਏ ਆਈਓਐਲ  
ਕੇ ਸੈਨੇਜਿਮ ਡਾਕਟਰ ਕੀਰਦਰ ਸ਼ਰਮਾ  
ਕੇ ਸਾਥ ਆਯੋਜ ਕਰਕੇ ਕਾਲੇ ਹੁਏ ਕਹਾ  
ਕਿ ਸਿਡਲ ਕੇ ਡੀ ਕੇ ਕੇ ਡੀ ਕੇ ਡੀ  
ਯਹ ਸੁਵਿਧਾਵਾਂ ਤਨ ਸਕੂਲੀ ਕੇ ਵਿਭਾਗੀ  
ਕੀ ਸੁਵਿਧਾਵਾਂ ਕੀ ਪੜ੍ਹਾਈ ਕੇ ਸਾਥ  
ਕੁਝ ਕੇ ਲਿਏ ਤਲਵਾਰਬੰਦ ਕਰੇਗੀ। ਡੀਸ  
ਅਧਿਕਾਰੀ ਪ੍ਰਿਥਿਪਲ ਆਰਥੀ ਸਿੰਘ ਨੇ  
ਆਈਓਐਲ ਅਧਿਕਾਰੀਆਂ ਕੀ ਸਾਥ ਕੀ  
ਕਿ ਕਹ ਸਰਕਾਰੀ ਸਕੂਲੀ ਕੀ ਆਧੁਨਿਕ  
ਸੁਵਿਧਾਵਾਂ ਕੇ ਸਾਥ ਕੁਝ ਕੇ ਲਿਏ ਡੀ  
ਕੀ ਯੋਗਦਾਨ ਭਾਲੇ ਰਹੇ। ਡੀਸ ਅਧਿਕਾਰੀ  
ਪ੍ਰਿਥਿਪਲ ਸੇਨੇਜਰ ਸਨਦੀਪ ਸ਼ਰਮਾ, ਡੀਲ  
ਅਧਿਕਾਰੀ ਸਿਮਰਦੀਪ ਸਿੰਘ, ਪਿ. ਡੀ. ਡੀ  
ਸਿੰਘ ਆਦਿ ਤਪਰਿਕਲ ਕੇ।



ਸਕੂਲੀ ਕੀ ਏਲੀਡੀ ਕ ਪ੍ਰੋਜੈਕਟਰ ਮੋਟ ਕਰਕੇ ਹੁਏ ਆਈਓਐਲ ਕੇ ਸੈਨੇਜਰ ਸਨਦੀਪ ਸ਼ਰਮਾ, ਡੀਲ  
ਅਧਿਕਾਰੀ ਸਿਮਰਦੀਪ ਸਿੰਘ, ਪਿ. ਡੀ. ਡੀ ਸਿੰਘ ਆਦਿ ਤਪਰਿਕਲ ਕੇ।

ਸੀਤ ਸੀ-ਪੇਪਰ ਬਰਨਾਲਾ 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000



ਸਰਕਾਰੀ ਸੀਨੀਅਰ ਸੈਕੰਡਰੀ ਸਕੂਲ ਸੰਧੂ ਪੱਤੀ ਬਰਨਾਲਾ ਵਿਖੇ ਪ੍ਰੋਜੈਕਟਰ ਭੇਟ ਕਰਦੇ ਹੋਏ ਆਈ ਓ ਐੱਲ ਸੀ ਦੇ ਅਧਿਕਾਰੀ ਆਰ ਕੇ ਭਰਨ, ਸ਼੍ਰੀ ਮਨਦੀਪ ਸ਼ਰਮਾ, ਜਿਨ੍ਹਾਂ ਵਿੱਚ ਆਡੀਟਰ ਸਰਬਜੀਤ ਸਿੰਘ ਜੂਰ, ਪ੍ਰਿਸ਼ੀਪਲ ਡਾ: ਰਵਿੰਦਰਪਾਲ ਸਿੰਘ ਆਤੇ ਹੋਰ। (ਸੱਜੇ) ਸਰਕਾਰੀ ਸੀਨੀਅਰ ਸੈਕੰਡਰੀ ਸਕੂਲ (ਬੰਨਿਆ) ਬਰਨਾਲਾ ਵਿਖੇ ਪ੍ਰਿਸ਼ੀਪਲ ਅਰੁਣਾ ਗਰਗ ਨੂੰ ਪ੍ਰੋਜੈਕਟਰ ਭੇਟ ਕਰਨ ਮੌਕੇ ਆਈ ਓ ਐੱਲ ਸੀ ਦੇ ਅਧਿਕਾਰੀ ਆਤੇ ਹੋਰ।

**ਸਰਕਾਰੀ ਸੀਨੀਅਰ ਸੈਕੰਡਰੀ ਸਕੂਲ ਸੰਧੂ ਪੱਤੀ ਅਤੇ ਕੰਨਿਆ ਸਕੂਲ ਬਰਨਾਲਾ ਨੂੰ ਦੋ ਪ੍ਰੋਜੈਕਟਰ ਭੇਟ ਕੀਤੇ**

ਬਰਨਾਲਾ: ਨਵੇਂਗੜ ਅਜੇ ਸਰਕਾਰੀ ਸੀਨੀਅਰ ਸੈਕੰਡਰੀ ਸਕੂਲ ਕੰਨਿਆ ਬਰਨਾਲਾ ਨੂੰ ਦੋ-ਦੋ ਪ੍ਰੋਜੈਕਟਰ ਭੇਟ ਕੀਤੇ ਗਏ। ਆਈ ਓ ਐੱਲ ਸੀ ਬਰਨਾਲਾ ਤੋਂ ਸ਼੍ਰੀ ਆਰ ਕੇ ਭਰਨ ਵਾਲੀ ਪ੍ਰੋਜੈਕਟਰ ਅਤੇ ਸ਼੍ਰੀ ਮਨਦੀਪ ਸ਼ਰਮਾ ਜਿਹਨਾਂ ਮੌਕੇ ਵਿਖੇ ਸ਼੍ਰੀ ਮਨਦੀਪ ਸ਼ਰਮਾ ਤੋਂ ਸਕੂਲ ਪ੍ਰੋਜੈਕਟਰ ਭੇਟ ਕੀਤਾ ਗਿਆ। ਆਈ ਓ ਐੱਲ ਸੀ ਦੇ ਅਧਿਕਾਰੀ ਆਰ ਕੇ ਭਰਨ, ਸ਼੍ਰੀ ਮਨਦੀਪ ਸ਼ਰਮਾ, ਜਿਨ੍ਹਾਂ ਵਿੱਚ ਆਡੀਟਰ ਸਰਬਜੀਤ ਸਿੰਘ ਜੂਰ, ਪ੍ਰਿਸ਼ੀਪਲ ਡਾ: ਰਵਿੰਦਰਪਾਲ ਸਿੰਘ ਆਤੇ ਹੋਰ। (ਸੱਜੇ) ਸਰਕਾਰੀ ਸੀਨੀਅਰ ਸੈਕੰਡਰੀ ਸਕੂਲ (ਬੰਨਿਆ) ਬਰਨਾਲਾ ਵਿਖੇ ਪ੍ਰਿਸ਼ੀਪਲ ਅਰੁਣਾ ਗਰਗ ਨੂੰ ਪ੍ਰੋਜੈਕਟਰ ਭੇਟ ਕਰਨ ਮੌਕੇ ਆਈ ਓ ਐੱਲ ਸੀ ਦੇ ਅਧਿਕਾਰੀ ਆਤੇ ਹੋਰ।



**ਆਈ ਓ ਐੱਲ ਕੰਪਨੀ ਵੱਲੋਂ ਸਕੂਲ ਨੂੰ ਸਮਾਰਟ ਬਨਾਉਣ ਲਈ ਪ੍ਰੋਜੈਕਟਰ ਦਿੱਤਾ**

ਬਰਨਾਲਾ: ਨਵੇਂਗੜ ਅਜੇ ਸਰਕਾਰੀ ਸੀਨੀਅਰ ਸੈਕੰਡਰੀ ਸਕੂਲ ਕੰਨਿਆ ਬਰਨਾਲਾ ਨੂੰ ਦੋ-ਦੋ ਪ੍ਰੋਜੈਕਟਰ ਭੇਟ ਕੀਤੇ ਗਏ। ਆਈ ਓ ਐੱਲ ਸੀ ਬਰਨਾਲਾ ਤੋਂ ਸ਼੍ਰੀ ਆਰ ਕੇ ਭਰਨ ਵਾਲੀ ਪ੍ਰੋਜੈਕਟਰ ਅਤੇ ਸ਼੍ਰੀ ਮਨਦੀਪ ਸ਼ਰਮਾ ਜਿਹਨਾਂ ਮੌਕੇ ਵਿਖੇ ਸ਼੍ਰੀ ਮਨਦੀਪ ਸ਼ਰਮਾ ਤੋਂ ਸਕੂਲ ਪ੍ਰੋਜੈਕਟਰ ਭੇਟ ਕੀਤਾ ਗਿਆ। ਆਈ ਓ ਐੱਲ ਸੀ ਦੇ ਅਧਿਕਾਰੀ ਆਰ ਕੇ ਭਰਨ, ਸ਼੍ਰੀ ਮਨਦੀਪ ਸ਼ਰਮਾ, ਜਿਨ੍ਹਾਂ ਵਿੱਚ ਆਡੀਟਰ ਸਰਬਜੀਤ ਸਿੰਘ ਜੂਰ, ਪ੍ਰਿਸ਼ੀਪਲ ਡਾ: ਰਵਿੰਦਰਪਾਲ ਸਿੰਘ ਆਤੇ ਹੋਰ। (ਸੱਜੇ) ਸਰਕਾਰੀ ਸੀਨੀਅਰ ਸੈਕੰਡਰੀ ਸਕੂਲ (ਬੰਨਿਆ) ਬਰਨਾਲਾ ਵਿਖੇ ਪ੍ਰਿਸ਼ੀਪਲ ਅਰੁਣਾ ਗਰਗ ਨੂੰ ਪ੍ਰੋਜੈਕਟਰ ਭੇਟ ਕਰਨ ਮੌਕੇ ਆਈ ਓ ਐੱਲ ਸੀ ਦੇ ਅਧਿਕਾਰੀ ਆਤੇ ਹੋਰ।

More News from Rozana Pehredar Epaper






# ENVIRONMENT DAY CELEBRATION: 5<sup>th</sup> June 2020



# पर्यावरण दिवस को समर्पित 200 पौधे लगाए

हॉडिआया, 5 जून (नरेंद्र शर्मा): आज पर्यावरण दिवस को समर्पित कुदरत प्रेमी सोसाइटी और भाई कन्हैया जी युवक सेवाएं क्लब के समूह मेंबरों की तरफ से पर्यावरण की शुद्धता के लिए विभिन्न जगहों पर 200 पौधे लगाए गए। यह पौधे आई.ओ.एल कैमिकल ढोला की तरफ से भेंट किए गए। जानकारी देते हुए समाज सेवी बसावा सिंह और मोहन सिंह खालसा ने

कहा कि पर्यावरण की शुद्धता को बचाने के लिए प्रत्येक मनुष्य को कम से कम 10 पौधे लगाने चाहिए और उनकी देखभाल करनी चाहिए। इस मौके पर संदीप बाबा पर्यावरण प्रेमी, अमृतपाल सिंह, जोधवीर सिंह, रंजीत सिंह, मलकीत सिंह चेयरमैन, कर्मा सिंह, संदीप अरोड़ा, गुरजंट सिंह, चरणजीत सिंह और समूची आई.ओ.एल की टीम भी उपस्थित थी।



पौधे लगाते हुए क्लब के मेंबर और आई.ओ.एल के कर्मचारी।

# IOLCP PLANTATION PROGRAMME AND NEWS



## ਵਾਤਾਵਰਣ ਦਿਵਸ ਨੂੰ ਸਮਰਪਤ 300 ਪੌਦੇ ਲਏ



ਪਟਿਕਲਾ, 10 ਜੂਨ (ਕੁਲਦੀਪ ਬਾਬੂ): ਵਿਸ਼ਵ ਵਾਤਾਵਰਣ ਦਿਵਸ ਮੌਕੇ ਆਲੇ ਦਿ ਆਲੇ ਕੌਮੀਕਲ ਫੈਕਟਰੀ ਫਰਿਕਲਾਈ ਫੈਕਟਰੀ ਵਲੋਂ 300 ਪੌਦੇ ਪਿਛੇ ਪੌਦਾ ਪੌਦਾ ਲਿਆਇਆ ਗਿਆ ਅਤੇ ਵਾਤਾਵਰਣ ਆਰਥਿਕ ਪਿੰਡਾਂ ਦੇ ਕਾਲੋਨੀ ਦੇ ਸਥਾਪਨਾ ਕਾਰਜ ਵਿੱਚ ਵੀ ਵਰਤਿਆ ਗਿਆ।

ਇਸ ਮੌਕੇ ਫੈਕਟਰੀ ਦੇ ਡਿਰੈਕਟਰ ਮਨਦੀਪ ਸਰੀਪ ਅਰੁਣ ਅਤੇ ਕਾਰਜਕਾਰੀ ਮੁਖੀ ਨੇ ਕਿਹਾ ਕਿ ਵਾਤਾਵਰਣ ਵਿੱਚ ਆ ਰਹੀਆਂ ਤਬਦੀਲੀਆਂ ਨੂੰ ਦਬਾਉਣ ਲਈ ਸਰਕਾਰ ਵਲੋਂ ਵੱਡੀ ਲੋੜ ਹੈ। ਵਾਤਾਵਰਣ ਸੁਰੱਖਿਅਤ ਕਰਨੀ ਜ਼ਰੂਰੀ ਹੈ ਕਿ ਵੱਧ ਤੋਂ ਵੱਧ ਹਰਿਆਦਾ ਹੋਵੇ। ਇਸ ਲਈ ਹਰ ਮਹੀਨੇ ਪੌਦੇ ਲਗਾਏ ਜਾਣ ਅਤੇ ਉਨ੍ਹਾਂ ਦੀ ਸੰਭਾਲ ਕਰਨ। ਇਸ ਮੌਕੇ ਸਰਕਾਰ

ਮਨਦੀਪ ਸਰੀਪ ਅਰੁਣ ਅਤੇ ਕਾਰਜਕਾਰੀ ਮੁਖੀ ਨੇ ਕਿਹਾ ਕਿ ਵਾਤਾਵਰਣ ਸੁਰੱਖਿਅਤ ਕਰਨ ਲਈ ਸਰਕਾਰ ਵਲੋਂ ਵੱਡੀ ਲੋੜ ਹੈ। ਵਾਤਾਵਰਣ ਸੁਰੱਖਿਅਤ ਕਰਨ ਲਈ ਸਰਕਾਰ ਵਲੋਂ ਵੱਡੀ ਲੋੜ ਹੈ। ਵਾਤਾਵਰਣ ਸੁਰੱਖਿਅਤ ਕਰਨ ਲਈ ਸਰਕਾਰ ਵਲੋਂ ਵੱਡੀ ਲੋੜ ਹੈ।



**Palm Tress Given to Village Dhanaula**



ENVIRONMENT DAY CELEBRATION: 5<sup>th</sup> June 2019



*Training to Employees regarding Road Safety : 2017*







# ਆਈਓਐੱਲ ਨੇ 9ਵੀਂ ਵਾਰ ਹਾਸਲ ਕੀਤਾ ਕੌਮੀ ਊਰਜਾ ਬੱਚਤਾਂ ਐਵਾਰਡ



ਲਾ, 20 ਦਸੰਬਰ (ਜੀਵਨ  
ਆਈਓਐੱਲ ਕੌਮੀਕਲ  
ਫਾਰਮੇਸਿਊਟੀਕਲ ਲਿਮਿਟਿਡ  
ਤੇ ਐੱਲ ਸੀਪੀ) ਨੇ ਡਰੱਗ ਅਤੇ  
ਊਟੀਕਲ ਖੇਤਰ ਦੀਆਂ  
ਲਗਾਤਾਰ ਨੌਵੀਂ ਵਾਰ  
ਕੌਮੀ ਊਰਜਾ ਬੱਚਤ ਐਵਾਰਡ  
ਸਥਾਨ ਦਾ ਸਨਮਾਨ ਪ੍ਰਾਪਤ  
ਪ੍ਰਾਪਤ ਜਾਣਕਾਰੀ ਅਨੁਸਾਰ  
ਊਰਜਾ ਮੰਤਰਾਲੇ ਵੱਲੋਂ ਹਰੇਕ  
ਉਦਯੋਗਿਕ ਇਕਾਈਆਂ,  
ਇਮਾਰਤਾਂ, ਹੋਟਲ,  
ਲਾਂ, ਜੇਨਲ ਰੇਲਵੇ ਅਤੇ ਰਾਜ  
ਦੀਆਂ ਏਜੰਸੀਆਂ ਨਗਰ  
ਏਜੰਸੀਆਂ/ਉਦਯੋਗ ਦੀ

ਕੁਸ਼ਲਤਾ ਪੂਰਵਕ ਸਦਵਰਤੋਂ ਸਬੰਧੀ  
ਕੌਮੀ ਪੱਧਰ 'ਤੇ ਇਨਾਮਾਂ ਦੀ ਵੰਡ  
ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਜਿਸ ਦੇ ਤਹਿਤ  
ਬਰਨਾਲਾ ਦੀ ਆਈ ਓ ਐੱਲ (ਸੀ ਐੱਲ  
ਪੀ) ਨੇ ਡਰੱਗ ਤੇ ਫਾਰਮੇਸਿਊਟੀਕਲ  
ਵਰਗ ਦੀਆਂ ਇਕਾਈਆਂ 'ਚ ਇਹ  
ਲਗਾਤਾਰ ਨੌਵੀਂ ਵਾਰ ਦੇਸ਼ ਪੱਧਰੀ  
ਦੂਸਰਾ ਸਥਾਨ ਹਾਸਲ ਕੀਤਾ। ਕੰਪਨੀ  
ਦੇ ਪ੍ਰਬੰਧਕ ਵਿਕਾਸ ਗੁਪਤਾ ਅਤੇ  
ਡਾਇਰੈਕਟਰ (ਵਰਕਸ) ਵਿਜੈ ਸਿੰਗਲਾ  
ਨੇ ਇਹ ਐਵਾਰਡ ਦੇਸ਼ ਦੇ ਰਾਸ਼ਟਰਪਤੀ  
ਪ੍ਰਣਬ ਮੁਖਰਜੀ ਤੇ ਕੇਂਦਰੀ ਮੰਤਰੀ  
ਜਯੋਤੀਰਾਦਿਤਿਆ ਸਿੰਧੀਆਂ ਤੋਂ  
ਦਿੱਲੀ ਵਿਖੇ ਕਰਵਾਏ ਗਏ ਸਮਾਗਮ  
ਦੌਰਾਨ ਹਾਸਲ ਕੀਤਾ। ਇਹ 100ਵੀਂ

ਸੰਬੰਧੀ ਜਾਣਕਾਰੀ  
ਦਿੰਦਿਆਂ ਸ੍ਰੀ ਗੁਪਤਾ :  
ਸਿੰਗਲਾ ਨੇ ਦੱਸਿਆ ਕਿ  
ਕੰਪਨੀ ਊਰਜਾ ਦੀ ਸੁਯੋਗ  
ਕੁਸ਼ਲਤਾ ਭਰਪੂਰ ਬੱਚਤਾਂ ਨੂੰ  
ਵਿਕਾਸ ਦਾ ਅਹਿਮ ਅੰਗ  
ਹੋਇਆਂ ਇਸ ਪ੍ਰਤੀ ਸੰਵੇਦ  
ਦਿਖਾਉਂਦੀ ਹੋਈ ਊਰਜਾ ਬੱਚ  
ਸਮੇਂ ਸਮੇਂ ਆਧੁਨਿਕ ਟੈਕਨ  
ਆਪਣੇ ਯੂਨਿਟਾਂ ਅੰਦਰ  
ਲਈ ਹੁੰਦੇ ਭਾਰੀ ਖਰਚ ਨੂੰ  
ਨਿਵੇਸ਼ ਦਾ ਹੀ ਹਿੱਸਾ ਸਮ  
ਜਿਸ ਦੇ ਸਿੱਟੇ ਵਜੋਂ ਉਨ੍ਹਾਂ ਨੂੰ  
9 ਵੀਂ ਵਾਰ ਆਪਣੇ ਵਰਗ  
ਪੱਧਰੀ ਸਨਮਾਨ ਪ੍ਰਾਪਤ ਕੀਤਾ।

ਬ  
੨  
੨  
ਐ  
ਰਾ  
ਖੁ  
ਜਕ  
ਸਿ  
੨  
ਪ੍ਰਾ

# ਆਈਓਐਲਸੀਪੀ ਨੇ ਸਕੂਲ 'ਚ 200 ਬੂਟੇ ਲਗਾਏ

## ਉਪਰਾਲਾ

ਵਾਤਾਵਰਣ ਸਬੰਧੀ ਵਿਦਿਆਰਥੀਆਂ ਦੇ ਮੁਕਾਬਲੇ ਕਰਵਾਏ

ਬੰਧਨਤੋੜ ਸਿਖ, ਹੰਡਿਆਇਆ

ਸਰਕਾਰੀ ਹਾਈ ਸਕੂਲ ਹੰਡਿਆਇਆ ਵਿਖੇ ਟਰਾਈਡੈਂਟ ਗਰੁੱਪ ਦੇ ਆਈਓਐਲ ਕੈਮੀਕਲ ਯੂਨਿਟ ਵਲੋਂ ਵਿਸ਼ਵ ਵਾਤਾਵਰਣ ਦਿਵਸ ਨੂੰ ਮੁੱਖ ਰੱਖਦਿਆਂ 200 ਦੇ ਕਰੀਬ ਬੂਟੇ ਲਾਏ। ਇਸ ਮੌਕੇ ਆਈਓਐਲਸੀਪੀ ਦੇ ਕਾਰਜਕਾਰੀ ਡਾਇਰੈਕਟਰ ਵਿਜੇ ਸਿੰਗਲਾ ਨੇ ਦੱਸਿਆ ਕਿ ਵਾਤਾਵਰਣ ਦਿਵਸ ਨੂੰ ਸਮਰਪਿਤ ਇਸ ਸਕੂਲ 'ਚ ਬੂਟੇ ਲਾ ਕੇ ਵਾਤਾਵਰਣ ਦੀ ਸੁੱਧਤਾ 'ਚ ਯੋਗਦਾਨ ਪਾਉਣ ਦਾ ਉਪਰਾਲਾ ਕੀਤਾ ਹੈ।

ਇਸ ਮੌਕੇ ਛੇਵੀਂ ਤੋਂ ਸੱਤਵੀਂ ਅਤੇ ਅੱਠਵੀਂ ਤੋਂ ਦਸਵੀਂ ਜਮਾਤ ਦੀਆਂ ਦੋ ਵੱਖ-ਵੱਖ ਟੀਮਾਂ ਬਣਾ ਕੇ ਵਾਤਾਵਰਣ ਸਬੰਧੀ ਮੁਕਾਬਲੇ ਕਰਵਾਏ ਗਏ। ਛੇਵੀਂ ਤੋਂ ਸੱਤਵੀਂ ਜਮਾਤ ਦੀ ਟੀਮ ਦੇ ਹਰਦੀਪ ਸਿੰਘ, ਬਲਵਿੰਦਰ ਸਿੰਘ, ਗੁਰਜੋਵਕ ਸਿੰਘ ਨੇ ਪਹਿਲਾ, ਦੂਜਾ ਤੇ ਤੀਜਾ ਸਥਾਨ ਹਾਸਲ ਕੀਤਾ। ਹਜ਼ਵਿੰਦਰ ਕੌਰ ਨੂੰ ਵਿਸ਼ੇਸ਼ ਸਨਮਾਨ ਦਿੱਤਾ ਗਿਆ। ਇਸੇ ਤਰ੍ਹਾਂ ਅੱਠਵੀਂ ਤੋਂ ਦਸਵੀਂ ਦੀ ਟੀਮ



ਸਰਕਾਰੀ ਹਾਈ ਸਕੂਲ ਹੰਡਿਆਇਆ ਵਿਖੇ ਵਿਜੇ ਸਿੰਗਲਾ ਤੇ ਸਕੂਲ ਸਟਾਫ ਮੈਂਬਰ ਬੂਟੇ ਲਗਾਉਂਦੇ ਹੋਏ।

ਦੇ ਸੰਦੀਪ ਕੌਰ, ਗੁਰਪ੍ਰੀਤ ਸਿੰਘ, ਨਿਜਾ ਕੁਮਾਰੀ ਪਹਿਲੇ, ਦੂਜੇ ਤੇ ਤੀਜੇ ਸਥਾਨ 'ਤੇ ਕਰੋ ਅਤੇ ਨਜੀਬ ਮੁਹਿੰਮਦ ਨੂੰ ਵਿਸ਼ੇਸ਼ ਸਨਮਾਨ ਦਿੱਤਾ ਗਿਆ। ਇਸ ਮੌਕੇ ਪ੍ਰਿਥਵੀ ਕੰਟਰੋਲ ਬੋਰਡ ਦੇ ਐਕਸੀਅਨ ਓਮ ਪ੍ਰਕਾਸ਼, ਇੰਜੀਨੀਅਰ ਪ੍ਰਵੀਨ ਕੁਮਾਰ ਸਲੂਜਾ,

ਬਲਦੇਵ ਸਿੰਘ ਅੰਚਾਅਰਮੈਂਟ ਹੈਂਡ ਆਈਓਐਲ ਸੀਪੀ, ਸਕੂਲ ਇੰਚਾਰਜ ਮਨੀਸ਼ਾ ਬਾਸਲ, ਸੁਖਵਿੰਦਰ ਸਿੰਘ, ਕਵਿਤਾ ਰਾਮਪਾਲ, ਜਗਦੀਪ ਚੀਮਾ, ਫਤਹਿ ਸਿੰਘ, ਜਗਨੇਲ ਸਿੰਘ, ਜ਼ਰਿੰਦਰ ਸਿੰਘ ਆਦਿ ਸਮੇਤ ਸਕੂਲ ਸਟਾਫ ਹਾਜ਼ਰ ਸੀ।

Plantation in near by Villages

# ਵਾਤਾਵਰਣ ਨੂੰ ਬਚਾਉਣ ਲਈ ਵੱਧ ਤੋਂ ਵੱਧ ਬੂਟੇ ਲਾਓ ਅਤੇ ਪਾਲੋ : ਵਿਜੇ ਸਿੰਗਲਾ

ਬਰਨਾਲਾ • ਬੰਪਨਤੋੜ ਸਿੰਘ

ਖੁੰਡੀ ਕਲਾਂ ਬਰਨਾਲਾ ਵਿਖੇ ਆਈ ਓ ਐਲ ਸੀ ਪੀ ਟਰਾਈਡੈਂਟ ਵੱਲ ਵਾਤਾਵਰਣ ਦੀ ਸੁਧਾਰ ਲਈ ਲਾਏ ਵੱਖ ਵੱਖ ਤਰ੍ਹਾਂ ਦੇ ਤਿੰਨ ਸੌ ਤੋਂ ਵੱਧ ਸਾਈਆ ਬਾਢਾ ਜਿਵੇਂ





ਸਕੂਲ, ਹਸਪਤਾਲ, ਧਰਮਸ਼ਾਲਾ, ਵਾਟਰ ਸਪਾਲਈ ਦੀ ਥਾਂ ਆਦਿ ਵਿਖੇ ਬੂਟੇ। ਇਸ ਮੌਕੇ ਗੱਲਬਾਤ ਕਰਦਿਆਂ ਵਿਜੇ ਸਿੰਗਲਾ ਪ੍ਰਿੰਸੀਪਲ ਆਈ ਓ ਐਲ ਅਤੇ ਅਰਸ਼ਪ੍ਰੀਤ ਸਿੰਘ ਐਸ ਡੀ ਓ ਪੰਜਾਬ ਪ੍ਰਦੂਸ਼ਨ ਕੰਟਰੋਲ

ਬੋਰਡ ਨੇ ਕਿਹਾ ਕਿ ਵਾਤਾਵਰਣ ਨੂੰ ਬਚਾਉਣ ਲਈ ਇੱਕ ਹੱਲ ਹੈ ਕਿ ਵੱਧ ਤੋਂ ਵੱਧ ਬੂਟੇ ਲਾਏ ਅਤੇ ਪਾਲੇ ਜਾਣ ਕਿਉਂਕਿ ਪੁਰਾਣੇ ਦਰਖਤਾਂ ਦੀ ਕਟਾਈ ਹੋ ਜਾਣ ਕਾਰਨ ਪੰਜਾਬ ਵਿੱਚ ਦਰਖਤ ਘਟ ਗਏ ਹਨ ਜਿਸ ਨਾਲ ਵਾਤਾਵਰਣ ਪ੍ਰਦੂਸ਼ਤ ਹੋ ਗਿਆ ਹੈ। ਅੱਗੇ ਬੋਲਦਿਆਂ ਵਿਜੇ ਸਿੰਗਲਾ ਨੇ ਕਿਹਾ ਕਿ ਜੇਕਰ ਕਲੱਬਾਂ, ਪੰਚਾਇਤਾਂ ਨੂੰ ਬੂਟੇ ਲਗਾਉਣ ਦੀ ਲੋੜ ਹੋਵੇ ਤਾਂ ਸਾਡੇ ਨਾਲ ਸੰਪਰਕ ਕਰਨ ਅਸੀਂ ਬੂਟੇ ਮੁਹੱਈਆ ਕਰਵਾ ਕੇ ਦਵਾਗੇ ਅਤੇ ਜਿਥੇ ਕਿਤੇ ਜ਼ਰੂਰਤ ਹੋਵੇਗੀ ਟਰੀ ਗਾਰਡ ਵੀ ਲਵਾ ਕੇ ਦਿੱਤੇ ਜਾਣਗੇ। ਇਸ ਮੌਕੇ ਸਕੂਲ ਪ੍ਰਿੰਸੀਪਲ ਦਰਸ਼ਨ ਸਿੰਘ ਚੀਮਾ ਹਰਬੰਸ ਸਿੰਘ, ਅਸਿਸਟੈਂਟ ਮੈਨੇਜਰ ਸੰਦੀਪ ਅਰੋੜਾ, ਅਸਿਸਟੈਂਟ ਮੈਨੇਜਰ ਮਨਦੀਪ ਸ਼ਰਮਾ ਆਦਿ ਸਮੇਤ ਹੋਰ ਖੁੰਡੀ ਕਲਾਂ ਦੇ ਕਲੱਬ ਅਹੁਦੇਦਾਰ ਅਤੇ ਪਤਵੰਤੇ ਹਾਜ਼ਰ ਸਨ।



## Celebration of Green Diwali in Govt School, Handiaya

ਸੀ ਪ੍ਰਬੰਧਕ ਦੁਆਰਾ ਵੱਖੀਆਂ ਖੇਡਾਂ ਦਾ ਪ੍ਰਦਰਸ਼ਨ ਕੀਤਾ ਗਿਆ ਸੀ।




ਵਿਜੇ ਸਿੰਗਲਾ ਵਿਦਿਆਰਥੀਆਂ ਨੂੰ ਗਰੀਨ ਦੀਵਾਲੀ ਮਨਾਉਣ ਸਬੰਧੀ ਜਾਗਰੂਕ ਕਰਦੇ ਹੋਏ।


# ਗਰੀਨ ਦੀਵਾਲੀ ਮਨਾਉਣ ਤਹਿਤ ਲਾਇਆ ਕੈਂਪ

ਪੱਤਰ ਪ੍ਰੇਰਕ, ਹੰਡਿਆਣਿਆ : ਕਸਬਾ ਹੰਡਿਆਣਿਆ ਦੇ ਸਰਕਾਰੀ ਸੀਨੀਅਰ ਸੈਕੰਡਰੀ ਸਕੂਲ ਵਿਖੇ ਪ੍ਰਦੂਸ਼ਣ ਸੈਂਟਰ ਬੋਰਡ ਸੰਗਠਨ ਦੇ ਸਹਿਯੋਗ ਨਾਲ ਆਈਓਐਲ ਸੀਪੀ ਟਾਈਟੋਲਟ ਨੇ 'ਗਰੀਨ ਦੀਵਾਲੀ ਪ੍ਰਦੂਸ਼ਣ ਰਹਿਤ' ਤਹਿਤ ਕੈਂਪ ਲਾਇਆ।

ਇਸ ਮੌਕੇ ਬੋਲਦਿਆਂ ਆਈਓਐਲ ਦੇ ਅਧਿਕਾਰੀ ਵਿਜੇ ਸਿੰਗਲਾ ਨੇ ਸਰਕਾਰੀ ਸਕੂਲ ਵਿਦਿਆਰਥੀਆਂ ਨੂੰ ਪ੍ਰੇਰਿਤ ਕਰਦਿਆਂ ਕਿਹਾ ਕਿ

ਸਾਨੂੰ ਗਰੀਨ ਦੀਵਾਲੀ ਪ੍ਰਦੂਸ਼ਣ ਮੁਕਤ ਕਰਨ ਲਈ ਦੀਵਾਲੀ ਤੋਂ ਪਟਾਕੇ, ਆਤਿਸ਼ਬਾਜ਼ੀ ਚਲਾਉਣ ਤੋਂ ਰੁਕੇ ਜਾਣਾ ਚਾਹੀਦਾ ਹੈ ਅਤੇ ਵੱਧ ਤੋਂ ਵੱਧ ਹੁੱਥ ਲਗਾ ਕੇ ਉਨ੍ਹਾਂ ਦੀ ਪਾਲਣਾ ਕਰਨੀ ਚਾਹੀਦੀ ਹੈ। ਇਸ ਮੌਕੇ ਸਕੂਲ ਵਿਦਿਆਰਥੀ ਕਮਿਟੀ ਦੇ ਮੈਂਬਰਾਂ ਮਾ. ਸੁਰਿੰਦਰ ਸਿੰਘ, ਮਾ. ਸੁਖਦੇਵ ਸਿੰਘ, ਜਰਨੈਲ ਸਿੰਘ, ਪ੍ਰੇਮਿਲਾ ਕੁਮਾਰੀ, ਸਰੋਜ ਰਾਣੀ ਆਦਿ ਸਮੇਤ ਹੋਰ ਸਕੂਲ ਸਟਾਫ਼ ਹਾਜ਼ਰ ਸੀ।





ਕੁਰਸੀਆਂ ਦੇ ਸੈਂਟ ਸਕੂਲ ਨੂੰ ਦੇਣ ਮੌਕੇ ਆਈਓਐਲ ਅਧਿਕਾਰੀ ਤੇ ਸਕੂਲ ਸਟਾਫ਼।

### ਆਈਓਐਲ ਸੀਪੀ ਨੇ ਸਰਕਾਰੀ ਸਕੂਲ ਨੂੰ ਦਿੱਤਾ ਛੇ ਕੁਰਸੀਆਂ ਦਾ ਸੈਂਟ

ਰੰਡਿਆਇਆ (ਪੱਤਰ ਪ੍ਰੇਰਕ) ਕਸਬਾ ਰੰਡਿਆਇਆ ਦੇ ਸਰਕਾਰੀ ਸੀਨੀਅਰ ਸੈਕੰਡਰੀ ਸਕੂਲ ਨੂੰ ਟਰਾਂਸਫਰ ਦੀ ਯੁਨਿਟ ਆਈਓਐਲ ਸੀਪੀ ਵਲੋਂ ਦਿੱਤੀਆਂ ਗਈਆਂ ਸਟਾਫ਼ ਲਈ ਤੇ ਦਫਤਰ ਅੰਦਰ ਰੋਪਣ ਲਈ ਛੇ ਕੁਰਸੀਆਂ ਦਾ ਸੈਂਟ ਦਿੱਤਾ। ਇਸ ਸਬੰਧੀ ਗੱਲਬਾਤ ਕਰਦਿਆਂ ਸਦਾਏ ਅਰੰਭਾ ਇਨਵੈਸਟਿਗੇਟ ਮੈਨੇਜਰ ਤੇ ਮਨਦੀਪ ਸ਼ਰਮਾ ਐਡਮਿਨ ਮੈਨੇਜਰ ਨੇ ਕਿਹਾ ਕਿ ਫੈਕਟਰੀ ਹੌਂਡ ਬਸਤ ਸਿਖ ਦੇ ਉਦੇਸ਼ ਯਤਨ ਸਦਕਾ ਸਰਕਾਰੀ ਸਕੂਲ ਨੂੰ ਦਫਤਰ ਵਿਚ ਬੈਠਣ ਲਈ ਆ ਰਹੀ ਮਸ਼ੀਨ ਨੂੰ ਦੂਰ ਕਰਨ ਲਈ ਸੇਵਾ ਹਿਤ ਛੇ ਕੁਰਸੀਆਂ ਦਾ ਸੈਂਟ ਦਿੱਤਾ ਗਿਆ ਹੈ। ਉਨ੍ਹਾਂ ਕਿਹਾ ਕਿ ਪਹਿਲਾਂ ਵੀ ਅਜੇ ਸਕੂਲ 'ਚ ਬੁੱਟ ਲਵਾਏ ਸਨ, ਜੋ ਕਾਫੀ ਗਿਣਤੀ ਵਿਚ ਚੱਲ ਵੀ ਨਹੀਂ ਹਨ ਅਤੇ ਹਰ ਵੀ ਸਮੇਂ-ਸਮੇਂ 'ਤੇ ਅਨੁਮਾਨ ਸਕੂਲ ਦੀ ਮਦਦ ਕਰਦੇ ਰਹੇ। ਇਸ ਮੌਕੇ ਮੰਡਲ ਮਨੀਸ਼ਾ ਬਾਲ ਇਚਾਰਜ, ਕਰਨਲ ਸਿਖ, ਸੁਰਿੰਦਰ ਸਿਖ, ਸੁਖਵਿੰਦਰ ਸਿਖ ਰੰਗੀਆ, ਜਰਨੈਲ ਸਿਖ, ਰਾਜੇਸ਼ ਕੁਮਾਰ ਆਦਿ ਸਮੇਤ ਹਰ ਸਕੂਲ ਸਟਾਫ਼ ਹਾਜ਼ਰ ਸੀ।

### ਬਾਲ ਦਿਵਸ ਮੌਕੇ ਵਾਤਾਵਰਨ ਪ੍ਰਤੀ ਜਾਗਰੂਕਤਾ

ਰੰਡਿਆਇਆ, 13 ਨਵੰਬਰ  
 ਕੁਰਸੀਆਂ ਦੇ ਸੈਂਟ ਸਕੂਲ ਨੂੰ ਦੇਣ ਮੌਕੇ ਆਈਓਐਲ ਅਧਿਕਾਰੀ ਤੇ ਸਕੂਲ ਸਟਾਫ਼।



ਬਾਲ ਦਿਵਸ ਮੌਕੇ ਵਾਤਾਵਰਨ ਪ੍ਰਤੀ ਜਾਗਰੂਕਤਾ ਵਧਾਉਣ ਲਈ ਸਕੂਲ ਵਿੱਚ ਪ੍ਰੋਗਰਾਮ ਚਲਾਇਆ ਗਿਆ।



ਬਾਲ ਦਿਵਸ ਮੌਕੇ ਵਾਤਾਵਰਨ ਪ੍ਰਤੀ ਜਾਗਰੂਕਤਾ ਵਧਾਉਣ ਲਈ ਸਕੂਲ ਵਿੱਚ ਪ੍ਰੋਗਰਾਮ ਚਲਾਇਆ ਗਿਆ।

### ਵਾਤਾਵਰਨ ਚੇਤਨਾ ਲਈ ਬਾਲ ਦਿਵਸ ਮਨਾਇਆ

ਰੰਡਿਆਇਆ, 13 ਨਵੰਬਰ  
 ਕੁਰਸੀਆਂ ਦੇ ਸੈਂਟ ਸਕੂਲ ਨੂੰ ਦੇਣ ਮੌਕੇ ਆਈਓਐਲ ਅਧਿਕਾਰੀ ਤੇ ਸਕੂਲ ਸਟਾਫ਼।

# Employee Recognition



**AXIS BANK LTD**  
 AXIS BANK LTD  
 AXIS BANK LTD  
 AXIS BANK LTD

DATE: 15/07/2013

TO: 1000000000

AMOUNT: 1000000000

AXIS BANK LTD  
 AXIS BANK LTD

*Richard John...*

1000000000

**i am a ngo**

Registered Office: 22A, New Swasthi Nagar, Banner Street, Chennai-600009, Tamil Nadu, India  
 Web Office: 21/100, SCO 21, Anna Salai, Chennai-600002, Tamil Nadu, India  
 Phone: +91-44-42000000, 42000000  
 Email: info@iamngo.org

**RECEIPT**

No. 15/07/2013

RECEIVED WITH THANKS FROM: *Sea Chemicals for Environmentals Ltd.*

The sum of Rupees: *1000 Thousand Only*

Rs. 1000000/- dated: *15/07/2013* payable to: *J. K. A. N. Co.*

ACCOUNT		<input type="checkbox"/> CASH
PAYMENT		<input checked="" type="checkbox"/> CHEQUE
BALANCE DUE		<input type="checkbox"/> DRAFT
		<input type="checkbox"/> ADVANCE

**RS: 1000000/-**  
 Subject to endorsement of Cheque

*[Signature]*

# CSR Activities

150 ਸਰੋਤ ਸੇਵਾ ਕਰਦੇ ਹਨ

ਸ਼ਾਂਤਿ ਨੇ ਕੋਈ ਸਿਖਲਾਈ ਨਹੀਂ

ਜ਼ਰੂਰਤਮੰਦ ਲੋਗਾਂ ਨੂੰ ਖਾਣੇ  
ਸਾਮਗਰੀ ਵ ਕਮਯਲ ਵਿਤਰਿਤ



ਸ਼ਾਂਤਿ ਨੇ ਕੋਈ ਸਿਖਲਾਈ ਨਹੀਂ  
ਸ਼ਾਂਤਿ ਨੇ ਕੋਈ ਸਿਖਲਾਈ ਨਹੀਂ  
ਸ਼ਾਂਤਿ ਨੇ ਕੋਈ ਸਿਖਲਾਈ ਨਹੀਂ

ਸ਼ਾਂਤਿ ਨੇ ਕੋਈ ਸਿਖਲਾਈ ਨਹੀਂ  
ਸ਼ਾਂਤਿ ਨੇ ਕੋਈ ਸਿਖਲਾਈ ਨਹੀਂ  
ਸ਼ਾਂਤਿ ਨੇ ਕੋਈ ਸਿਖਲਾਈ ਨਹੀਂ



## CSR ACTIVITIES

As part of CSR activities, staff donated clothes and money to Mother Teresa orphanage and distributed food and blankets to homeless people in civil townships Ludhiana.



ਆਈ.ਓ.ਐਲ. ਨੇ ਕੋਮੋ ਸੁਨਾਮ ਬਚਤ ਐਵਾਰਡ ਜਿਤਿਆ

ਆਈ.ਓ.ਐਲ. ਨੇ ਕੋਮੋ ਸੁਨਾਮ ਬਚਤ ਐਵਾਰਡ ਜਿਤਿਆ  
ਆਈ.ਓ.ਐਲ. ਨੇ ਕੋਮੋ ਸੁਨਾਮ ਬਚਤ ਐਵਾਰਡ ਜਿਤਿਆ  
ਆਈ.ਓ.ਐਲ. ਨੇ ਕੋਮੋ ਸੁਨਾਮ ਬਚਤ ਐਵਾਰਡ ਜਿਤਿਆ

ਆਈ.ਓ.ਐਲ. ਨੇ ਕੋਮੋ ਸੁਨਾਮ ਬਚਤ ਐਵਾਰਡ ਜਿਤਿਆ  
ਆਈ.ਓ.ਐਲ. ਨੇ ਕੋਮੋ ਸੁਨਾਮ ਬਚਤ ਐਵਾਰਡ ਜਿਤਿਆ  
ਆਈ.ਓ.ਐਲ. ਨੇ ਕੋਮੋ ਸੁਨਾਮ ਬਚਤ ਐਵਾਰਡ ਜਿਤਿਆ





# Garg Nursing Home

Equipped with X-Ray, Computerised ECG & Laboratory

K.C. Road, BARNALA- 148101 (Pb.)

(A Networking Hospital For Alankit Health Care, Genins India Ltd., Raksha TPA, TTK Healthcare Services, ICICI Prudential Life Insurance, Reliance Life Insurance & Prestige Health Administrator Pvt. Ltd. Metlife India Insurance Co. Ltd)

*Dr. R.C. Garg*

MBBS, FCGP, FIAMS

Reg. No. EP 12977

Ref. No.....

Dated.....

Bill No. 104

Dated 1<sup>st</sup> Aug, 2020

HRM Dept.  
IOL Chemicals & Pharmaceuticals Ltd  
Dhaura Complex, Barnala

Monthly Medical Examination Bill for the month of July, 2020,

For 131 Workers @ 350 per Worker      Rs. 45850/-

(Rs. Forty Five Thousand Eight Hundred and Fifty Only)

Regards

*[Signature]*  
Dr. R.C. Garg  
SMO, IOL  
M.B.B.S., F.C.G.P., F.I.A.M.S. (Pb.)  
SMO IOLCP Co. Ltd.  
GARG NURSING HOME  
BARNALA

*[Signature]*

*September*  
8/08-2020  
*[Signature]*  
1/8/20


(Not For Medico Legal Purpose)

E-Mail : rc\_garg30358@yahoo.com



**IOL Chemicals and Pharmaceuticals Ltd.**  
**List of Employees for Medical Examination at Garg Nursing Home Barnala**  
**For the Month of July 2020**


S.No	Date	Name	Father's Name	Age (Yrs.)	Fit/UnFit
1	01.07.20	Gursewak Singh	Gurpal Singh	21	FIT
2		Kuldeep Singh	Gurmail Singh	21	FIT
3		Tarsem Singh	Jagdev Singh	22	Fit
4		Kulwinder Singh	Bhola Singh	22	Fit
5		Ajay Kumar	Arun Kumar	22	Fit
6		Harpreet Rishi	Pawan Kumar	25	Fit
7		Aman Verma	Raman Kumar	25	Fit
8		Manvinder Singh	Mahesh Singh	24	Fit
9		Balwinder Singh	Gurcharan Singh	23	Fit
10		Pritpal Singh	Gurmeet Singh	23	Fit
11	02.07.20	Akash Garg	Suresh Kumar	23	Fit
12		Lovepreet Singh	Sukhdev Singh	20	Fit
13		Jaswant Singh	Meha Singh	24	Fit
14		Jashanpreet Singh	Jagseer Singh	21	Fit
15		Jagjeet Singh	Sawan Singh	23	Fit
16		Harpreet Singh	Gurlal Singh	24	Fit
17		Mandeep Singh	Ranjit Singh	24	Fit
18		Manpreet Singh	Bhupinder Singh	24	Fit
19		Harjunpreet Singh	Sukhdeep Singh	21	Fit
20		Ankhil Parsad	Manak Parsad	29	Fit
21	03.07.20	Naveen Singla	Makhan Lal	21	Fit
22		Shivam Jindal	Rampal Jindal	20	Fit
23		Abhinandan Mittal	Mukesh Mittal	19	Fit
24	04.07.20	Gurlal Singh	Gurjant Singh	22	Fit
25		Harpreet Singh	Hardev Singh	26	Fit
26	06.07.20	Dilip Kumar Pali	Rabindra Nath Pali	49	Fit
27		Ambuj Kumar Mishra	Dinesh Kumar Mishra	27	Fit
28		Jaswant Singh	Amar Singh	28	Fit
29		Rajesh Sharma	Shiv Narayan Sharma	29	Fit
30		Abhay Sharma	Sarsar babu Sharma	24	Fit
31		Neeraj Gupta	Naresh Gupta	20	Fit
32		Saurab Kumar Agnihotri	Upinder Kumar Agnihotri	28	Fit
33		Himanshu Dhiman	Rupesh Kumar Dhiman	23	Fit

  
**Dr. M.C. Garg**  
 M.B.B.S., F.C.C.P., F.I.A.M.S. (Pb.)  
 SMO IOLCP Co. Ltd.  
**GARG NURSING HOME**  
**BARNALA**




34		Abhishek Kumar	Ram Chander	22	Fit
35		Hitesh Kumar	Subodh Kumar	22	Fit
36		Sanjay	Dayanand	22	Fit
37		Uma Bharti	Naresh Goyal	23	Fit
38		Rohit	Rakesh Sharma	23	Fit
39		Pardeep Kumar	Hanuman Singh	22	Fit
40	07.07.20	Uttampreet Singh	Rajinder Singh	20	Fit
41		Narinder Singh	Darshan Singh	22	Fit
42	10.07.20	Amanpreet Kaur	Satinder Singh	22	Fit
43		Deepanshu Goyal	Krishan Kumar Goyal	22	Fit
44		Kuljit Kaur	Harjit Singh	21	Fit
45		Nidhi Rahel	Christie Lal	23	Fit
46		Nand Kishore	Gurpreet Singh	22	Fit
47		Hardev Singh	Kashmir Singh	23	Fit
48	11.07.20	Sushil Sharma	Dr Shanti Kumar Sharma	43	Fit
49	13.07.20	Sandeep Singh	Sukhdev Singh	23	Fit
50		Shubham Pathak	Jagmohan Pathak	22	Fit
51		Arshdeep Singh	Balveer Singh	21	Fit
52		Kuldeep Sharma	Narayan Das	20	Fit
53		Tarsem Singh	Gurmail Singh	21	Fit
54	14.07.20	Malkeet Singh	Shingara Singh	23	Fit
55		Mohd Aalim	Irtaza	22	Fit
56		Freed Alam	Muzaffar Hussain	23	Fit
57		Basit Ali	Mehtab Ali	22	Fit
58		Jaswant Singh	Tejpal Singh	22	Fit
59		Sandeep	Dharam Raj	23	Fit
60		Rahul Kumar	Devendra Singh	21	Fit
61	15.07.20	Jagtar Singh	Gurcharan Singh	24	Fit
62		Vivek Singh	Harmesh Singh	22	Fit
63		Shivam Ahuja	Parveen Kumar Ahuja	23	Fit
64	20.07.20	Sunil Kumar	Parshatam Chand	41	Fit
65	21.07.20	Alisha	Sushil Kumar	22	Fit
66		Nandini	Raj Kumar	22	Fit
67		Bhavana	Mohinder Pal	23	Fit
68		Satveer Kaur	Gurtek Singh	21	Fit
69		Navdeep Kaur	Jhirmal Singh	21	Fit
70		Harsimran Kaur	Amritpal Singh	20	Fit

Dr. Anu Garg  
 B.S.M., F.C.G.P., J.S.M.A. (P.U.)  
 B.A.O. (C.P.)  
 H.O. (M.C.)  
 H.O. (M.C.)  
 H.O. (M.C.)  
 H.O. (M.C.)




71		Ripanjeet Kaur	Daljit Singh	21	Fit
72		Anmolpreet Kaur	Harinder Singh	21	Fit
73	22.07.20	Prabhjot Singh	Kuldeep Singh	20	Fit
74		Jaspreet Singh	Sukhdev Singh	21	Fit
75		Luvpreet Singh	Gurbachan Singh	22	Fit
76		Deepak Kumar	Ram Narayan	22	Fit
77		Juganshu	Kuldeep Kumar	19	Fit
78		Abhinandan Yadav	Anil Kumar	20	Fit
79		Nachhattar Singh	Nathu Ram	29	Fit
80		Jagjeet Singh	Nachhattar Singh	27	Fit
81		Amrik Singh	Harbhajan Singh	24	Fit
82		Mander Singh	Jarnail Singh	25	Fit
83		Kuldeep Singh	Jarnail Singh	25	Fit
84	23.07.20	Jaswinder Singh	Mukhtiar Singh	22	Fit
85		Priyanka Sharma	Pawan Sharma	22	Fit
86		Himanshu Taneja	Munish Taneja	19	Fit
87		Rishav Mishra	Vijay Mishra	23	Fit
88		Gaurav Sharma	Mahesh Chand Sharma	21	Fit
89		Ankur Kumar Gupta	Lalan Parshad Gupta	22	Fit
90		Aashish Yadav	Sobhag Singh Yadav	21	Fit
91		Hitesh Saini	Rameshwar Lal Saini	21	Fit
92		Anshuman Singh	Shiv Bux Singh	22	Fit
93		Pavan Kumar Bharti	Mevalal Bharti	21	Fit
94		Gurinderjeet Singh	Paramjit Singh	19	Fit
95		Sachin Gupta	Dinanath Gupta	19	Fit
96		Ramandeep Singh	Rajinder Singh	21	Fit
97		Sanjeev Kumar	Jung Singh	20	Fit
98		Vaseem	Haleem Khan	19	Fit
99		Mohammad Imran	Ismile Husain	19	Fit
100		Vicky Kumar	Subhash Kumar	21	Fit
101		Gurdeep Singh	Gulzar Singh	23	Fit
102	24.07.20	Mandeep Singh	Gora Singh	18	Fit
103		Lovepreet Singh	Makhan Singh	19	Fit
104		Rajveer Khan	Gulzar Khan	23	Fit
105		Pargat Singh	Balwinder Singh	20	Fit
106		Jagdev Singh	Mewa Singh	42	Fit
107		Jashandeep Kumar	Rajinder Kumar	20	Fit

  
**Dr. R.C. Garg**  
M.B.B.S., F.C.G.P., F.I.A.M.S. (Pb.)  
SMO IOLCP Co. Ltd.  
GARG NURSING HOME



108		Gurjot Singh	Sukhdev Singh	26	Fit
109	27.07.20	Jagjit Singh	Ajaib Singh	20	Fit
110		Parshant Kumar	Ramesh Kumar	20	Fit
111		Manjit Kumar	Ramesh Kumar	18	Fit
112		Balkar Singh	Balwant Singh	23	Fit
113		Parminderjeet Singh	Avtar Singh	24	Fit
114		Vikas Kumar	Som Nath	22	Fit
115		Sukhwinder Singh	Mahender Singh	27	Fit
116		Parminder Singh	Surjeet Singh	22	Fit
117		Iqbal Singh	Rajdeep Singh	24	Fit
118		Pardeep Singh	Rajwinder Singh	23	Fit
119		Dharampreet Singh	Moti Singh	20	Fit
120		Sukhwinder Singh	Jugraj Singh	18	Fit
121	28.07.20	Jagwinder Singh	Hardev Singh	18	Fit
122		Vicky Khan	Chhaju Khan	23	Fit
123		Deepak Sharma	Ravi Kumar	19	Fit
124		Ravi Sher Singh	Harlochan Singh	22	Fit
125		Daljit Singh	Harpal Singh	20	Fit
126		Kuldeep Singh	Darshan Singh	24	Fit
127		Devinder Singh	Jagroop Singh	23	Fit
128		Sanjay Kumar	Om Parkash	24	Fit
129	29.07.20	Vishal Malik	Shri Krishan	21	Fit
130		Nikhil Jalan	Suresh Kumar Jalan	23	Fit
131	30.07.20	Rajveer Singh	Sukhpal Singh	30	Fit

  
**Dr. R.C. Garg**  
 B.B.S., F.C.G.P., F.I.A.M.S. (Pb.)  
 SMO IOLCP Co. Ltd.  
 PG NURSING HOME  
 BARNALA



01679-230358



# Garg Nursing Home

Equipped with X-Ray, Computerised ECG & Laboratory

K.C. Road, BARNALA- 148101 (Pb.)

(A Networking Hospital For Alankit Health Care, Genins India Ltd., Raksha TPA, TTK Healthcare Services, ICICI Prudential Life Insurance, Reliance Life Insurance & Prestige Health Administrator Pvt. Ltd. Metlife India Insurance Co. Ltd)

*Dr. R.C. Garg*  
MBBS, FCGP, FIAMS  
Reg. No. EP 12977

Ref. No.....

Dated.....

Bill No.103

Dated 1<sup>st</sup> Aug, 2020

HRM Dept.  
IOL Chemicals & Pharmaceuticals Ltd  
Dhaura Complex, Barnala

Monthly Medical Consultancy fee for the month of July. 2020 for the services provided by Dr. R.C. Garg.

Rs. :41140/-

( Rs. Forty One Thousands One Hundred & Forty Only )

Regards

*Dr. R.C. Garg*  
Dr. R.C. Garg, P., F.I.A.M.S. (Pb.)  
SMO IOLCP Co. Ltd.  
SMO IOLCP NURSING HOME  
BARNALA

*[Signature]*  
*Sujana Sharma*  
21.08.2020

*[Signature]*  
11/08/20

(Not For Medico Legal Purpose)

E-Mail : rc\_garg30358@yahoo.com

01679-230358



# Garg Nursing Home

Equipped with X-Ray, Computerised ECG & Laboratory

K.C. Road, BARNALA- 148101 (Pb.)

(A Networking Hospital For Alankit Health Care, Genins India Ltd., Raksha TPA, TTK Healthcare Services, ICICI Prudential Life Insurance, Reliance Life Insurance & Prestige Health Administrator Pvt. Ltd. Metlife India Insurance Co. Ltd)

*Dr. R.C. Garg*  
MBBS, FCGP, FIAMS  
Reg. No. EP 12977

Ref. No.....

Dated.....

Bill No.107

Dated 1<sup>st</sup> Oct, 2020

HRM Dept.  
IOL Chemicals & Pharmaceuticals Ltd  
Dhaura Complex, Barnala

Monthly Medical Consultancy fee for the month of Sep. 2020 for the services provided by Dr. R.C. Garg (Revised).

Rs. :45000/-

( Rs. Forty Five Thousand Only )

Regards

*Dr. R.C. Garg*  
Dr. R.C. Garg F.I.A.M.S. (Pb.)  
SMO, IOL IOLCP Co. Ltd.  
GARG NURSING HOME  
BARNALA

3/10/20

*Sujanshu*

3/10/20

(Not For Medico Legal Purpose)

01679-230358



# Garg Nursing Home

Equipped with X-Ray, Computerised ECG & Laboratory

K.C. Road, BARNALA- 148101 (Pb.)

(A Networking Hospital For Alankit Health Care, Genins India Ltd., Raksha TPA, TTK Healthcare Services, ICICI Prudential Life Insurance, Reliance Life Insurance & Prestige Health Administrator Pvt. Ltd. Metlife India Insurance Co. Ltd)

*Dr. R.C. Garg*  
MBBS, FCGP, FIAMS  
Reg. No. EP 12977

Ref. No.....

Dated.....

Bill No.108

Dated 01 Oct, 2020

HRM Dept.  
IOL Chemicals & Pharmaceuticals Ltd  
Dhaura Complex, Barnala

Monthly Medical Examination Bill for the month of Sep.2020

47 @ 350 per Worker Rs. 16450/-

(Rs. Sixteen Thousand Four Hundred & Fifty Only)

Regards

*Dr. R.C. Garg*  
Dr. R.C. Garg  
SMO, IOL  
M.B.B.S., F.C.G.P., F.I.A.M.S. (Pd.)  
SMO IOLCP Co. Ltd.  
GARG NURSING HOME  
BARNALA


*[Signature]*  
3/10/20

*[Signature]*  
3/10/20

(Not For Medico Legal Purpose)


IOL Chemicals and Pharmaceuticals Ltd.  
List of Employees for Medical Examination at Garg Nursing Home Barnala  
For the Month of September 2020


S.No	Date	Name	Father's Name	Age (Yrs.)	Fit/UnFit
1	01.09.20	Manoj Kumar	Partap Singh	45	FIT
2		Avaneesh Kumar	Kushal Pal Singh	31	FIT
3	10.09.20	Lakhveer Singh	Jugraj Singh	21	Fit
4		Deepansh Bansal	Vijay Kumar	21	Fit
5		Shivam Gupta	Prem Kumar	20	Fit
6		Anshu Bansal	Rajinder Kumar	21	Fit
7		Jatis Chawla	Jagwinder Kumar	21	Fit
8		Parminder Singh	Jagdev Singh	21	Fit
9		Sahil Mohammad	Ayub Khan	22	Fit
10		Rakesh Kumar	Om Parkash	21	Fit
11		Lovepreet Sharma	Darshan Kumar	24	Fit
12		Avtar Singh	Darshan	20	Fit
13		Shivdutt Sharma	Parchotam Ram	24	Fit
14	14.09.20	Sham Kumar	Roshan Lal	39	Fit
15	17.09.20	Ajay Kumar	Sant Ram	22	Fit
16		Harpreet Singh	Sewa Singh	19	Fit
17		Harmandeep Singh	Raj Singh	22	Fit
18		Ashish	Ram Shakal Moria	20	Fit
19		Sumanpreet Singh	Balkaran Singh	21	Fit
20		Manjeet Singh	Jagdeesh Singh	23	Fit
21	21.09.20	Sunil Kumar	Ramesh Kumar	23	Fit
22	24.09.20	Satnam Singh	Gurjant Singh	23	Fit
23		Amarkant Verma	Upender Nath Verma	25	Fit
24		Akashdeep Khan	Makhan Khan	20	Fit
25		Jagdeesh Singh	Balveer Singh	21	Fit
26		Krishna Kant	Brijeshwar Kumar	19	Fit

  
**Dr. R.C. Garg**  
 M.B.B.S., F.C.G.P., F.I.A.M.S. (P.)  
 SMO IOLCP Co. Ltd.  
**GARG NURSING HOME**  
**BARNALA**



27		Parmjeet Singh	Parkash Singh	25	Fit
28		Randhir Singh	Gurjant Singh	26	Fit
29		Jasveer Singh	Baldev Singh	22	Fit
30		Lovepreet Singh	Naib Singh	23	Fit
31		Rinku Singh	Charanjeet Singh	22	Fit
32		Jayveer	Havldair Singh	25	Fit
33		Harjinder Singh	Dalbara Singh	23	Fit
34		Gurpreet Singh	Bhola Singh	25	Fit
35		Simranjit Singh	Sawaranjit Singh	24	Fit
36		Lovedeep Singh	Mandar Singh	20	Fit
37	25.09.20	Kulwinder Singh	Pannu Singh	21	Fit
38		Avtar Singh	Jugraj Singh	24	Fit
39		Lakhvir Singh	Tarsem Singh	26	Fit
40		Sukhpal Singh	Balveer Singh	23	Fit
41	26.09.20	Devinder Singh	Paramjit Singh	21	Fit
42		Ranjeet Singh Taak	Gurdev Singh	21	Fit
43		Hardeep Singh Pandher	Khushwinder Singh	21	Fit
44	28.09.20	Yuvinder Sharma	Vijay Kumar	18	Fit
45	29.09.20	Ravi Singh	Mithu Singh	24	Fit
46	30.09.20	Nitin Rajput	Dharamveer Singh	28	Fit
47		Sandeep Singh	Harbans Singh	23	Fit

  
**Dr. R.C. Garg**  
 M.B.S., F.C.G.P., F.I.A.M.S. (Ph)  
 SPO IOLCP Co. Ltd.  
 GARG NURSING HOME  
 BARRALA

  
 3/10/20



© 01679-2303

# Garg Nursing Home

Equipped with X-Ray, Computerised ECG & Laboratory

K.C. Road, BARNALA- 148101 (Pb.)

(A Networking Hospital For Alankit Health Care, Genins India Ltd., Raksha TPA, TTK Healthcare Services, ICICI Prudential Life Insurance, Reliance Life Insurance & Prestige Health Administrator Pvt. Ltd. Metlife India Insurance Co. Ltd)

*Dr. R.C. Garg*

MBBS, FCGP, FIAMS

Reg. No. EP 12977

Ref. No.....

Dated.....

Bill No.109

Dated 1<sup>st</sup> Nov., 2020

HRM Dept.

IOL Chemicals & Pharmaceuticals Ltd

Dhaura Complex, Barnala

Monthly Medical Consultancy fee for the month of Oct. 2020 for the services provided by Dr. R.C. Garg (Revised).

Rs. :45000/-

( Rs. Forty Five Thousand Only )

Regards,

*R.C. Garg*  
Dr. R.C. Garg

SMO, IOL

GARG NURSING HOME  
K.C. ROAD, BARNALA  
P.B. NO. 148101

*Sujana Sharma*  
2/11

*R.C. Garg*  
3/11/20

(Not For Medico Legal Purpose)



© 01679-2303

# Garg Nursing Home

Equipped with X-Ray, Computerised ECG & Laboratory

K.C. Road, BARNALA- 148101 (Pb.)

(A Networking Hospital For Alankit Health Care, Genins India Ltd., Raksha TPA, TTK Healthcare Services, ICICI Prudential Life Insurance, Reliance Life Insurance & Prestige Health Administrator Pvt. Ltd. Metlife India Insurance Co. Ltd)

*Dr. R.C. Garg*  
MBBS, FCGP, FIAMS  
Reg. No. EP 12977

Ref. No.....

Dated.....

Bill No.110

Dated 01<sup>st</sup> Novt, 2020

HRM Dept.  
IOL Chemicals & Pharmaceuticals Ltd  
Dhaura Complex, Barnala

Monthly Medical Examination Bill for the month of Oct.2020

51 @ 350 per Worker Rs. 17850/-

( Rs. Seventeen Thousand Eight Hundred & Fifty Only )

Regards

Dr. R.C. Garg  
SMO, IOL

(Not For Medico Legal Purpose)

GARG BARNALA

IOL Chemicals and Pharmaceuticals Ltd.

List of Employees for Medical Examination at Garg Nursing Home Barnala

For the Month of OCT 2020

S.No	Date	Name	Father's Name	Age (Yrs.)	Fit/UnFit
1	01.10.20	Harpreet Kaur	Mahesh Dhand	25	FIT
2	07.10.20	Dhanwant Singh	Jagjit Singh	23	FIT
3	08.10.20	Nirmal Singh	Labh Singh	24	Fit
4		Arshdeep Singh	Harbans Singh	24	Fit
5		Amritpal Singh	Gursewak Singh	25	Fit
6		Jaskaranpreet Singh	Gurmail Singh	20	Fit
7		Arka Jana	Ashish Kumar Jana	22	Fit
8		Abishake Kumar	Rakesh Kumar	21	Fit
9		Shgandeeep Singh	Jagtar Singh	19	Fit
10		Arwinder Singh	Sukhdev Singh	24	Fit
11	09.10.20	Anubhav Jain	Anil Jain	22	Fit
12	11.10.20	Yadwinder Singh	Jasvir Singh	19	Fit
13	15.10.20	Jaspreet Singh	Amrik Singh	21	Fit
14		Avtar Singh	Jairam Singh	23	Fit
15		Lakhwinder Singh	Jagjeet Singh	23	Fit
16		Kuldeep Singh	Gurjant Singh	24	Fit
17	17.10.20	Gurpinder Singh Rai	Gurjant Singh	30	Fit
18	18.10.20	Abinash Jaswal	Pardeep Kumar	20	Fit
19		Nitish Thakur	Surdarshan Singh	20	Fit
20		Nitish Kumar	Surinder Kumar	20	Fit
21		Rajesh Kumar	Jagdiesh Chand	20	Fit
22		Lalit Kumar	Janak Kumar	20	Fit
23	19.10.20	Prince Kadiyan	Divinder Pal	34	Fit
24		Gaurav Madan	Balraj	23	Fit
25	21.10.20	Varinder Singh Khangura	Mutkar Singh	29	Fit
26		Ajay Singh	Krishan Singh	21	Fit

Dr. R. W. Garg  
 M.B.B.S., F.C.C.P., F.I.A.C.S. (P)  
 SMD IOLCP Co. Ltd.  
 GARG NURSING HOME  
 BARNALA



27	22.10.20	Gurpreet Singh	Harbans Singh	24	Fit
28		Balwinder Singh	Gurmail Singh	27	Fit
29		Gurpreet Singh	Sukhdev Singh	23	Fit
30	23.10.20	Jagdev Singh	Karnil Singh	37	Fit
31		Gurjit Singh	Jagdish Singh	36	Fit
32		Jagseer Singh	Dev Singh	24	Fit
33		Arshiyar Khan	Khalid Khan	26	Fit
34	26.10.20	Bajender Singh	Budhi Singh	28	Fit
35		Sandeep Singh	Gurjant Singh	21	Fit
36	27.10.20	Amandeep Singh	Nishan Singh	23	Fit
37		Jagseer Singh	Avtar Singh	20	Fit
38		Harpreet Singh	Ranjit Singh	20	Fit
39		Pardeep Singh	Chamkaur Singh	22	Fit
40		Palta Singh	Soma Singh	21	Fit
41		Babalpreet Singh	Gurmeet Singh	21	Fit
42		Rulia Khan	Jagsir Singh	23	Fit
43		Gurmeet Singh	Bhola Singh	23	Fit
44		Lovepreet Singh	Balwinder Singh	22	Fit
45		Jaswinder Singh	Manjeet Singh	22	Fit
46		Tejas Garg	Manoj Garg	21	Fit
47	28.10.20	Gurjinder Singh	Sher Singh	19	Fit
48		Harjinder Singh	Makhan Singh	22	Fit
49		Anmol Yadav	Rajnarain Yadav	18	Fit
50		Chamkaur Singh	Malkit Singh	26	Fit
51	29.10.20	Kuldeep Singh	Ajab Singh	23	Fit

Dr. R.C. Garg  
 MBBS, F.C.P., F.L.M.S. (P)  
 MD (D.L.O.) Co. 118  
 GARG NURSING HOME  
 BARNALA



# Garg Nursing Home

Equipped with X-Ray, Computerised ECG & Laboratory

K.C. Road, BARNALA- 148101 (Pb.)

(A Networking Hospital For Alankit Health Care, Genins India Ltd., Raksha TPA, TTK Healthcare Services, ICICI Prudential Life Insurance, Reliance Life Insurance & Prestige Health Administrator Pvt. Ltd. Metlife India Insurance Co. Ltd)

*Dr. R.C. Garg*  
MBBS, FCGP, FIAMS  
Reg. No. EP 12977

Ref. No.....

Dated.....

Bill No.112

Dated 01 Dec, 2020

HRM Dept.  
IOL Chemicals & Pharmaceuticals Ltd  
Dhaura Complex, Barnala

Monthly Medical Examination Bill for the month of Nov.2020

42 @ 350 per Worker      Rs. 14700/-

( Rs. Fourteen Thousand and Seven Hundred Only )

Regards

Dr. R.C. Garg  
SMO, IOL

*Dr. R.C. Garg*  
MBBS, F.C.G.P., FIAMS (Pb.)  
SMO IOLCP Co. Ltd.  
GARG NURSING HOME  
BARNALA

*[Signature]*  
11/12/20


*[Signature]*

*[Signature]*  
02/12/20

(Not For Medico Legal Purpose)

IOL Chemicals and Pharmaceuticals Ltd.  
List of Employees for Medical Examination at Garg Nursing Home Barnala  
For the Month of Nov 2020

S.No	Date	Name	Father's Name	Age (Yrs.)	Fit/UnFit
1	02.11.20	Amandeep Kaur	Charan Singh	24	FIT
2	03.11.20	Harmandeep Singh	Amarjeet Singh	25	FIT
3	04.11.20	Kamal Bansal	Ashok Kumar	20	Fit
4	05.11.20	Mohan Singh Chauhan	Chandan Singh Chauhan	25	Fit
5	16.11.20	Talwinder Singh	Balvir Singh	22	Fit
6	18.11.20	Jashanpreet Siongh	Malwinder Singh	19	Fit
7	21.11.20	Jasvir Rattan	Ramji Dass	41	Fit
8		Harpreet Singh	Gurmit Singh	21	Fit
9	23.11.19	Lovepreet Singh	Gurjant Singh	19	Fit
10		Sumit Pandey	Neena Nath Pandey	20	Fit
11		Harpreet Singh	Gurtej Singh	21	Fit
12		Puspinder Singh	Jasveer Singh	21	Fit
13		Chamkaur Singh	Sukhdev Singh	21	Fit
14		Jagdish	Narinder Singh	23	Fit
15		Taranjot Singh	Sukhwinder Singh	21	Fit
16		Baljeet Singh	Jagtar Singh	19	Fit
17		Manjinder Singh	Karamjeet Singh	27	Fit
18		Lakhwinder Singh	Baljeet Singh	20	Fit
19		Vivek Kumar Drivedi	Ashok Kumar Drivedi	23	Fit
20		Ashutosh	Khushi Ram	30	Fit
21	24.11.20	Surindar Singh	Suresh Chand	27	Fit
22		Ajay Singh	Harnam Singh	29	Fit
23		Navdeep Singh	Darshan Singh	22	Fit
24		Labhpreet Singh	Sukhwinder Singh	21	Fit
25		Amanpreet Singh	Sukhwinder Singh	18	Fit
26	25.11.20	Ranjit Singh	Isher Singh	38	Fit

  
**Dr. R.C. Garg**  
 M.B., F.C.G.P., F.I.A.M.S. (Pd.)  
 IOL Chemicals and Pharmaceuticals Co. Ltd.  
 GARG NURSING HOME  
 BARNALA

27		Boota Singh	Gurdev Singh	45	Fit
28		Darshan Singh	Nachtter Singh	44	Fit
29		Suvendra Kumar	Mohan Singh	34	Fit
30	26.11.20	Akashdeep Singh	Jagraj Singh	20	Fit
31		Mohamad Mehtab	Sawraj Khan	19	Fit
32		Manpreet Gir	Gurtej Gir	23	Fit
33		Kuldeep Singh	Roop Singh	25	Fit
34		Jagjit Singh	Ram Singh	23	Fit
35	27.11.20	Lovepreet Singh	Yashpal Singh	23	Fit
36		Kuldeep Singh	Charanjeet Singh	21	Fit
37	28.11.20	Pardeep Singh	Baldev Singh	23	Fit
38		Gurwinder Singh	Nab Singh	20	Fit
39		Manvir Shelly	Harmesh Kumar	20	Fit
40		Vikil Khan	Rapik Khan	21	Fit
41		Jaskaran Singh	Gurcharan Singh	21	Fit
42		Gurjot Singh	Bhajan Singh	26	Fit

Dr. R.C. Garg  
M.B.B.C., F.C.C.P., F.I.A.M.S. (Pb.)  
SMO IOLCP Co. Ltd.  
GARG NURSING HOME  
BARNALA

1/17/20





# Garg Nursing Home

Equipped with X-Ray, Computerised ECG & Laboratory

K.C. Road, BARNALA- 148101 (Pb.)

(A Networking Hospital For Alankit Health Care, Genins India Ltd., Raksha TPA, TTK Healthcare Services, ICICI Prudential Life Insurance, Reliance Life Insurance & Prestige Health Administrator Pvt. Ltd. Metlife India Insurance Co. Ltd)

*Dr. R.C. Garg*

MBBS, FCGP, FIAMS  
Reg. No. EP 12977

Ref. No.....

Dated.....

Bill No.111

Dated 1<sup>st</sup> Dec., 2020

HRM Dept.

IOL Chemicals & Pharmaceuticals Ltd

Dhaura Complex, Barnala

Monthly Medical Consultancy fee for the month of Nov. 2020 for the services provided by Dr. R.C. Garg (Revised).

Rs. :45000/-

( Rs. Forty Five Thousand Only )

Regards

*Dr. R.C. Garg*  
SMO, IOL  
MBBS, FCGP, FIAMS (PB)  
IOL Chemicals Co. Ltd.  
GARG NURSING HOME  
BARNALA

*Sujeevanth*

*11/2/20*

(Not For Medico Legal Purpose)

01679-230358



# Garg Nursing Home

Equipped with X-Ray, Computerised ECG & Laboratory

K.C. Road, BARNALA- 148101 (Pb.)

(A Networking Hospital For Alankit Health Care, Genins India Ltd., Raksha TPA, TTK Healthcare Services, ICICI Prudential Life Insurance, Reliance Life Insurance & Prestige Health Administrator Pvt. Ltd. Metlife India Insurance Co. Ltd)

*Dr. R.C. Garg*

MBBS, FCGP, FIAMS

Reg. No. EP 12977

Ref. No.....

Dated.....

Bill No.113

Dated 31<sup>st</sup> Dec., 2020

HRM Dept.  
IOL Chemicals & Pharmaceuticals Ltd  
Dhaura Complex, Barnala

Monthly Medical Consultancy fee for the month of Dec. 2020 for the services provided by Dr. R.C. Garg (Revised).

Rs. :45000/-

( Rs. Forty Five Thousand Only )

Regards

Dr. R.C. Garg  
SMO, IOL

DR. R.C. GARG  
MBBS, FCGP, FIAMS (Pb.)  
GARG NURSING HOME  
BARNALA

*[Signature]*  
*[Signature]*

(Not For Medico Legal Purpose)

01679-230358



# Garg Nursing Home

Equipped with X-Ray, Computerised ECG & Laboratory

K.C. Road, BARNALA- 148101 (Pb.)

(A Networking Hospital For Alankit Health Care, Genins India Ltd., Raksha TPA, TTK Healthcare Services, ICICI Prudential Life Insurance, Reliance Life Insurance & Prestige Health Administrator Pvt. Ltd. Metlife India Insurance Co. Ltd)

*Dr. R.C. Garg*  
MBBS, FCGP, FIAMS  
Reg. No. EP 12977

Ref. No.....

Dated.....

Bill No.114

Dated 31 Dec, 2020

HRM Dept.  
IOL Chemicals & Pharmaceuticals Ltd  
Dhaura Complex, Barnala

Monthly Medical Examination Bill for the month of Dec.2020

63 @ 350 per Worker      Rs. 22050/-

( Rs. Twendy Two Thousand and Fifty Only )

Regards


*Dr. R.C. Garg*  
SMO, IOL  
GARG NURSING HOME  
BARNALA

*[Signature]*

(Not For Medico Legal Purpose)

**IOL Chemicals and Pharmaceuticals Ltd.**  
**List of Employees for Medical Examination at Garg Nursing Home Barnala**  
**For the Month of Dec 2020**

S.No	Date	Name	Father's Name	Age (Yrs.)	Fit/UnFit
1	01.12.20	Shikha Rani	Anil Kumar	22	FIT
2		Gurpalvinder Singh	Balour Singh	20	FIT
3		Abhishek	Rai Singh	21	Fit
4		Sonu Kumar	Prithvi Raj	20	Fit
5		Vivek Kumar	Pritam Singh	31	Fit
6		Dipanshu	Sanjay Kumar	21	Fit
7		Ram Partap	Amrit Pal	20	Fit
8		Sukhchain Singh	Buta Singh	21	Fit
9		Vishvjit Singh	Darshan Singh	21	Fit
10		Jatin Kumar	Paramjeet Kumar	20	Fit
11		Arjun Singh	Hari Singh	20	Fit
12	02.12.20	Sahidmirk	Hans Raj	20	Fit
13		Rajvinder Singh	Govind Singh	20	Fit
14		Avtar Singh	Jaswant Singh	22	Fit
15	03.12.20	Baljit Singh	Hari Singh	23	Fit
16	04.12.20	Shaganpreet Singh	Karam Singh	23	Fit
17		Manpreet Singh	Ram Singh	20	Fit
18	05.12.20	Jiwanand Paswan	Sunder Ram	28	Fit
19		Praveen Kumar	Chote Lal	28	Fit
20	06.12.20	Harpreet Singh	Jaspai Singh	22	Fit
21	19.12.20	Gourav Kumar	Sukhvir Singh	29	Fit
22		Akshay Dhiman	Punajb Chand Dhiman	21	Fit
23		Satyam Kumar	Vijendra	23	Fit
24	20.12.20	Dimnesh Pandit	Khairu Pandit	62	Fit
25	23.12.20	Gourav Kumar	Manoj Kumar	21	Fit
26	24.12.20	Divesh Kumar	Rajesh Kumar	20	Fit

  
**Dr. R.C. Garg**  
 M.B.B.S., F.C.C.P., F.I.M.S. (Pa.)  
 SMO IOLCP Co. Ltd.  
**GARG NURSING HOME**  
**BARNALA**




27		Mukul Kumar	Bhagwan Das	19	Fit
28		Rohit Kumar Verma	Aasha Ram Verma	23	Fit
29	26.12.20	Parmod Singh Ravat	Anand Singh Ravat	21	Fit
30		Suraj Verma	Umashankar Verma	20	Fit
31		Himanshu Partap Singh	Umesh Chandra	21	Fit
32		Hari Om	Rajiv Kumar	21	Fit
33		Yash Kumar	Narendra Kumar	20	Fit
34	27.12.20	Ankit Kumar	Rai Kuma.	21	Fit
35		Sourav Matiwala	Shyamsunder Matiwala	23	Fit
36		Sahil Indoria	Ratan Lal Indoria	23	Fit
37		Ankit Kumar Singh	Nanhuk Singh	22	Fit
38		Pawan Sharma	Harishchandra Sharma	22	Fit
39	28.12.20	Deepak Garg	Bansi Lal Garg	21	Fit
40		Harish Patel	Mansha Singh	25	Fit
41		Deep Chand	Om Parkash Gupta	25	Fit
42	29.12.20	Baljinder Singh	Shamsher Singh	21	Fit
43		Jagtar Singh	Balor Singh	22	Fit
44	30.12.20	Jagdeep Singh	Gurjant Singh	25	Fit
45		Lovepreet Singh	Gurnaib Singh	18	Fit
46		Chanan Singh	Hardir Singh	23	Fit
47		Amit Kumar Mishra	Srikant Mishra	22	Fit
48		Lakhvir Singh	Balvir Singh	25	Fit
49		Jagsir Singh	Bhuora Singh	26	Fit
50		Gurprem Singh	Sukhwinder Singh	21	Fit
51		Sagar Kumar	Bhola Singh	19	Fit
52		Suraj Kumar Pandey	Umashankar Pandey	23	Fit
53		Simranjit Singh	Balvir Singh	22	Fit
54	31.12.20	Sukhchain Khan	Gulab Khan	19	Fit
55		Satwinder Singh	Karamjit Singh	24	Fit
56		Karamjeet Singh	Baldev Singh	21	Fit

Dr. N. G. GARG  
M.B.B.S., F.C.C.P., F.I.C.M.S.  
S.M.C.I.C.L.O. (S.M.C.I.C.L.O.)  
L.A.R.C. NURSING HOME  
BARNALA



57	Sukhwinder Singh Sidhu	Raghvir Singh	22	Fit
58	Kulwant Singh	Sokhi Singh	21	Fit
59	Pravesh Kumar	Varindra Singh	32	Fit
60	Jagdeep Singh	Manjit Singh	24	Fit
61	Bhupinder Das	Daljit Das	23	Fit
62	Rampal Singh	Major Singh	24	Fit
63	Harpreet Singh	Kewal Singh	21	Fit

  
 M.B.B. (PUNJAB) (1984)  
 B.A. (HONOURS)  
 GARG NURSIING HOME  
 BARTALA




MEDICAL EXAMINATION PROFORMA

Doc#: HRM/F/026

Ref. SOP #: HRM/SOP/004

Dated: 01/SEPT/2020

Name				AVANDESH KUMAR			
Father/Husband Name				KUSHAL PAL SINGH			
Age	Sex	Designation	E. Code				
31/2	m						
Identification Mark:				A Scar on the forehead			
<b>1. PHYSICAL EXAMINATION :</b>							
Height	Weight	Pulse	BP	Blood Group			
5'5"	60 kg	72/24	120/80	O+ve			
Chest expansion : (Inspiration)			80 cm		(Expiration)		
			80 cm				
Family History :-							
History of Past Illness, if any :- nil							
<b>2. SYSTEMIC EXAMINATION:</b>							
Eyes	Vision		Rt	Lt			
MM			6/6	16/5			
E.N.T:	Colour Vision		MM				
MM							
C.N.S	MM						
Lungs	MM						
Heart	MM						
Abdomen	MM						
Hernia:	Hydrocele		nil				
Urine Examination:	Sp. Gravity	Sugar					
	1016	nil					
Colour : yellow	Albumin :	nil					
X-rays of Chest :- PA View : MM							
Any H/O Allergy : nil							
<b>3. FOR FEMALE EMPLOYEE ONLY :</b>							
Last Menses date:	Cycle :		Regularity :				
White Discharge :	nil						
Any other Gynec problem :							
No. of living issue :							



M.B.B.S., F.C.P.P.,  
SMD IOLC  
GARG NURSING HOME  
BARNALA



### MEDICAL EXAMINATION PROFORMA

Doc#: HRM/F/026

Ref. SOP #: HRM/SOP/004

4. Blood Examination					
Biochemistry	Patient Value	Normal Range	Biochemistry	Patient Value	Normal Range
Serum Bilirubin (Total)	0.72	0.2-1.0 mg/dl	SGOT	27	5 to 35 K.U.
Serum Creatinine	0.85	0.7-1.7 mg/dl	SGPT	31	8 to 40 K.U.
Blood Sugar Random	110.	<140 mg%			

#### Blood Test Haematology Report

Blood Test	Patient Value	Normal Range	Blood Test	Patient Value	Normal Range
Haemoglobin (gm%)	14.9	M: 14-18, F:12-16	Eosinophils	02	01 - 05%
RBC Count	5.4	M:4.5-6.4, F:4.0-5.4	Monocytes	01	04 - 08 %
WBC Count	7800	400 - 11000 / cu mm	Basophiles	00	00 - 01 %
Neutrophils	63	10 - 70%	Platelets	2.18	1.5-4 lac/cu mm
Lymphocytes	34	20 - 40%	Parasites	uu	-----

#### RBC Morphology:

Haemophilic / Non- Haemophilic:

#### 5. Urine Examination:

Routine Examinations	Patient Value	Microscopic examination :	Patient Value
Quantity (ml)	10ml	Erythrocytes	uu
Colour	pale yellow	Pus Cells	uu
SP Gravity	1.016	Epithelial Cells	uu
Albumin	uu	Casts	uu
Sugar	uu	Crystals	uu
Bile Salts	Absent	Yeast Cells	uu
Bile Pigment	Absent		

#### 6. MEDICAL INVESTIGATION REQUIRED :

- 1) .....
- 2) .....
- 3) .....

Remarks : .....

Report : The Candidate Appears To Be Physically And Mentally *fit*

(Fit/Unfit)

Dated *11/9/12*

Signature of Candidate *[Signature]*

**Dr. R.C. Garg**  
 M.B.B.S., F.C.S.P., F.I.A.M.S.I.P.  
 Senior Lecturer of Medicine  
 GARG NURSING HOME  
 BARNALA



2

Ph.: 01679-230358

# MODERN COMPUTERISED LABORATORY

C/o. Garg Nursing Home, K.C. Road, BARNALA-148101

Name Avameesh Kumeri Date 1-9-20

Ref. By Dr. R.C. Garg

## HAEMATOLOGY REPORT

Blood Examination	Result	Normal Range
HAEMOGLOBIN	<u>11.9</u> gm/dl	Male 13.5-18 gm/dl Female 10.5-13.5 gm/dl
PLATELET COUNT	<u>2.18</u> /cu.mm	1.5-4 Lakh/Cu.mm
R.B.C. COUNT	<u>5.4</u> /cu.mm	Male 4.5, 6.3 Million/cu.mm Female 4.2, 5.5 Million/cu.mm
RETICULOCYTE COUNT	%	Adult 1-2%
EOSINOPHIL COUNT	/cu.mm	40-440/cu.mm
T.L.C.	<u>7800</u> /cu.mm	400-11000/cu.mm
D.L.C.		
Neutrophils	<u>63</u> %	40-75%
Lymphocytes	<u>37</u> %	20.45%
Monocytes	<u>1</u> %	2.10%
Eosinophils	<u>2</u> %	1.6%
Basophils	<u>0</u> %	0.1%
Matarial Parasite	<u>—</u>	
E.S.R. (Westergren)	mm, 1st hour	Male 0-10 mm, 1st hour Female 1-20 mm, 1st hour
R.A. Factor		
Bleeding Time		1-3 minutes
Clotting Time		3-7 minutes
Prothrombin Time		CONTROL
C.R. Protein		VDRL
Blood Group		Rh Type
A.S.O. Titre		
AIDS TEST-HIV 1 & HIV 2		
toxoplasmosis		<u>—</u>
Hbasg		

Not for medico-legal purpose.  
Accuracy 99% due to technical limitations.

Medico Technologist

©01679-230358

**MODERN COMPUTERISED LABORATORY****Near Govt. High School, K.C. Road, BARNALA-148101**Pt. Name Avaneesh Kumar Date 1-9-20Ref. by Dr. R.C. Garg**\* BIO-CHEMISTRY REPORT \***

TEST DONE	RESULT	NORMAL RANGE
BL. Sugar (Fasting)	mg/dl	60-100 mg/dl
BL. Sugar (PP) <u>110</u>	mg/dl	60-140 mg/dl
BL. Urea	mg/dl	10-40 mg/dl
S. Creatinine <u>0.85</u>	mg/dl	0.8-1.4 mg/dl
S. Uric Acid	mg/dl	2.4-7.0 mg/dl
S. Bilirubin (Total) <u>0.72</u>	mg/dl	0.1-1.0 mg/dl
" Conjugated	mg/dl	0.0-25 mg/dl
" Un-Conjugated	mg/dl	0.1-0.75 mg/dl
S.G.O.T. (AST) <u>27</u>	U/l	0-40U/l
S.G.P.T. (ALT) <u>31</u>	U/l	0-40U/l
S. Alk Phos	K.A.U/l	60-250A.U/l
S. Acid Phos	K.A.U/l	1.4K.A.U/l
S. Cholesterol	mg/dl	130-250 mg/dl
HDL Cholesterol	mg/dl	30-70 mg/dl
LDL Cholesterol	mg/dl	0-130 mg/dl
C.P.K.	lu/dl	0-109 mg/dl
LDH.	lu/dl	0-450lu/l
Triglycerides	mg/dl	0-170 mg/dl
S. Protein (Total)	mg/dl	6.3-8.3mg/dl
" Albumin	mg/dl	3.5-5.0 mg/dl
" G. Ratio		3.1
S. Amylase	SUC	9-50 SCU
" Calcium	mg/dl	8.5-10.6mg/dl
" Phosphorus	mg/dl	2-6mg/dl
" Sodium	mEq/dl	136-148mEq/dl
" Potassium	mEq/dl	3.8-5.2mEq/dl
" Chloride	mEq/dl	98-110mEq/dl
" T3 (ELA)	ng/ml	0.8-2.1 ng/ml
" T4 (ELA)	g/ml	4.2-12oug/ml
" TSH (ELA)	nU/ml	07-5.0u U/ml

Not valid for medico-legal purpose  
Accuracy 99% due to technical limitation.

*Med. Technologist*

Master Copy

PERFORMANCE STUDY OF AIR POLLUTION CONTROL DEVICES

Issue Date: 28-11-20

Doc. #: ETP/F/004

Ref. SOP #: ETP/SOP/012  
Issued by: [Signature]  
Copy No: 064(01)

TESTING LOCATION: Air Monitoring Station No. 3.

DATE: 09.12.2020

Initial Weight of Filter Paper,  $F_1 = 2.68.64$  (gms)

Final Weight of Filter Paper,  $F_2 = 2.80.66$  (gms),  $F_3 = F_2 - F_1 = 0.12.02$  (gms)

Initial Reading of Time Totalizer,  $T_1 = 1158.45$  (Hrs.)

Final Reading of Time Totalizer,  $T_2 = 1182.45$  (Hrs.),  $T_3 = T_2 - T_1 = 24.00$  (min.)

Initial Manometer Reading,  $M_1 = 1.12$  ( $m^3/min.$ )

Final Manometer Reading,  $M_2 = 1.08$  ( $m^3/min.$ ),  $M_3 = (M_1 + M_2)/2 = 1.10$  ( $m^3/min.$ )

Volume (V) = ( $T_3 \times M_3$ ) = 1584 ( $m^3$ )

Respirable Suspended Particulate Matter ( $PM_{10}$ ) =  $(10^6 \times F_3)/V = \frac{10^6 \times 0.1202}{1584}$  ( $\mu g/m^3$ )

$PM_{10} = 75.88$  ( $\mu g/m^3$ )

Done By: GURJANT SINGH

Sign: [Signature]

Date: 09.12.2020

Checked By: Sandeep Kumar Arora

Sign: [Signature]

Date: 09.12.2020



Master Copy

PERFORMANCE STUDY OF AIR POLLUTION CONTROL DEVICES 31-12-2020

Doc. #: ETP/F/004

Issued to: *CTP*  
Ref. SOP #: ETP/SOP/013  
Copy No. *005 (03)*

TESTING LOCATION: *Air Monitoring Station No. 4*

DATE: *28-12-2020*

Initial Weight of Filter Paper,  $F_1 = 2.6869$  (gms)

Final Weight of Filter Paper,  $F_2 = 2.8085$  (gms),  $F_3 = F_2 - F_1 = 0.1216$  (gms)

Initial Reading of Time Totalizer,  $T_1 = 1206.45$  (Hrs.)

Final Reading of Time Totalizer,  $T_2 = 1230.45$  (Hrs.),  $T_3 = T_2 - T_1 = 1440$  (min.)

Initial Manometer Reading,  $M_1 = 1.10$  ( $m^3/min.$ )

Final Manometer Reading,  $M_2 = 1.07$  ( $m^3/min.$ ),  $M_3 = (M_1 + M_2)/2 = 1.085$  ( $m^3/min.$ )

Volume ( $V$ ) = ( $T_3 \times M_3$ ) =  $1440 \times 1.085 = 1562.4$  ( $m^3$ )

Respirable Suspended Particulate Matter ( $PM_{10}$ ) =  $(10^6 \times F_3)/V = \frac{10^6 \times 0.1216}{1562.4}$  ( $\mu g/m^3$ )

$PM_{10} = 77.82$  ( $\mu g/m^3$ )

Done By: GURJANT SINGH

Sign: *Gurjant Singh*

Date: *29-12-2020*

Checked By: Sandeep Kumar Arora

Sign: *Sandeep Kumar Arora*

Date: *29.12.2020*





## NOISE MONITORING REPORT

Doc. #: EHS/F/016

Ref SOP#: EHS/SOP/015

Frequency: Monthly

Date: 15.09.2020

Sr. #	Time	Area/ Location	Near By Equipment	Noise Level (dB)	Remarks
01	06:01	D.G. on Canopy closed	D.G.	69.0	Running
02	06:04	D.G. on Canopy open	D.G.	72.3	Running
03	06:07	Ethyl Plant G. floor	Vacuum pump	65.5	Running
04	06:10	Ethyl Plant 1st floor	Cal. IA	66.9	Running
05	06:13	ETP	Blower	74.6	Running
06	06:17	Utility Compressor	Compressor	71.9	Running
07	06:23	Acetyl Plant G. floor	Pumping Area	68.4	Running
08	06:27	Acetyl Plant 1st floor	RXN Cal	69.0	Running
09	06:34	Turbine	Turbine	73.1	Running
10	06:39	TBB Plant 1st floor	RK 101B	70.1	Running
11	06:44	TBB Plant 3rd floor	CPD	70.2	Running
12	07:02	TBU02 Plant G. floor	Safety Shower	64.5	Running
13	07:05	TBU02 Plant 1st floor	RK 1103	63.1	Running
14	07:08	TBU02 Plant 2nd floor	AHU Area	64.5	Running
15	07:12	TBU02 Plant PP Area	CP 1003	65.0	Running
16	07:15	TBU02 Plant SRP G. floor	ATPE	67.0	Running.

Signature.....

Done By

  
 .....  
 Verified By



# NOISE MONITORING REPORT

Doc. #: EHS/F/016

Ref SOP#: EHS/SOP/015

Frequency: Monthly

Date: 15.09.2020

Sr. #	Time	Area/ Location	Near By Equipment	Noise Level (dB)	Remarks
17	07:29	TBU-2 Plant Utility	300TR	66.0	Running
18	07:42	Chemical Dispatch	Loading Point	67.0	Running
19	08:05	Shifter Room	Shifter	69.8	Running
20	08:14	F.B.D	FBD	72.9	Running
21	08:21	Centrifuge Area	Centrifuge	71.2	Running
22	08:24	TBU-1 DST	Pumping Area	71.2	Running
23	08:29	TBU-1 Plant Crystallizer	RK 1543	69.8	Running
24	08:36	TBU-1 Plant 1st floor	AHU Area	67.6	Running
25	08:44	TBU-1 Plant 3rd floor	AT&E	66.5	Running
26	08:58	Intermediate-1 Plant floor	Vacuum Pump	68.1	Running
27	09:03	Unit-3 Co. floor	Centrifuge Area	66.5	Running
28	09:32	Unit-3 1st floor	Crystallizer	64.5	Running
29	09:40	Unit-4 Co. floor	Vacuum Pump	65.4	Running
30	09:46	Unit-4 1st floor	RK 203103	66.8	Running
31	09:53	Unit-5 1st floor	Dryer	70.0	Running
32	09:59	Unit-6 1st floor	R-205105	71.5	Running

Signature.....

Done By

Verified By



# NOISE MONITORING REPORT

Doc. #: EHS/F/016

Ref SOP#: EHS/SOP/015

Frequency: Monthly

Date: 15.09.2020

Sr. #	Time	Area/ Location	Near By Equipment	Noise Level (dB)	Remarks
01	22:18	Intermediate of Plant G. floor	Vacuum Pump	68.5	Running
02	22:23	Intermediate Plant 1st floor	RK 106103	64.5	Running
03	22:29	D.G. on Canopy/Glazed	D.G.	68.5	Running
04	22:35	Ethyl Plant G. floor	Vacuum Pump	64.5	Running
05	22:38	Ethyl Plant 1st floor	Gal. TA	63.3	Running
06	22:42	ETP	Blower	67.6	Ear Plug provided. Running
07	22:47	Turbine	Turbine	68.9	Ear Plug provided. Running
08	22:54	Utility Compressor	Compressor	66.8	Running
09	22:58	Acetyl Plant 1st floor	Rxn Gal.	59.0	Running
10	23:05	TBB Plant G. floor	RVD	58.0	Running
11	23:10	Shifter Room	Shifter	63.0	Running
12	23:14	F.B.D	FBD	65.1	Running
13	23:19	TBU01 Plant G. floor	AHU Area	64.2	Running
14	23:26	TBU01 Plant 3rd floor	ATKE	63.4	Running
15	00:00	TBU02 Plant G. floor	Safety Shower	64.5	Running
16	00:04	TBU02 Plant P. Area	FBD 1001	66.1	Running

Signature.....*[Signature]*.....

Done By

.....*[Signature]*.....  
Verified By



# NOISE MONITORING REPORT

Doc. #: EHS/F/016

Ref SOP#: EHS/SOP/015

Frequency: Monthly

Date: 15.09.2020

Sr. #	Time	Area/ Location	Near By Equipment	Noise Level (dB)	Remarks
17	00:13	TBU02 Plant SRP 1st floor	ATFE	62.3	Running
18	00:22	TBU02 Plant Utility	300TR	66.8	Running
19	00:36	Chemical Dispatch	Loading Point	67.7	Running
20	00:44	Unit 03 G-floor	Centrifuge Area	63.8	Running
21	00:50	Unit 03 1st floor	Crystallizer	64.2	Running
22	00:58	Unit 04 G-floor	Vacuum Pump.	64.5	Running
23	01:02	Unit 04 G-floor	FBD	63.0	Running
24	01:08	Unit 05 1st floor	RK 20303	59.0	Running
25	01:14	Unit 05 G-floor	CF Area.	59.8	Running
26	01:19	Unit 06 G-floor	CF 205002	63.1	Running
27	01:24	Unit 06 2nd floor	R-205201	63.5	Running
28	01:26	Unit 06 1st floor	R-205105	59.1	Running
29	01:29	Unit 07 G-floor	CF Area	58.0	Running
30	01:32	Unit 07 G-floor	FBD	57.9	Running
31	01:34	Unit 07 1st floor	AHU Area	59.1	Running
32	01:36	Unit 07 2nd floor	RK 206201	58.1	Running

Signature..... *[Signature]* 15.09.2020




Done By

..... *[Signature]* 15.09.2020  
Verified By




Annexure No:5

# RAIN WATER HARVESTING/ RAIN WATER RECYCLING SYSTEM



# RAIN WATER HARVESTING TANK (SIZE: 8.0M X 8.0M)





## MOCK DRILL FORMAT

Doc. #: EHS/F/039


Ref. SOP #: EHS/SOP/030

## MOCK DRILL

Frequency: Half Yearly

Date: 5.08.2020

S. #	Activity	Planning	Actual Action	Deviation	Remarks
1.	Type of Emergency	Fire	Fire	Nil	-
2.	Section of Emergency	Near IBU-2	Near IBU-2	Nil	-
3.	Location of Emergency	Ground Floor	Ground Floor	Nil	-
4.	Indication for Emergency	Emergency Siren [Hooter] With Double Beep	Emergency Siren [Hooter] With Double Beep	Nil	-
5.	Evacuation Routes	Exit ways/Stairs	Exit ways/Stairs	Nil	-
6.	Equipments used for Emergency Control	Fire extinguishers and fire hydrant system	Fire extinguishers and fire hydrant system	Nil	-
7.	Execution of evacuation plan	Persons of Emergency Area and near by area have to reach Safe Assembly Point	Persons of IBU-2, RM Store and BSR reached at Safe Assembly Point	Nil	-
8.	Emergency Siren time	11:42 Hrs	11:42 Hrs	Nil	-
9.	Response From workers towards evacuation	100 %	100 %	Nil	-
10.	Response From HODs towards emergency control	100 %	100 %	Nil	-
11.	Gathering at safe assembly points	Safe Assembly point No.2 near BSR North Block	Safe Assembly point No.2 near BSR North Block	Nil	-
12.	Response From fire and safety team towards emergency control	100 %	100 %	Nil	-
13.	Response of site controller towards emergency control	100 %	100 %	Nil	-
14.	Abnormality during evacuation of manpower	Nil	As per observation sheet	Nil	-
15.	Abnormality during Emergency mitigation	Nil	As per observation sheet	Nil	-
16.	Segregation of contractor worker	By Administration and security	By Administration and security	Done	-

 **MOCK DRILL FORMAT**

Doc. #: EHS/F/039

Ref. SOP #: EHS/SOP/030

S. #	Activity	Planning	Actual Action	Deviation	Remarks
17.	Response of Ambulance and First Aid Team	Should reach well in time as per distance	First aid team reached in time	Nil	-
18.	Responsibility for calling external help	Communication Coordinator/HOD Admin	Communication Coordinator//HOD Admin	Nil	-
19.	Head count/ Roll Call	HR	HR		
20.	Abnormality during Emergency mitigation	Nil	As per observation sheet	Nil	-
21	Post Mock Activity	Removing of Safety equipments used	Rescue team & Process team	Nil	-
		PPEs collected	By safety team	Nil	-
22	All clear Signal and Time	By DGM EHS	By DGM EHS 11:55	Nil	-

	Observations:	Remarks	Observations:	Remarks
A	Response of site Controller	Good	Response of site Controller	Good
B	Response of rescue team	Good	Response of rescue team	Good
C	Response of First aid team	Good	Response of First aid team	OK
D	Response of other Coordination	OK	Response of other coordination	OK
E	Other observation if any	One person seen running	Other observation	N.A.

Name & Signature of 1<sup>st</sup> Observer:

*Shokenendra*  
EHS Head  
(Sign/Date) *05/08/2020*

Name & Signature of 2<sup>nd</sup> Observer:


*Mandeep Singh*  
05/08/2020

## RESPONSE REPORT

Time of Emergency: 11:42 Hrs


Date : - 05.08.2020

S.#	Name of Key Personnel	Response Time	Remarks.
01	Mr. Jagdish Goel	11:44	Reached on time
02	Mr. KK Rana	11:44	Reached on time
03	Mr.O.P.Singh	11:43	Reached on time
04	Mr. Lokesh Dhawan	11:44:5	Reached on time
04	Mr. Damandeep Singh	11:43	Reached on time
05	Mr. Basant Singh	11:44	Reached on time
06	Mr. Gopal Singla	11:45	Reached on time
07	Mr. Deepak Goyal	11:43	Reached on time
08	Mr. Puneet Tuknait	11:44	Reached on time





smk




*Handwritten signature or initials.*



*Handwritten signature or mark.*






*[Handwritten signature]*

## Roll Call List

Date: 05.08.2020

S.No.	Name of employees	Department
01	Jagseer Singh	Raw Material Store
02	Narinder Singh	Raw Material Store
03	Amendul Singh	Raw Material Store
04	Amritpal Singh	Raw Material Store
05	Ramsarool Singh	Raw Material Store

Remarks: All OK


  
Date

## Roll Call List

Date:- 05/08/2020

S.No.	Name of employees	Department
01	Hardeep Singh	IBU-2 Prod
02	Mandeep	IBU-2 Prod
03	Ankur	IBU-2 Prod
04	Raju Kumar	IBU-2 Prod
05	Sujeet	IBU-2 Prod
06	Subham	IBU-2 Prod
07	Manpreet	IBU-2 Prod
08	Harjinder	IBU-2 Prod
09	Jaspal	IBU-2 Prod
10	Kaba	IBU-2 Prod
11	Kamal	IBU-2 Prod
12	Ram Ashishpal	IBU-2 Prod
13	Vikas Singh	IBU-2 Prod

Remarks:- All ok


Himanshu  
Sing./Date

Roll Call List

Date:- 05-05-2020

S.No.	Name of employees	Department
01	Arta Singh	Pharma Despatch
02	Gurpreet	Pharma Despatch
03	Jaswinder Singh	Pharma Despatch
04	Ranjat Singh	Pharma Despatch
05	Roop Singh	Pharma Despatch
06	Pamandeep Singh	Pharma Despatch

Remarks:- all ok

  
Sing. Date



IOL CHEMICALS AND PHARMACEUTICALS LIMITED

Ref: IOLCP/EHS/09/20/41 1/9

Date: 23.09.2020

To

Deputy Director of Factories

Industrial Safety and Health

Patiala Gate Sangrur (Punjab)

Subject: Report of On Site Mock Drill conducted at IOLCP Ltd Barnala.

Dear Sir,

In order to assess the adequacy of our firefighting system and emergency preparedness, we had successfully organized "On- site Mock Drill" at our site IOL Chemicals and Pharmaceuticals Ltd VPO Fatehgarh Channa Barnala (Punjab) on 23<sup>rd</sup> September 2020 at 11.28 Hrs. The Mock drill was conducted in presence of Government officials and Mutual aid Partner -

Deputy Director of Factories Sangrur- Mr. Sahil Goyal

District Fire officer Barnala -Mr. Jaspreet Singh

AGM (H&S) HMEL - Mr. Ramesh Nandanwar

Manager DIC Malerkotla - Mr. Subodh Jindal

Information in this regards was given well in time.

We are very much thankful to you for your kind support in conducting the On- Site Mock drill at our site.

We are herewith submitting the Report of Emergency Response and preparedness by On- Site Mock drill conducted on 23<sup>rd</sup> September 2020 at 11.28 Hrs.

Thanking you

Your's faithfully

(Basant Singh)

IOL Chemicals and Pharmaceuticals Ltd.

CC: District Fire Officer Barnala, Mutual Aid Group and Police station Dhanaula

Head Office : 85, Industrial Area 'A', Ludhiana. 141 003 (Ph.) India CIN - L24116PB1986PLC007030  
Ph. : +91-161-2225531-35 Fax : +91-161-2226929, 2608784 email : contact@iolcp.com Website : iolcp.com  
Works: Village Fatehgarh Channa, Mansa Road, District - Barnala, 148101 State - Punjab, INDIA.  
Ph. : +91-1679 -285285-86. Fax : +91-1679-285292

98/09/20  
ਡਿਪਟੀ ਡਾਇਰੈਕਟਰ ਆਫ ਫੈਕਟ  
ਸੰਗਰੂਰ।

**REPORT**


**ONSITE MOCK DRILL**

**CONDUCTED ON**

**23<sup>rd</sup> SEPTEMBER 2020 AT 11.28 HRS.**

**AT**


**IOL CHEMICALS AND PHARMACEUTICALS LTD  
VPO - FATEHGARH CHANNA – BARNALA  
DISTRICT BARNALA (PUNJAB) – 148101**





## ON SITE MOCK DRILL REPORT

23<sup>rd</sup> SEPTEMBER 2020 AT 11.28 HRS.

- 1- **MOCK DRILL:** The phrase Mock drill is a redundancy, because Mock means an imitation or artificial and Drill means practice or systematic training by various repetitions. So it would not really have an imitation, practice or rehearsal. The rehearsal is real even if the emergency situation for which one was practicing was stage. So the Drills are real not mock.
- 2- **On-Site Mock drill** conducted at IOL Chemicals and Pharmaceuticals Ltd site on 23<sup>rd</sup> September 2020 at 11.28 Hrs.to check the preparedness of firefighting system and emergency control/lessen. The drill was conducted in presence of Govt. Authorities and mutual aid group.
- 3- The Mock Drill was start with **fire scenario at propylene storage bullet** in explosive area time at 11.28 hrs. (emergency level was high and fire was of fire class B and C)





***Fire Scenario at Propylene storage bullet in explosive area-***


- 4- The fire was initially observed by Ranjeet Singh security guard who was deployed at explosive area security post, Ranjeet Singh security guard had given the telephonic

*myl*



intimation to process control room IBB by Mobile phone and simultaneously blown the hooter siren immediately by double beep and fire emergency was declared in area. On hearing the emergency siren /hooter of Propylene storage area, immediately water sprinkler valve opened from DCS for cooling/ spraying water on bullet.


- 5- Security Guards were deployed for vehicle and unwanted man entry control inside the premises and no unwanted manpower, visitor and vehicle was allowed to come in. Only Government officials and external help was allowed to come in also attendance for the same was ensured.
- 6- Rescue team, firefighting team Fire and Safety coordinator and other Coordinators have reached the site and taken the commands as per responsibility for controlling the emergency as per plan. Observers were deployed at different points to observe the deficiencies Level of fire and its impact is assessed by Fire and safety coordinator OP singh (DGM Safety) and Site emergency controller Damandeep Singh President (process) mutually that level of fire emergency is high and will be controlled by external help of fire tenders and fixed firefighting system of hydrant by cooling method of fire extinguishing. Parallel fire extinguisher shall be applied to control the spreading of fire. Quantum and level of emergency and external help need is conveyed to communication coordinator for arranging the fire tender.
- 7- A systematic public address system was used by President Process Mr. Damandeep singh to deploy the rescue and firefighting team for search operation and controlling of emergency also evacuation of Utility, Process plant and admin block or offices done and man power diverted in safer mode towards Safe Assembly Point as per wind direction.





**Public Address System-**

*[Handwritten signature]*

- 8- As per fire control plan trained fire fighters 05 members team diploid for search and firefighting to contain fire in limited under the supervision of Varun Dadwal Sr. safety Executive by using the fixed firefighting hydrant system by opening the monitors from 03 side of propylene bullet. Stored pressure fire extinguishers MAP 90 are used for class B and C fire to prevent spreading of fire towards another bullet.
- 9- Rescue of 01 casualty who was found unconscious in propylene storage area handled with the help of starchier and transported by ambulance to Occupational Health Center for treatment under the presence of Dr. RC Garg.




*ML*



***Fire controlled by Using Water Monitors and Fire Extinguishers-***

- 10- Another team for 04 members team of fire fighter was deployed for controlling fire of Unloading pump and pipe line by spraying the water by hydrant system under supervision of Sameer Bhatti "Safety officer",  
Fire tander reached along with 01 fire officer and 04 firemen at site well in time and contributed to control fire
  
- 11- Evacuation plan was executed and all manpower of nearby area evacuated the site and reached at safe assembly point near BSR 03. Mr. Pritpal Assistant manager HR along with team made it clear by roll call and tallied with attendance sheet, visitor/ Government officials list, all members were found present and ok except 01 causality name who trapped in smoke and found unconscious in canteen, he was rescued by safety team and send to Ambulance successfully for further first aid and treatment.

*[Handwritten signature]*




**Evacuation plan, assembled at safe assembly point and causality handling -**

12- In last continues increasing in pressure and temperature of propylene bullet all team of firefighting taken outside and only cooling was continue by water monitors.  
After reaching the pressure on 22 kg/ cm<sup>2</sup> the Pressure relief valve opened and excessive pressure released to flair to burn.

13- Post Mock Drill Inspection of area was done by Govt. Authority and senior officials of IOLCP Ltd and observations and effectiveness of mock drill were shared, that over all response from firefighting team, public address, evacuation system and causality

*Signature*

handling by rescue team and first aid team found good. All clear signal by hooter blown was raised to return the normal work at 11.49 hrs.



**Post Mock Drill Inspection was done by Govt. Authority and senior officials of IOLCP-**

14- Post mock drill activity for removal of used fire extinguisher and hydrant hose pipe from site was done by fire safety department immediately after controlling of emergency so that unwanted obstruction can be removed from site.

15- Safety tool talk done by Pritpal singh Assistant Manager HRM at safe assembly point so that men should behave further in right way in case of emergency.

**16- Common area of improvement in Mock drill-**

- 1- Evacuation should be done as per wind direction
- 2- Traffic control system should be improved for smooth functioning of emergency vehicles
- 3- Water sprinkler nozzles are to be replaced by MV nozzle for spraying water effectively
- 4- Casualty handling team to be trained for further improvement
- 5- Cooling of surrounding area is to be considered in adjacent emergency
- 6- Tander parking to be considered parallel to bullet 15 mtr away.

**Conclusion meeting**




*Handwritten signature or initials*

## 17- Response report

Following Designates and Assets/ helps have responded the site during emergency-

Sr.No	Name/ Activity		Time
1.	Mr. Sahil Goyal	Dy Director of Factories	11:25 hrs
2.	Mr. Ramesh Nandanwar	AGM (S& H) BEML Ref.	11.25 hrs
3.	Mr. Basant Singh	Administration Head	11.25 hrs
4.	Hooter / siren Blown	Emergency Notification	11.28 hrs
5.	Mr. OP Singh	Fire & safety coordinator	11.29 hrs
6.	Rescue and fire safety Team	Fire fightersTeam	11.30 hrs
7.	Mr. Damandeep Singh	Site emergency Controller	11.30 hrs
8.	Mr. KK Rana	Site emergency Observer	11.31 hrs
9.	Mr. Gopal Singla	Process observer	11.31 hrs
10.	Dr. Kamlesh	Communication observer	11.31 hrs
11.	Security Team	Security	11.31 hrs
12.	Deepak Goyal	Main Gate observer	11.31 hrs
13.	Mr. Sumit Bansal	Process controller	11.31 hrs
14.	Mr. Mandeep kumar	Communication	11.31 hrs
15.	Ambulance IOL	IOL Medical help	11.33 hrs
16.	Fire Tander	Firefighting Equip.	11.40 hrs
17.	Mr. Subodh Jindal	Manager DIC	11.45 Hrs
18.	Mechanical Team	Service provider	11.35 hrs
19.	All Clear Signal	Emergency over signal	11.49 hrs
20.	Ambulance 108 Barnala	External Medical help	12.10 hrs





ATC

Master Copy

# TRAINING ATTENDANCE SHEET

1600

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: *MSDS and Bulk Handling Material*

Dated: *08/06/2020*

Name of the Faculty: *Varun Pradwal*

Duration: *13:30 To 14:15*

S. #	S.Code	Name of the Employee	Designation	Department	Signature	Score %*
01.	S-18267	<i>Sukhmander Singh</i>	<i>Supervisor</i>	<i>Safety</i>	<i>[Signature]</i>	<i>Satisfactory</i>
02	<i>B17608</i>	<i>Balinder Singh</i>	<i>operator</i>	<i>Safety</i>	<i>[Signature]</i>	<i>Satisfactory</i>
03	<i>J-16701</i>	<i>Sohaz Singh</i>	<i>ASST Fire &amp; Safety</i>	<i>Safety</i>	<i>[Signature]</i>	<i>Satisfactory</i>
/						

Mode of Assessment: Written/ Verbal  
 \*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty: *[Signature]*





Master Copy  
1775

### TRAINING ATTENDANCE SHEET

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: MSDS and Bulk Material Handling.

Dated: 14/06/2020

Name of the Faculty: Varun Dadwal

Duration: 15:30 To 16:00

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01	H-16866	Rupaksham Lal	Sr. Supervisor	Safety	[Signature]	Satisfactory
01	H-20466	Harpal Singh	Supervisor	Safety	[Signature]	Satisfactory
A diagonal line is drawn across the remaining empty rows of the table.						

Mode of Assessment: Written/ Verbal  
\*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty  
[Signature]  
14/06/20  
Q.A.

ATC

Master Copy

TRAINING ATTENDANCE SHEET

1776

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: Environment Protection & Pollution Control

Dated: 14/06/2020

Name of the Faculty: Varun Dadwal

Duration: 13:35 To 14:05

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01	J-16701	Jshar Singh	asst In-charge of safety	safety	<i>[Signature]</i>	Satisfactory
02	J-22277	Jaweer Bhatti	Executive	Safety	<i>[Signature]</i>	Satisfactory

Mode of Assessment: Written/ Verbal  
 \*Satisfactory or Not Satisfactory in case of verbal assessment  
 Page 1 of 1

*[Signature]*  
 Signature of Faculty  
 14/06/2020  
 CONTROLLED  
 U: JOLCPL  
 Q.A.

*S*

Master Copy

1819

**TRAINING ATTENDANCE SHEET**

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: *Emergency Evacuation Plan*

Dated: *12/06/20*

Name of the Faculty: *Harun Qudus*

Duration: *15:30* To *16:00*

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01.	<i>M-21249</i>	<i>Manu Kumar</i>	<i>Assistant</i>	<i>Safety</i>	<i>[Signature]</i>	<i>Satisfactory</i>
02.	<i>B-21250</i>	<i>Beant Singh</i>	<i>Assistant</i>	<i>Safety</i>	<i>[Signature]</i>	<i>Satisfactory</i>

Mode of Assessment: *Written/ Verbal* ✓  
 \*Satisfactory or Not Satisfactory in case of verbal assessment  
 Page 1 of 1

*[Signature]*  
 Signature of Faculty  
*12/06/20*  
*[Circular Stamp]*



Master Copy

TRAINING ATTENDANCE SHEET

1999

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: MSDS and Bulk Material Handling.

Dated: 22/06/20

Name of the Faculty: Varun Dadwal

Duration: 15:00 To 15:25

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01	S. 21245	Sukhwinder Singh	Assistant	Safety	<i>[Signature]</i>	Satisfactory
02	M15239	Mulla Singh	Secretary	E.T.P.	<i>[Signature]</i>	Satisfactory
03	P-21582	Pradeep Kumar	Chemist	E.T.P.	<i>[Signature]</i>	Satisfactory
04	G-16709	Gurjant Singh	Officer	E.T.P.	<i>[Signature]</i>	Satisfactory

Mode of Assessment: Written/ Verbal   
 \*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty *[Signature]*  
 22/06/20  
 CONTROL ROOM  
 Q.A.



Master Copy

### TRAINING ATTENDANCE SHEET

1946

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: *Confined Space Hazard & Man Entry* Dated: *26.06.2020*

Name of the Faculty: *Sameer Bhatti*

Duration: *16:10 To 16:40*

S.#	S.Code	Name of the Employee	Designation	Department	Signature	Score %*
01	A-21694	Avtar Singh	Production Chemist	Acetyl Chloride	<i>[Signature]</i>	Satisfactory
02	V-17807	Vishu Mishra	Jr. Chemist	Acetyl Chloride	<i>[Signature]</i>	Satisfactory
03	J-18335	Jagga Singh	operator	Acetyl Chloride	<i>[Signature]</i>	Satisfactory
04	G121450	Ganesha	Process Chemist	Acetyl Chloride	<i>[Signature]</i>	Satisfactory
05	G19363	Amlacet Singh	Helper	Acetyl Chloride	<i>[Signature]</i>	Satisfactory
06	G-21889	Amlak Singh	Helper	Acetyl Chloride	<i>[Signature]</i>	Satisfactory
07	B-22328	Bhawinder Singh	Helper	Acetyl Chloride	<i>[Signature]</i>	Satisfactory

Mode of Assessment:  Written/  Verbal  
 \*Satisfactory or Not Satisfactory in case of verbal assessment  
 Page 1 of 1

Signature of Faculty: *[Signature]*  
 26/06/2020



TRAINING ATTENDANCE SHEET

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: Fire Prevention and Control System

Dated: 04.07.2020

Name of the Faculty: Sameer Bhatti

Duration: 16:30 To 17:00

S. #	S.Code	Name of the Employee	Designation	Department	Signature	Score %*
01	R-16612	Rajesh Hussain	Supervisor	Mech.	[Signature]	Satisfactory
02	K22308	Kulwinder Singh	Prod. Chemist	Unit-4	[Signature]	Satisfactory
03	L2131	Chandana Mohan Reddy	Sr Chemist	Unit-4	[Signature]	Satisfactory
04	A20159	Azif Mohammed	Shift Incharge	Unit-4	[Signature]	Satisfactory
<i>(The rest of the table is crossed out with a diagonal line)</i>						

Mode of Assessment:  Written/  Verbal

\*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty

[Signature] 04/07/2020



Master Copy

TRAINING ATTENDANCE SHEET

1842

Doc. #: HRM/T/035

Ref. SOP #: HRM/SOP/009

Topic: Fire Prevention & Control System Dated: 12.07.18

Name of the Faculty: Valsu Dadwal

Duration: 13:30 To 14:00

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01	R16294	Rajendra Kumar	officer	CO-GUN	Rajendra	Satisfactory
02	B18665	Bhuvan P...	Supervisor	Utility	Bhuvan	Satisfactory
03	C18703	Chujit Singh	Operator	Utility	Chujit	Satisfactory
04	M21094	Mandeep Kumar	Chemist	Unit-3	Mandeep	Satisfactory
05	S21111	Surinder Pal	Fr. Operator	Utility	Surinder	Satisfactory

Mode of Assessment: Written/ Verbal  
\*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty: [Signature] 12/07/18

TRAINING ATTENDANCE SHEET

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: House keeping Sanitation & Hygiene

Dated: 23-08-2019

Name of the Faculty: Sujan Kumar

Duration: 15:50 to 16:20

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01	S-22402	Sikander Singh	Helper	P.P. Am	S	Satisfactory
02	J-16791	Jagjit Singh	S. operator	IBU-2	S	Satisfactory
03	A-14965	Ajay Kumar	opt	IBU-2	A	Satisfactory
04	G-21526	Gagandeep Singh	Helper	IBU-2	G	Satisfactory
05	S-20732	Sikander Singh	opt	IBU-02	S	Satisfactory
06	T-19642	Tanikashwan fanjan	OPT	IBU-2	S	Satisfactory
07	J-18988	Jagjit Singh	OPT	JBU-2	J	Satisfactory
08	G-20752	GURJAL	opt	ZBU-02 SRP	G	Satisfactory
09	P-20489	Pankaj S	Floor cleaner	IBU-2 BAN	P	Satisfactory

Mode of Assessment: Written/ Verbal  
 \*Satisfactory or Not Satisfactory in case of verbal assessment  
 Page 1 of 1

Signature of Faculty: Sujan Kumar  
 23-08-2019





Master Copy

540

TRAINING ATTENDANCE SHEET

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic:

On Site Emergency Plan

Dated: 23.08.2

Name of the Faculty:

Vaenu Dadwal

Duration: 17:10 To 17:40


S. #	S.Code	Name of the Employee	Designation	Department	Signature	Score %*
1	G-22459	Gurpreet Singh	Ta. Electrician	Elect	Gurpreet Singh	Satisfactory
2	M-22490	Manpreet Singh	Ta. Electrician	Electrical	Manpreet	Satisfactory
3	S-21399	Simranjeet Singh	Elect	Elect	Simranjeet	Satisfactory
4	I-16634	Jagbal Singh	Shift Ex.	Electrical	Jagbal Singh	Satisfactory
5	K-16666	Kaushal Kumar	Supervisor	Elect.	Kaushal	Satisfactory
6	S-16675	Somnath	Supervisor	Elect	Somnath	Satisfactory
7	L20547	Lakhveer Singh	Helper	Elect.	Lakhveer	Satisfactory
8	K-19191	Xamal Deep Singh	Supervisor	Electrical	Xamal Deep	Satisfactory
9	D22213	Dilbar Khan	Helper	Electrical	Dilbar Khan	Satisfactory
10	M20790	Manjeet Singh	Electrician	Electrical	Manjeet	Satisfactory
11	A22505	Anmolpreet Singh	Ta. Electrician	Electrical	Anmolpreet	Satisfactory
12	P20855	Pawan Kumar	A. Engineer	Electrical	Pawan	Satisfactory
13	G-22650	Gurpreet Singh	Electrician	Electrical	Gurpreet	Satisfactory
14	M18838	Manoj Kumar Yadav	Electrician	Electrical	Manoj	Satisfactory
15	S-21961	Sanjay Kumar	Ta. Electrician	Electrical	Sanjay	Satisfactory
16	K-22507	Karanpreet Singh	Ta. Electrician	Electrical	K. Singh	Satisfactory
17	H-19421	Hudman ?	Electrician	Elect	Hudman	Satisfactory

Mode of Assessment: Written/ Verbal

\*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty

23/08/2022



update

TRAINING ATTENDANCE SHEET

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: MSDS Bulk material Handling and Safety

Dated: 15/09/2020

Name of the Faculty: Sameer Bhatt

Duration: 17:00 To 17:25

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
1	A-22056	Gurjeet Singh	Helper	IBU-1	Gurjeet	100%
2	U-19399	Gurjeet Singh	OPC	IBU-1	Gurjeet	100%
3	P-16823	Keshav Singh	OPC	IBU-1	Gurjeet	100%
4	G-22182	Gurpreet Singh	Helper	IBU-1	Gurpreet	100%
5	P-20970	Piyush Rakhani	Shift Incharge	IBU-1	P	100%
6	H-12290	Harvinder Singh	off	IBU-1	H	100%
7	J-20192	Joginder Singh	Helper	IBU-1	J	100%
8	B-14496	Balwinder Singh	Helper	IBU-1	Balwinder	100%
9	G-21744	Gurpreet Ram	Helper	IBU-1	Gurpreet	100%
10	A-19841	Ajit Singh	Helper	IBU-1	Ajit	100%
11	S-21442	Samandeep Singh	Helper	IBU-1	Samandeep	100%
12	I-22526	Ishar Singh	Helper	IBU-1	Ishar	100%
13	J-21962	Jagjit Singh	Helper	IBU-1	Jagjit	100%

Mode of Assessment: Written/Verbal

\*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty

TRAINING ATTENDANCE SHEET

Master Copy  
3889

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: MSDS Bulk Handling Safety.

Dated: 15.09.2020

Name of the Faculty: Sameer Bhatti.

Duration: 11:10 To 11:35

S. #	S.Code	Name of the Employee	Designation	Department	Signature	Score %*
1	F-22362	Anshdeep Singh	Prod.chemist	IBU-01		100%
2	H-21658	Himanshu	Prod.chemist	IBU-01		100%
3	F-21202	Feroz Khan	Helper	IBU-1		100%
4	J-21330	Jaswinder Singh	OPT	IBU-I		100%
5	K-22030	Kambeer Singh	Helper	IBU-I		100%
6	S-21079	Satbir Singh	Shift Incharge	IBU-1		100%
7	J-21234	Jagtar Singh	OPT	IBU-1		100%
8	V-20716	Vishay Kumar Yadav	Helper	IBU-2		100%
9	B-19822	Badrish Singh	OPT	IBU-1		100%
10	G-22057	Gurwinder Singh	OPT	IBU I		100%
11	H-21854	Hardeep Singh	Helper	IBU-1	Hardeep	100%
12	S-21548	Shamir	Prod.chemist	IBU-1		100%
13	G-22449	Gurpreet Singh	Helper	IB-1		100%
14	D-19745	Bajrang Rao	Helper	IBU		100%
15	S-21274	Sulem Khan	Helper	IBU-I		100%
16	R-15951	Rajmohan Singh	OR-D-T.	IBU-2		100%
17	S-19141	Sukhvir Singh	Helper	IBU-I		100%

Mode of Assessment: Written/ Verbal

\*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty

TRAINING ATTENDANCE SHEET

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: Work Permit System & Safety Measure

Dated: 03/10/2020

Name of the Faculty: Mr. Sameer Bhatti

Duration: 10:00 To 10:30

S.#	S.Code	Name of the Employee	Designation	Department	Signature	Score %*
01	K15878	Komal Pr Singh	Asst. Manager	Dispatch		100%
02	V16541	Vikram Goyal	Manager	Dispatch	Vikram	100%
03	D17399	Dinesh Kumar	Executive	R.M. Store	Dinesh	100%
04	A22673	Ayush Varshitha	Engineer	Mechanical		100%

Mode of Assessment:  Written/  Verbal  
 \*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty:   
 3/10/2020  
 CPL



TRAINING ATTENDANCE SHEET

3791

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: Accident Incident Reporting

Dated: 09-10-20

Name of the Faculty: Supriya Sharma

Duration: 21-30 To 21-55

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01	P19802	Hardeep Singh	Shift In-charge	IPR-2	(P)	Satisfactory
02	M-21760	Mamaji Kumar	Shift In-charge	PRV-01	h	Satisfactory
03	S-20477	Saurav Singh	Electrician	Unit-07	(S)	Satisfactory

Mode of Assessment: Written/ Verbal  
\*Satisfactory or Not Satisfactory in case of verbal assessment

Supriya Sharma  
Signature of Faculty  
09-10-20  
IOLCPL

Master Copy

TRAINING ATTENDANCE SHEET

3558

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: Accident/Incident Reporting (EH 504)

Dated: 16/10/202

Name of the Faculty: Mr. Sameer Bhatti

Duration: 12:30 To 13:00

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
1.	A-20159	Aarif mohammad	Shift incharge	UNIT-4		100%
02	K-17732	Kulwinder Singh	officer	chemicals		100%
03	K-20954	Karson Dary	Sr. Engineer	UL		100%
04	A-22302	Anuj Keshav	Engineer	Utility		100%

Mode of Assessment:  Written/  Verbal  
\*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty 16/10/2020  
COLLECTED  
CPL  
RA

TRAINING ATTENDANCE SHEET

Doc. #: HRM/F/035



Ref. SOP # : HRM/SOP/009

Topic: Accident/Incident Reporting (EH504)


Dated: 17/10/2020


Name of the Faculty: Mrs. Simeen Bhatti


Duration: 17:00 To 17:30

S.#	S.Code	Name of the Employee	Designation	Department	Signature	Score %*
1	A20131	AVTAR SINGH	OPERATOR	DISPATCH		100%
2	219670	Jarnail Singh	operator	DISPATCH		100%

Mode of Assessment:  Written/  Verbal  
 \*Satisfactory or Not Satisfactory in case of verbal assessment

  
 Signature of Faculty





Master Copy

TRAINING ATTENDANCE SHEET

3973

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: Fire Prevention and Control System

Dated: 09/11/2020

Name of the Faculty: Varun Dadwal


Duration: 14:30 To 15:00

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01	J23011	Jaskaranpreet Singh	Assistant	Safety	Jaskaranpreet Singh	100%
02	K23023	Kuldeep Singh	Assistant	Safety	(Signature)	100%

Mode of Assessment: Written/ Verbal  
\*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty  
*(Signature)*  
CONTROLLED





Master Copy

### TRAINING ATTENDANCE SHEET

4062

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: Electrical Safety & Static charge

Dated: 17.11.2020

Name of the Faculty: Mr. Sameer Bhatti

Duration: 15:00 To 15:30

S.#	S.Code	Name of the Employee	Designation	Department	Signature	Score %*
1	M-21646	Nehit Sharma	Prod. Chemist	IBU-02		100%
2	T-19642	Tanikashwar Ranjan	OPT	IBU-02		100%
3	K-20730	Kesav - Chem	OPT	IBU-2	Kes	100%
4	R-20671	Rohit Kumar	opt.	IBU-02		100%
5	S-22276	Sushant Kori	Prod. Chemist	IBU-02		100%
6	R-20784	Ravvir Singh	opt.	IBU-2		100%
7	B-16708	Babuljeet Singh	opt.	IBU-2	B.S	100%
8	J-21373	Jagesh Kumar	Prodn. chemist	IBU-02	d	100%
9	R-15934	Ram Sharan Singh	OPT	IBU-2		100%
N.A						

Mode of Assessment:  Written/  Verbal

Signature of Faculty  
17/11/2020

\*Satisfactory or Not Satisfactory in case of verbal assessment

## TRAINING ATTENDANCE SHEET

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009


Topic: Work Permit Systems and Safety Measures.Dated: 4-12-2020Name of the Faculty: Sameer BhattiDuration: 14:30 To 15:30

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01.	P-19882	Pardup Singh	Sr. shift Incharge	IBU-02		100%
02	P.16982	Pranod Singh	Shift Incharge	Axylene/oxide.		100%
03	M 21094	Mandeep kumar	Chemist	Unit-3		100%
04	R-21241	RAVI SRIVASTAVA	Executive	Unit-8		100%
05.	M-15739	Mela Singh	Superior	E.T.P		100%
06	P-22671	PIYUSH AROON	Executive	Pharma District		100%
07	G-16907	GURTES SINGH	Asst officer	Pharma District		100%
08	C-22348	Chandan Samsal	Chemist	QA		100%
09	T-17560	Tarsem Singh	opt	IBB		100%
10	J19251	Jagrup	Chemist	IBB		100%
11	S-17654	Sandeep	S. I	IBB		100%
12	H 22280	Harvinder Singh	Chemist	QA		100%
13	017131	Onkar Singh	Shift Incharge	IBU-01		100%
14	A20777	Arjun Singh.	Shift Incharge	unit-3		100%
15	P-20970	Piyush Lohani	Shift Incharge	IBU-1		100%
16	R-21007	Rohit Dogra	Shift Incharge	IBU-1		100%

Mode of Assessment:  Written/  Verbal

\*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty



TRAINING ATTENDANCE SHEET

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: Confined Space Hazard & Man Entry

Dated: 23-12-20

Name of the Faculty: Vajra Daxwal


Duration: 17:30 To 17:50

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01.	M-17344	Majid Singh	Fitter	mech	Majid S	100%
02	H-19005	Uma/ali Singh	Fitter	Mech	Uma	100%
3	K-15405	Kuldeep Singh	Fitter	mech	Kuldeep S	100%
4.	R-22510	Ravinder Singh	Fitter	Mech	Ravinder S	100%
5.	A-22520	Akandeep Singh	Fitter	Mech	Akandeep S	100%
6.	S-22622	Sachin Singh	welder	Mech	Sachin S	100%
07	M-17108	Manvendra	Fitter	Mech	Manv	100%
8.	G-22458	GOURAV GULERIA	Fitter	Mech	Gourav	100%
9.	H-20507	Harmanlal Singh	Fitter	Mech	Manlal S	100%
10.	P-17725	Pritam Singh	Fitter	Mech	Pritam S	100%
11	S-18495	Sapinderpal Singh	semi Fitter	Mech	Sapinder	100%
12.	S-19247	Satish Kumar	Fitter	Mech	Satish	100%
13.	S-22600	Sandosh Kumar	fabricator	Mech	Sandosh	100%
14.	H-19391	Harjeet Singh	Fitter	Mech	Harjeet	100%
15.	P-22496	Ravinder Singh	Fitter	Mech	Ravinder	100%
16	H 22464	Harpreet Singh	opt	UL	Harpreet	100%
17	A-20832	Amrandeep Khosla	operator	OA	Amrandeep	100%
			N.A			

Mode of Assessment: Written/ Verbal

\*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty



TRAINING ATTENDANCE SHEET

Doc. #: HRM/F/035

Ref. SOP #: HRM/SOP/009

Topic: MSDS and Bulk Material Handling Safety

Dated: 28.12.2020

Name of the Faculty: Mr. Sameer Bhatti

Duration: 12:25 To 12:40

S. #	S. Code	Name of the Employee	Designation	Department	Signature	Score %*
01	G22635	Gurpreet Singh	Helper	Unit-6	[Signature]	100%
2.	G21393	Gurpreet Singh	Helper	Unit-2	[Signature]	100%
3-	J-19997	Jagjit Singh	operator	Unit-3	[Signature]	100%
4	J-21866	Jaspal Singh	operator	Unit-3	[Signature]	100%
5.	K-21072	Krishan Kumar	operator	Unit-3	[Signature]	100%
6.	G20422	Saraj Ahwal	Executive	QA	[Signature]	100%
N/A						

Mode of Assessment: Written/ Verbal  
 \*Satisfactory or Not Satisfactory in case of verbal assessment

Signature of Faculty  
 28/12/2020  
 Q.A.


## Environment Management Cell (EMC)


EMC undertake regular monitoring of the environment and conduct yearly audit of the environmental performance during the construction of the project. It will also check that the stipulated measures are being satisfactorily implemented and operated. It shall also co-ordinate with local authorities to see that all environmental measures are well coordinated. A comprehensive environmental monitoring program as laid down by State Pollution Control Board shall be followed.

All the observations will be complied and documented by the EMC to serve the following purposes.

- Identification of any environmental problems that are occurring in the area.
- Initiating or providing solution to those problems through designed channels and verification of the implementation status.
- Controlling activities inside the project, until the environmental problem has been corrected.
- Suitably responding to emergency situations.
- Ambient Air Monitoring done every Month in different locations of plant Area and Once in a year study area.
- Effluent Quality: Daily/Every Week in own laboratory; Quarterly from PPCB approved laboratory.
- Hazardous Waste Analysis
- Stack Emissions: Every Quarter.
- Time to time soil testing
- Internal audit to check environmental performance
- To meet compliance of SPCB/CPCB/MoEF and other departments

Environment Management Cell is already set up that includes Senior General Manager, Asst Manager(Environment), officer, Chemist, Operators and Helpers.





IOL CHEMICALS AND PHARMACEUTICALS LIMITED

IOLCP/FP/2019/046

Date: 18.09.2019

To.

The Sarpanch,  
Fatehgarh Channa  
Barnala

Subject : Regarding Submission copy of Environment Clearance.

Respected Sir,

With due respect, this is for your kind information that Ministry of Environment, Forest and Climate Change granted Environment Clearance to M/S IOL Chemicals and Pharmaceuticals Limited located at Village Fatehgarh Channa, Mansa Road, Tehsil and District Barnala ( Punjab) for Expansion of Chemicals and APIs manufacturing unit.



As per condition of Environment Clearance we have to submit copy of Environment Clearance in your office. We are here submitting copy of Environment Clearance in your office. So you are requested please acknowledge and give us receipt for the same

Thanking You

Authorized Signatory

ਗ. ਪ. ਰਾਮਗੜ੍ਹ ਫੰਡਾਂ।

ਗੁਪਤਪੁਰ/23 ਰਾਮਗੜ੍ਹ ਫੰਡਾਂ ਵੱਲੋਂ ਵੰਗੀਰਕਸ ਅਤੇ ਏ.ਪੀ.ਆਈ.ਸੀ. ਵਿਭਾਗ ਦੁਆਰਾ ਪ੍ਰਦਾਨ  
 ਕੀਤੇ ਗਏ ਸਨ। 30/12/2023 ਤੋਂ ਇਤਹਾਸਿਕਤਾ ਨਰਪੀਕਰੇ ਦੀ ਕਮਰੀ ਸਿਰਫ  
 ਵੱਲੋਂ ਕਾਂਡੀ ਜੀ. ਪਿੰਡ  
 ਮੁਖ ਮੰਤਰੀ ਸਿਰਫ ਮਹਾਂਦੇਵ  
 ਗੁਪਤਪੁਰ ਫੰਡਾਂ  
 ਰਾਮਗੜ੍ਹ ਫੰਡਾਂ ਵਿਖੇ ਦਫ਼ਤਰੀ




ਮਨਜੀਤ ਕੌਰ  
 ਮੁਖੀ  
 ਮਨਜੀਤ ਕੌਰ

Gusinder Singh  
 Raviinder Kaur

ਮਨਜੀਤ ਕੌਰ  
 ਮੁਖੀ  
 ਮਨਜੀਤ ਕੌਰ

ਮਨਜੀਤ ਕੌਰ



IOL CHEMICALS AND PHARMACEUTICALS LIMITED

IOLCP/UB/2019/047

Date: 18.09.2019

To.

The District Head .  
Urban Local Bodies  
Barnala


Subject : Regarding Submission copy of Environment Clearance.

Respected Sir.

With due respect, this is for your kind information that Ministry of Environment, Forest and Climate Change granted Environment Clearance to M/S IOL Chemicals and Pharmaceuticals Limited located at Village Fatehgarh Channa, Mansa Road, Tehsil and District Barnala ( Punjab) for Expansion of Chemicals and APIs manufacturing unit.

As per condition of Environment Clearance we have to submit copy of Environment Clearance in your office. We are here submitting copy of Environment Clearance in your office. So you are requested please acknowledge and give us receipt for the same.

Thanking You

  
Authorized Signatory

*Receipt*

*19/9/19*

Head Office : 85, Industrial Area 'A', Ludhiana, 141 003 (Pb.) India CIN - L24116PB1986PLC007030  
Ph. : +91-161-2225531-35 Fax : +91-161-2226929, 2608784 email : contact@iolcp.com Website : iolcp.com  
Works : Village Fatehgarh Channa, Mansa Road, District - Barnala, 148101 State - Punjab, INDIA.  
Ph. : +91-1679 -285285-86, Fax : +91-1679-285292





# IOL CHEMICALS AND PHARMACEUTICALS LIMITED

IOLCP/ZP/2019/045

Date: 19.09.2019

To,

The Chairman,  
Zila Parishad  
Barnala


**Subject : Regarding Submission copy of Environment Clearance.**

Respected Sir,

With due respect, this is for your kind information that Ministry of Environment, Forest and Climate Change granted Environment Clearance to M/S IOL Chemicals and Pharmaceuticals Limited located at Village Fatehgarh Channa, Mansa Road, Tehsil and District Barnala ( Punjab) for Expansion of Chemicals and APIs manufacturing unit.

As per condition of Environment Clearance we have to submit copy of Environment Clearance in your office. We are here submitting copy of Environment Clearance in your office. So you are requested please acknowledge and give us receipt for the same.

Thanking You

  
Authorized Signatory

ZP, BNL  
W  
27/09/2019

Head Office : 85, Industrial Area 'A', Ludhiana. 141 003 (Pb.) India CIN - L24116PB1986PLC007030  
Ph. : +91-161-2225531-35 Fax : +91-161-2226929, 2608784 email : contact@iolcp.com Website : iolcp.com  
Works : Village Fatehgarh Channa, Mansa Road, District - Barnala, 148101 State - Punjab, INDIA.  
Ph. : +91-1679 -285285-86, Fax : +91-1679-285292



**IOL CHEMICALS AND PHARMACEUTICALS LIMITED**

recd  
Medical  
29/07/2020

IOLCP/MoEF/2020/022

Date: 01.07.2020

To,

The Director (s),  
Ministry of Environment & Forests,  
Regional Office,  
Chandigarh.

प्राप्त किया/Received  
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय  
Ministry of Environment, Forests & Climate Change  
South & West India Regional Office  
Chandigarh

**Subject:** Regarding the submission of six monthly compliance report.


R/Sir,

With due respect, we are here submitting six monthly progress point wise compliance report with latest testing reports of treated effluent, ground water, air and noise monitoring in hard copy and soft copy for your reference and for display on website of Ministry of Environment & Forest.

Thanking You

With kind regards

For IOL Chemicals and Pharmaceuticals Limited.

  
(Authorized Signatory)



**IOL CHEMICALS AND PHARMACEUTICALS LIMITED**

IOLCP/MOEF/2020/029

Dated 23/07/2020

To


The Director (s),  
Ministry of Environment & Forests,  
Regional Office,  
Chandigarh.

**Subject: Regarding submission of Environment statement (Form-V) for year 2019-2020.**

Respected sir,

With due respect, we are here submitting Environment statement (Form -V) in prescribed format for the year 2019- 2020, for your kind consideration. Please acknowledge the same.

Thanks & regards

  
(Authorized signatory)

IOL Chemicals and Pharmaceuticals Limited

CC: The Environmental Engineer, Regional Office, Sangrur

# **ENVIRONMENTAL STATEMENT REPORT**

For Year 2019-2020

Submitted to:

**Ministry of Environment and Forest  
and  
Punjab Pollution Control Board  
(PPCB)**

(FORM -V)  
(See Rule 14)

Environmental Audit report for the financial year ending the 31st March

Part -A

- i) Name and address of the occupier of the industry, operation or process : Sh. Vijay Garg  
Joint Managing Director  
IOL Chemicals &  
Pharmaceuticals ltd  
Village Fatehgarh Channa,  
Mansa Road ,Dhaura  
Barnala 148101
- ii) Year of Establishment : 29-09-1986
- iii) Date of last Environmental Audit report : September 2019

Part -B

WATER AND RAW MATERIAL CONSUMPTION

Average Water Consumption per Day

Process	331.47 m <sup>3</sup>
Cooling	245.09 m <sup>3</sup>
Domestic	18.18 m <sup>3</sup>
Boiler	64.60 m <sup>3</sup>

i) Product Manufactured

S.No	Name of Product	Water consumption per MT of products	
		During the previous. Financial year	During the current Financial year
1	Ethyl Acetate	0.56 MT	0.55 MT
2	Acetic Anhydride	No Production	No Production
3	Ibuprofen	5.4 MT	4.63 MT
4	Monochloro acetic acid	0.24 MT	0.25 MT
5	Acetyl chloride	0.24 MT	0.313 MT
6	IBB	0.74 MT	0.75 MT
7	Metformin Hydrochloride	1.5 MT	1.5 MT
8	Lamotrigine	40.0 MT	40.6 MT
9	Fenofibrate HCL	16.0 MT	16.1 MT
10	Ursodeoxycholic Acid	58.0 MT	68.2 MT
11	Clopidogrel Bisulphate	12.38 MT	13.80 MT

ii) Raw Material Consumption

Name of raw Materials	Name of products	Consumption of raw material per unit of output During the previous year	During the current Financial year
Ethyl Alcohol.	Ethyl Acetate	709 Ltr/MT	685 Ltr/MT
Acetic Acid.	Ethyl acetate	692 Kg/MT	687 Kg/MT
Acetic Acid	Acetic Anhydride	No Production	No Production
Iso Butyl Benzene	Ibuprofen	804 Kg/MT	786 Kg/MT
Chlorine	MCA	804 Kg/MT	784 Kg/MT

A/anhydride	Acetyl chloride	1367 Kg / MT	1336 Kg/MT
Propylene	IBB	577 Kg/ MT	570 Kg/ MT
Propylene	IBB	847 Kg/ MT	831 Kg/ MT
Dicynamide	Metformin Hydrochloride	548 Kg/MT	546 Kg/MT
Dimethyl Amine Hydrochlorid e	Metformin Hydrochloride	639 kg/MT	537 kg/MT
2, 3 Dichloro Benzoyl Nitrile	Lamotrigine	1029 Kg/MT	1001 Kg/MT
4-Chloro benzoyl Chloride	Fenofibrate	743 Kg/MT	707 Kg/MT
Anisole	Fenofibrate	459 Kg/MT	437 Kg/MT
Chenodeoxyc holic Acid	Ursodeoxycholic Acid	1295 Kg/MT	1349 Kg/MT
Thiopene-2 ethanol	Clopidogrel Bisulphate	592 Kg/MT	539 Kg/MT
2- Chlorophenyl Glycine	Clopidogrel Bisulphate	1042 Kg/MT	851 Kg/MT

**PART - C**  
Pollution generated

(Parameters as specified in the consent issued)

Pollutants	Parameters				Percentage of variation from prescribed Standard with reasons	
	Parameters	Final Outlet of ETP analysis done by PPCB on dated 20.03.2020	Final Outlet of ETP analysis done by PPCB on dated 20.12.2019	Prescribed limits by PPCB		
a) Water	pH	8.0	7.8	6.5-8.5	No Variation From Prescribed standards	
	COD(mg/l)	108	124	Less than 250 ppm		
	BOD(mg/l)	BOD analysis could not be done due to Curfew/Lockdown.	23	Less than 30 ppm		
b) Air	Point of sample Collection	Unit	Results from PPCB on dated 20.03.2020	Results from PPCB on dated 20.12.2019	Prescribed limits by PPCB	No Variation From Prescribed standards
	Port Hole on Stack after APCD of Boiler 80 TPH	mg/NM <sup>3</sup>	96 mg/NM <sup>3</sup> at 12% CO <sub>2</sub>	109 mg/NM <sup>3</sup> at 12% CO <sub>2</sub>	Less than 150 mg/ NM <sup>3</sup>	
	Port Hole on Stack after APCD of IBAP Scrubber	mg/NM <sup>3</sup>	Not Detected	----	Less than 35 mg/ NM <sup>3</sup>	
	Port Hole on Stack after APCD of Thermopack Furnace	mg/NM <sup>3</sup>	122	--	Less than 350 mg/ NM <sup>3</sup>	



**PART -D**

**(HAZARDOUS WASTES)**

[As specified under Hazardous waste (Management and Handling) Rules, 1981]

Hazardous waste & Category		Total Quantity	
Name	Category	During the Previous Financial year	During the current Financial year
a) From process Distillation Residue	28.1	4.130 MT	4.370 MT
b) From ETP: ETP Sludge	35.3	4.104 MT	4.090 MT
c) Mobile Oil	5.1	347 Ltr	303 Ltr

**PART - E**

**(SOLID WASTES)**

Name of Solid Waste	Total Quantity in Mt	
	During the previous Financial Year	During the current Financial Year
Boiler Ash	16828 MT	15181 MT

**PART -F**

Please specify the characteristics of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes:

S.No	Material	Physical state	Composition	Disposal practice
1.	Distillation Residue	Solid	Organic Solvent waste	Stored in Hazardous waste room in Environmentally sound manner and sent to approved incineration facility
2.	Boiler ash	Solid	SiO <sub>2</sub> + Carbon	Land filling
3.	ETP Sludge	Solid	Sand and fines + Biological Mass	Stored in Hazardous waste room in Environmentally sound manner and sent to approved incineration facility
4.	Mobile oil	Liquid	Used black mobile oil	Stored & sale to authorized recyclers

#### PART - G

Impact of pollution control measures on conservation of natural resources and Consequently on the cost of production:

IOLCP set up a state of art ETP for treating waste water and also using latest air pollution control devices to maintain the ambient environmental conditions. IOLCP main emphasis is on conservation of energy as well as water. IOLCP is awarded with the **National Energy Conservation Award** consecutively for the years 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013 and 2014 and 2016 by **Ministry of Power, Government of India**.


#### PART - H

Additional investment proposal for environment protection including abatement of pollution.

1. The unit is a ISO 9001:2015, ISO 14001:2015 & ISO 18001: 2007 compliant.
2. Internal Environmental Audits done to reduce Water ,Air, Noise Pollution.
3. We have lifted our premise ,s E Waste and our dispensary,s Bio Medical Waste to PPCB,s authorized vendors.
4. We have given palm trees to village Dhanaula .
5. We have planted 900 Nos of plants on occasion of Environment Day.

6. Regular monitoring of Ambient Air Quality: Ambient air quality is monitored with respect to PM10 two times in a month and gaseous pollutants such as SO<sub>2</sub> & NO<sub>2</sub>, CO are performed regularly at an interval of one year . All the parameters have been found to be well within the prescribed limit of PPCB/CPCB/MoEF.
7. Ambient & Source Noise level is monitored regularly two times in a month and results area compared with prevailing standards laid by Central Pollution Control Board, Ministry of Environment & Forests, Govt. of India.
8. Regular monitoring of Ground Water Quality: Ground water quality is monitored regularly during pre monsoon and post monsoon by drawing samples from different locations. Essential bacteriological parameters are analyzed and compared with respective limits given in IS 10500: 1991 and subsequent amendments till date.
9. Regular monitoring of Surface Soil Quality: Soil water quality is monitored regularly at an interval of one year by collecting surface soil samples from different locations. Essential parameters are analyzed to ensure soil in the project area is free from any kind of contamination.

Dated: \_\_\_\_\_



(Authorized signatory)

IOL Chemicals and Pharmaceuticals Ltd



**आईओएल कैमोकल्स एंड फार्मास्यूटिकल्स लिमिटेड**

पंजीकृत कार्यालय : टाइटैंट कार्यालय, अणुकोट रोड, बरनाला-148101, पंजाब  
 CIN: L24116PB1986PLC007030 www.ioelcp.com  
 Ph.+91-1679-244701-07, Fax:+91-1679-244708, E-mail: contact@ioelcp.com

**सार्वजनिक सूचना**

पर्यावरण, वन तथा जलवायु परिचर्तन मंत्रालय, भारत सरकार, नई दिल्ली ने आईओएल नोटिफिकेशन नं. 1533 दिनांक 14.09.2006 के तहत पत्र संख्या नं. जे-17011/976/2008-IAII (I) दिनांक 23.08.2019 के तहत गांव फतेहगढ़ छात्रा, तहसील व जिला बरनाला (पंजाब) स्थित निर्माण इकाई कैमोकल्स एंड एक्टिव फार्मास्यूटिकल्स इन्ड्रेडिअंड्स (एपीआईज) के विस्तार के लिए कम्पनी को पर्यावरण मंजूरी प्रदान की है। पर्यावरण मंजूरी की प्रति प्रोजेक्ट साइट पर उपलब्ध है तथा वेबसाइट <http://moef.nic.in> पर भी देखी जा सकती है।

हिते आईओएल कैमोकल्स एंड फार्मास्यूटिकल्स लिमिटेड

स्थान : बरनाला

दिनांक : 19.09.2019

हस्ता/-

(कृष्ण सिंगला)

वाइस प्रेजिडेंट एंड कम्पनी सेक्रेटरी

**प्रेस सूचना**

**पंजाब जल संसाधन प्रबंधन एवं विकास निगम**  
**एससीओ नं. 2, फेज-1, एस.ए.एस. नगर (मोहाली)**

वेबसाइट: <https://eproc.punjab.gov.in>

**अल्प अवधि निविदा सूचना**

ई-निविदा सूचना सं. 02/2019/पोइव्यूआरएमडीसी/मोहाली दिनांक: 20.9.2019

एतद् द्वारा पंजाब के राज्यपाल की ओर से मंडलीय अभियंता, पोइव्यूआरएमडीसी, फेज-1 एस.ओ.ओ. नं. 2 एसएस नगर द्वारा किसी भी केंद्र अथवा राज्य सरकार विभाग/पोइव्यूआरएमडीसी/पीएसयूज से पंजीकृत योग्य टेकदारों/एजेंसियों तथा ताजा सरकारी निर्देशों/नए पात्रता मापदंड के अनुसार लॉन्गि (बी. एंड आर.) से सूचीबद्ध भ्रम व निर्माण समितियों से समझौता आधार पर एतद् द्वारा ई-निविदा आमंत्रित है। निम्नलिखित शर्तों के अनुसार 02 अदद (आल्ड. गहरे ट्यूबवैल) (72 अदद आल्ड. गहरे ट्यूबवैल स्कोम अधीन) सिंकिंग व स्थापना के लिए पंजाब सरकार के निर्देशों अनुरूप भ्रम व निर्माण समितियों को प्राथमिकता दी जाएगी:-

क्र.सं.	विवरण	तिथि	समय
1.	निविदा आमंत्रण सूचना जारी करना	20.9.2019	-
2.	निविदाओं को बिक्री का आरंभ	21.9.2019	12.30 बजे
3.	निविदाओं को बिक्री का बंद होना	04.10.2019	12.00 बजे
4.	बोलियां प्राप्त करने की अंतिम तिथि व समय	04.10.2019	12.25 बजे
5.	दस्तावेजों की छंटनी के लिए तकनीकी बोलों का खुलना	04.10.2019	13.00 बजे
6.	वित्तीय बोलों का खुलना	04.10.2019	16.30 बजे

- सारी निविदा प्रक्रिया जैसे कि निविदा दस्तावेजों को बिक्री तथा बोलों दस्तावेज का जमा करना हमारे वेबसाइट <https://eproc.punjab.gov.in> पर ऑनलाइन किया जाएगा।
- संभावित टेकदारों/एजेंसियों को सलाह दी जाती है कि निविदाओं में भाग लेने के लिए स्वयं को हमारे सेवा प्रदाता से <https://eproc.punjab.gov.in> पर अग्रिम तौर से पंजीकृत करें अथवा हैल्पलाइन नं. (0172-2970284, 0172-2970263, 0120-4001002 व 0120-4200462) पर सम्पर्क करें।
- निविदा दस्तावेज खरीद संबंधी सभी अदायगियां ऑनलाइन मोड द्वारा की जाएंगी। उक्त की स्कैंड प्रतियां बोलों के साथ अपलोड की जानी चाहिए एवं तकनीकी बोलों के खुलने से पूर्व मूल अवश्य प्रस्तुत की जाए।
- विस्तृत निविदा आमंत्रण सूचना तथा अन्य नियमों व शर्तों के लिए कृपया हमारे वेबसाइट <https://eproc.punjab.gov.in> पर पढ़ें।
- बोलियों जमा करवाने की तिथि तक बोलों/दस्तावेज सूचना के किसी एजेंडा/संशोधन के लिए सूचना जारी नहीं की जाएगी।

वैज्ञानिकों को पर्वतारोहण का प्रशिक्षण दे रहा है। यह प्रशिक्षण मिनिस्ट्री ऑफ अर्थ साइंस के तत्वावधान में नेशनल सेंटर फॉर पोलर एंड ओसियन रिसर्च की ओर से संचालित किया जा रहा है। प्रशिक्षण में भारत-अंतर्राष्ट्रिक मिशन के लिए प्री-ट्रेनिंग दी जा रही है।

अदालत में चुनौती चैन-पुलिंग की यह घटना 1997 में 'वज्ररंग' की शूटिंग हुई थी, जिसमें देउ अफिलिक एक्सप्रेस आरोप लगाया गया

**निविदा सूचना**  
**जलापूर्ति एवं स्वच्छता विभाग**  
**पंजाब सरकार**

कार्यकारी अभियंता, जलापूर्ति एवं स्वच्छता मंडल सं. 2, चटिडा जी.पी.इ.ए.एस.ओ. की ओर से निम्नलिखित चटिडा जिले के गांव रामपुरी जिला चटिडा के कार्य के थोला दस्तावेज ऑनलाइन करने संबंधी जलापूर्ति एवं स्वच्छता संक्टर सुधार प्रोजेक्ट-सब कम्पौनैट-1 ए (ii)

क्र. सं.	विवरण	अनुमानित लागत (लाखों में)	बोली सिक्वियरिटी
1.	आगू आफ वाटर सप्लाय स्कीम मानसा खुर्द ब्लॉक रामपुरा जिला चटिडा (अंडर वर्ल्ड टैंक-1ए (ii) कंस्ट्रक्शन आफ क्लोरिडेटिंग-कम-पम्प चैम्बर, प्रोवाइडिंग एंड लेइंग 110 एमएम यूपीवीसी पाइप चैनल, रिपेयर आफ एस एंड एस टैंक एवरेज साइज 30.70x30.70 मी., एस एंड एस वैल 1.52 मी. डाय. पम्प चैम्बर 6.10x4.88 मी., हाई लेवल टैंक 4.87 मी. डाय. फिल्टर बैड 3 नं. 4.87 मी. डाय. क्लोरियर वाटर टैंक 4.87 मी. डाय. स्टाफ क्वार्टर, कंस्ट्रक्शन आफ आरसीसी हाई लेवल टैंक 4.50 मी. डाय. आरसीसी ओएचएसआर कपैसिटी 50,000 लिटर हाइट 20 मी. अपटू एफएसएल. प्रोवाइडिंग सिट्टिंग यूपीवीसी पाइप 63 एमएम. 90 एमएम. स्लूइस वाल्व एवं स्लूइस वाल्व चैम्बर, हाऊसहोल्ड वाटर कनेक्शन, कंस्ट्रक्शन आफ ब्रिक मैसनरी वाऊंडरी वाल 1.52 मी. हाइट विद एंगल आयरन पिक्चर्स एवं वायर्ड वायर फिसिंग 3 प्लार्ड रेटिंग, 2 नं. रॉ वाटर एवं 1 नं. क्लोरियर वाटर मथनसिंथेसिस पम्पिंग सैट, क्लोरिनेशन प्लांट आदि डीएनआईटी अनुरूप।	88.22	1,76,440/-

दस्तावेज बिक्री का समय व तिथि 20.09.2019 समय 1: दस्तावेज प्राप्त करने का समय व तिथि 15.10.2019 समय 11 दस्तावेज की फीस साइट अनुरूप प्रत्येक गांव का कार्य पूर्णता का समय 9 माह नियम व शर्तें :

- बोलियों आमंत्रण सूचना के विस्तृत नियमों व शर्तों हेतु दस्तावेज [www.eproc.punjab.gov.in](http://www.eproc.punjab.gov.in)

# 550 ਪੰਦੇ



ਬੰਦ ਸਿੰਘ ਲੌਗੋਵਾਲ ਅਤੇ ਇਕੱਤਰਤਾ ਵਿਚ ਸ਼ਾਮਲ

ਭਾਰਤ ਸੇਵਾ ਸਿੰਘ ਸਹਿਯੋਗ ਨਾਲ ਟ ਭਗਤ ਸਿੰਘ, ਨੂੰ ਸ਼ਹੀਦ ਦਾ ਕੌਦਰ ਸਰਕਾਰ ਆ। ਇਸ ਤੋਂ ਪ ਜਰਮਨੀ 'ਚ ਦੌਰਾਨ ਗੋਲਡ ਖ ਬਟਾਲੀਅਨ ਰਾਮਗੜ੍ਹ) ਦੇ ਨੂੰ 51 ਹਜ਼ਾਰ ਤਾ ਜਾਵੇਗਾ।

ਅਮਰੀਕਾ ਦੇ ਸਿੱਖਾਂ ਵੱਲੋਂ ਵਾਸ਼ਿੰਗਟਨ ਸੂਬੇ ਦੇ ਸ਼ਹਿਰ ਬੈਲੀਗਰਮ ਵਿਖੇ ਖ਼ਾਲਸਾ ਯੂਨੀਵਰਸਿਟੀ ਲਈ ਸ਼੍ਰੋਮਣੀ ਕਮੇਟੀ, ਧਰਮ ਪ੍ਰਚਾਰ ਕਮੇਟੀ ਅਤੇ ਸਿੱਖ ਇਤਿਹਾਸ ਰੀਸਰਚ ਬੋਰਡ ਵੱਲੋਂ ਪ੍ਰਕਾਸ਼ਿਤ ਪੁਸਤਕਾਂ ਦੇ ਦੋ ਸੈਂਟ ਡੇਜਟ ਦਾ ਫੈਸਲਾ ਕੀਤਾ ਗਿਆ। ਭਾਈ ਹਰਭਜਨ ਸਿੰਘ ਜੋਗੀ ਵੱਲੋਂ ਚਲਾਏ ਗਏ ਸਿੱਖ ਧਰਮਾ ਇੰਟਰਨੈਸ਼ਨਲ ਅਮਰੀਕਾ ਦੇ ਮੁਖੀ ਬੀਬੀ ਇੰਦਰਜੀਤ ਕੌਰ ਅਤੇ ਡਾ. ਗੁਰਅੰਮ੍ਰਿਤ ਕੌਰ ਦੀ ਦੇਖ-ਰੇਖੇ ਹੇਠ ਜਪੁਜੀ ਸਾਹਿਬ ਦਾ 20 ਭਾਸ਼ਾਵਾਂ 'ਚ ਕੀਤੇ ਜਾ ਰਹੇ ਅਨੁਵਾਦ ਕਾਰਜ ਨੂੰ ਵੀ ਸਲਾਹਿਆ ਗਿਆ।

## ਰਾਜ ਸਟੇਟ ਲੋਟਰੀਜ਼ ਆਓਰ ਡਰਾਮਾ ਸਿਊਟੀਕਲਜ਼ ਲਿਮਿਟਿਡ

ਪੀਐਸਈਬੀ ਰੋਡ ਆਫਿਸ ਦੀ ਮਾਲ ਪਟਿਆਲਾ-147001)  
: "U40109PB2010SGC033814" www.pstcl.org  
ਐਮ ਮੰਡਲ ਬਠਿੰਡਾ ਮੋ. ਨੰ. 96481-18248, ਈ-ਮੇਲ : xen.pm.bti@gmail.com  
ਸਾਰਟ ਟਰਮ ਓਪਨ ਟੈਂਡਰ ਨੋਟਿਸ

ਟੀਐਲ. ਉਪ ਮੰਡਲ, ਬਠਿੰਡਾ ਦੇ ਦਫ਼ਤਰ ਲਈ ਇੱਕ ਨੰਬਰ ਮਹਿੰਦਰਾ ਜੈਨੀਓ ਟਵਿਨ ਕੈਬਿਨ/ਏਲੋਰੋ ਕੈਪਰ ਜਾਂ ਬਰਾਬਰ ਦੀ ਕੀਮਤ ਦਾ ਵਾਹਨ ਇੱਕ ਸਾਲ ਲਈ ਆਊਟਸੋਰਸਿੰਗ ਤੇ ਲੈਣ ਲਈ, ਜਿਸ ਦਾ ਮਾਡਲ ਐਨ.ਆਈ.ਟੀ. ਦੀ ਮਿਤੀ ਤੱਕ ਚਾਰ ਸਾਲ ਤੋਂ ਵੱਧ ਪੁਰਾਣਾ ਨਾ ਹੋਵੇ। ਆਊਟਸੋਰਸਿੰਗ ਦੀ ਮਿਆਦ ਵਿੱਚ ਸਾਲ ਥਰ ਸਾਲ ਵਾਧਾ ਅਗਲੇ ਦੋ ਸਾਲਾਂ ਲਈ ਕੀਤਾ ਜਾ ਸਕਦਾ ਹੈ।
09/ਪੀਐਮ/ਬਠਿੰਡਾ/2019-20
14.10.2019 ਸਮਾਂ 16:30 ਵਜੇ ਤੱਕ
16.10.2019 ਸਮਾਂ 12:00 ਵਜੇ ਤੱਕ
16.10.2019 ਸਮਾਂ 14:30 ਵਜੇ
10000/- ਰੁਪਏ ਦਾ ਡੀ.ਡੀ. ਜੋ ਕਿ ਪੀ.ਐਸ.ਟੀ.ਸੀ.ਐਲ. ਦੇ ਨਾਮ 'ਤੇ ਹੋਵੇ।

ਕਰ ਕਿਸੇ ਬਾਰਟ ਟੈਂਡਰ ਪ੍ਰਕ੍ਰਿਆ ਪੂਰੀ ਨਹੀਂ ਹੋਈ ਤਾਂ ਉਸ ਕੇਸ ਵਿੱਚ ਅਥਰਾਜਾਂ ਜਾਵੇਗੀ। ਸੱਚ ਸਰਕਾਰੀ ਵੱਲੋਂ ਪੀ ਐਸ ਟੀ ਸੀ ਐਲ ਦੀ ਵੈੱਬਸਾਈਟ 'ਤੇ ਵੇਖੋ ਜਾਣ।  
ਪੀਐਲ ਦੀ ਵੈੱਬਸਾਈਟ www.pstcl.org ਤੋਂ ਡਾਊਨਲੋਡ ਕੀਤਾ ਜਾ ਸਕਦਾ ਹੈ।

**ਆਈਓਐਲ ਕੈਮੀਕਲਜ਼ ਐਂਡ ਫਾਰਮਾਸਿਊਟੀਕਲਜ਼ ਲਿਮਿਟਿਡ**  
ਗੁਜਰਾਤ ਦਫ਼ਤਰ: ਵਾਈਟ ਕਪਲਕਸ, ਗਾਏਕਟ ਰੋਡ, ਬਰਨਾਲਾ-148101 ਪੰਜਾਬ  
CIN: L24116PB1986PLC007030 www.iolcp.com  
ਫੋਨ: +91-1679-244701-07, ਫੈਕਸ: +91-1679-244708, ਈ-ਮੇਲ: contact@iolcp.com

**ਜਨਤਕ ਸੂਚਨਾ**

ਵਾਤਾਵਰਣ, ਜੰਗਲਾਤ ਅਤੇ ਜਲਵਾਯੂ ਤਬਦੀਲੀ, ਭਾਰਤ ਸਰਕਾਰ, ਨਵੀਂ ਦਿੱਲੀ ਦੇ ਮੰਤਰਾਲਾ ਨੇ ਕੰਪਨੀ ਨੂੰ ਪਿੰਡ ਫਤਹਿਗੜ੍ਹ ਚਾਨਾ, ਤਹਿਸੀਲ ਅਤੇ ਜਿਲ੍ਹਾ ਬਰਨਾਲਾ (ਪੰਜਾਬ) ਵਿਖੇ ਕੈਮੀਕਲਜ਼ ਐਂਡ ਐਕਟਿਵ ਫਾਰਮਾਸਿਊਟੀਕਲਜ਼ ਇਨਕੂਬੇਟਿਓਨ (ਦੇਪੀਆਈਐਸ) ਮੈਨੂਫੈਕਚਰਿੰਗ ਯੂਨਿਟ ਦੇ ਵਿਸਥਾਰ ਵਾਸਤੇ ਮੰਤਰਾਲੇ ਦੇ ਪੱਤਰ ਨੰ. ਜੇ-11011/976/2008-IAII (I) ਮਿਤੀ 23.08.2019 ਅਧੀਨ ਈਆਈਏ ਨੋਟੀਫਿਕੇਸ਼ਨ ਨੰ. 1533 ਮਿਤੀ 14.09.2006 ਤਹਿਤ ਇਨਵਾਇਰਨਮੈਂਟਲ ਕਲੀਅਰੈਂਸ ਦੀ ਮਨਜ਼ੂਰੀ ਦਿੱਤੀ ਹੈ। ਇਨਵਾਇਰਨਮੈਂਟ ਕਲੀਅਰੈਂਸ ਦੀ ਕਾਪੀ ਪ੍ਰੋਜੈਕਟ ਸਥਾਨ ਵਿਖੇ ਉਪਲੱਬਧ ਹੈ ਅਤੇ ਵੈੱਬਸਾਈਟ <http://moef.nic.in> 'ਤੇ ਵੀ ਦੇਖੀ ਜਾ ਸਕਦੀ ਹੈ।  
ਵਾਸਤੇ ਆਈਓਐਲ ਕੈਮੀਕਲਜ਼ ਐਂਡ ਫਾਰਮਾਸਿਊਟੀਕਲਜ਼ ਲਿਮਿਟਿਡ

ਸਥਾਨ: ਬਰਨਾਲਾ ਸਰੀ/-  
ਮਿਤੀ: 19.09.2019 (ਨਿਸ਼ਨ ਸਿੰਗਲਾ)  
ਵਾਈਸ ਪ੍ਰੈਜ਼ੀਡੈਂਟ ਐਂਡ ਕੰਪਨੀ ਸੈਕਟਰੀ

19/09/2019 **RAJSHREE** 19/09/2019  
08:10 PM **RAJSHREE NEELAM (THU - EVE)** 08:10 PM  
GOA STATE LOTTERIES  
RAJSHREE NEELAM (THU - EVE)  
9th Draw held on 19/09/2019 Price ₹5/-

1st Prize ₹20.05 Lakhs/- **73B-02001**  
Cons. Prize ₹1000/- 02001 (REMAINING ALL SERIALS)

2nd Prize ₹8000/-	00639	19185	22511	34018	42305
	44011	46210	49231	78087	88519
3rd Prize ₹400/-	0736	1844	2717	3531	4493
	5099	7791	8122	9078	9238
4th Prize ₹200/-	0371	0650	1877	3927	4510
	5101	6975	7361	7693	9879

5th Prize ₹100/-

0112	1155	1960	3091	4139	5231	6458	7331	8231	9221
0143	1207	2039	3182	4266	5386	6573	7409	8263	9328
0212	1298	2280	3371	4299	5510	6621	7507	8326	9416
0375	1395	2288	3441	4384	5638	6760	7555	8458	9637
0438	1497	2343	3450	4411	5735	6863	7667	8576	9746
0679	1523	2470	3529	4596	5867	6889	7784	8634	9791
0746	1688	2537	3674	4614	5968	6954	7984	8724	9802
0813	1742	2662	3796	4881	6038	7027	8030	8855	9874
0890	1794	2707	3877	4999	6337	7113	8036	8908	9915
0943	1889	2981	4006	5131	6344	7312	8101	9015	9967

\*Kindly check the Result with Official Government Gazette.

19/09/2019 **RAJSHREE** 19/09/2019  
04:10 PM **RAJSHREE ORANGE (THU)** 04:10 PM  
GOA STATE LOTTERIES  
RAJSHREE ORANGE (THU)  
9th Draw held on 19/09/2019 Price ₹5/-

1st Prize ₹20.04 Lakhs/- **50G-57978**  
Cons. Prize ₹1000/- 57978 (REMAINING ALL SERIALS)

2nd Prize ₹8000/-	04627	06538	11342	21291	33304
	41929	48349	54623	66169	84211
3rd Prize ₹400/-	0409	2768	3416	5209	5238
	5882	6366	6861	7885	9534
4th Prize ₹200/-	0497	1674	2408	4996	5742
	6139	7231	8771	8925	9069

5th Prize ₹100/-

0231	1150	2049	3015	4098	5072	6171	7121	8168	8984
0333	1286	2118	3137	4371	5173	6207	7298	8212	9009
0364	1532	2313	3251	4441	5279	6354	7369	8345	9150
0443	1557	2486	3479	4507	5341	6563	7435	8361	9334
0556	1640	2597	3527	4550	5454	6690	7569	8495	9487

POLLUTION CONTROL BOARD VATAVARAN BHAVAN,  
NABHA ROAD, PATIALA  
WATER ANALYSIS REPORT

1. Laboratory Sample No.
2. ULR No.
2. Name of Industry
3. Name of Sample collecting Officer
4. Designation of authorizing Test
5. Type of Sample
6. Date & Time of Sample collection
7. Date & Time of Sample receipt in Lab.
8. Period of Analysis
9. Test Methods

E-2788-2790/ H.O.Lab. Monitoring/2020  
ULR-TC70451800000002349P  
M/s IOL Chemical & Pharmaceuticals limited,  
Mansa Road, Barnala.  
Er. Aushpreet Singh. AEE  
EE, RO, Sangrur.  
Grab  
18.08.2020 at 03.52 PM  
19.08.2020  
19.08.2020 to 27.08.2020  
As per relevant parts of IS: 3025/Methods of APHA

AEE

27/8/20

## Results

Sr. No.	Parameters	Inlet of ETP	Outlet of ETP	Aeration Tank
1.	pH	6.9	8.3	-
2.	Total Suspended Solids mg/l	153	34	-
3.	Total Dissolved Solids mg/l	5490	1384	-
4.	Chemical Oxygen Demand mg/l	2560	168	-
5.	Bio-chemical Oxygen Demand mg/l	800	18	-
6.	*Phenolic compound mg/l	BDL	BDL	-
7.	*Sulphide mg/l	4.8	BDL	-
8.	*Phosphate as PO <sub>4</sub> mg/l	3.6	BDL	-
9.	*Lead mg/l	BDL	BDL	-
10.	*Mercury mg/l	BDL	BDL	-
11.	*Arsenic mg/l	BDL	BDL	-
12.	Total Chromium mg/l	BDL	BDL	-
13.	*Bio-assay	-	100% survival of Fish in 100% effluent after 96 hours	-
14.	*Oil & Grease mg/l	4.6	BDL	3150
15.	*Mixed Liquid Suspended Solids mg/l	-	-	2680
16.	*Mixed Liquid Volatile Suspended Solids mg/l	-	-	-

\* Not Covered under scope of NABL

Note: BDL means Below Method Detection Limit

Analyzed by

Endst. No:

18767-68

---End of Report---

Scientific Officer

Dt.

27/8/2020

A copy of the above is forwarded to the:-

1. The Senior Environmental Engineer, Punjab Pollution Control Board, Zonal Office-II Patiala.
2. The Environmental Engineer, Punjab Pollution Control Board, Regional Office, Sangrur.



**PUNJAB POLLUTION CONTROL BOARD**  
AIR LABORATORY, HEAD OFFICE, VATAVARAN BHAWAN, PATIALA

Ph:- 0175-2302392

Web: www.ppcb.gov.in  
E-mail: ppcbairlab@gmail.com

- |  |   |
|--|---|
| 1. Laboratory Sample No.                 | 515-516/ H.O. Lab./Air Monitoring/2020-21   |
| 2. Name of Industry                      | M/s I.O.L Chemicals and Pharmaceuticals Ltd., Vill Fatehpur Channa, Mansa Road, Distt. Barnala. |
| 3. Name of Sample collecting Officer     | Er. Vipam Kumar AEE and Dr. Sonam Dogra, SA   |
| 4. Designation of authorizing Test       | EE, RO, Sangrur   |
| 5. Type of Sample                        | Stack Emission  |
| 6. Date & Time of Sample collection      | 17.09.2020  |
| 7. Date & Time of Sample receipt in Lab. | 18.09.2020  |
| 8. Point of Sample collection            | Details as Given Below  |

**Results**

Point of sample Collection	Parameter	Results	Prescribed Standards
Port Hole on stack after APCD of Boiler Furnace of Cap 80 TPH	Particulate Matter	80 mg/Nm <sup>3</sup> at 12% CO <sub>2</sub>	150 mg/Nm <sup>3</sup> at 12% CO <sub>2</sub>
Port Hole on stack after APCD of Thermo Pac of capacity 2 Lac kcal	Particulate Matter	91 mg/Nm <sup>3</sup> at 12% CO <sub>2</sub>	150 mg/Nm <sup>3</sup> at 12% CO <sub>2</sub>

*[Signature]*  
23/09/2020  
Assistant Scientific Officer

Dt. 24-9-20

Endst. No: 21371-72

A copy of the above is forwarded to the following for information and necessary action:-

1. The Senior Environmental Engineer, Punjab Pollution Control Board, Zonal Office-II Patiala
2. The Environmental Engineer, Punjab Pollution Control Board, Regional Office, Sangrur

*[Signature]*  
23/09/2020  
Assistant Scientific Officer

# Environ Tech Laboratories

NABL Accredited (ISO/IEC 17025:2017) / MoEF & CC Recognized  
PPCB Approved/ OHSAS 45001:2018

Plot No.62, Janta Industrial Estate,  
Airport Road, Sector 82, S.A.S. Nagar  
(Mohali)-160062 Punjab  
Mob. 9417210081, 9417220081  
9464000081, Tel. 9463000081

GSTIN : 03BPEPS9693P1ZV  
PAN No. BPEPS9693P

DISPATCH No:-ETL/DSP/ 2024

Date:- 22/05/2020

Page 1 of 2

## TEST REPORT

To  
M/s IOL CHEMICALS AND PHARMACEUTICALS LTD.  
VILLAGE-FATEHGARH, CHANNA,MANSA ROAD,  
DHAULA, DISTT.BARNALA (PB)

Report No.	ETL/44/2020/O/20644ZE	Report Date	22.05.2020
Your Ref. No.	Nil	Type of sample	Ground Water Sample
Sample Code Given by Customer	Nil	Quantity	10 LITER
Sampling Location	Tubewell NO-1	Date of sampling	15.05.2020
Sample Collected By	Lab Person	Date of sample receipt	16.05.2020
Sampling procedure	As per SOP	Sample I.D.	ETL/32/2019-20/O/644ZE
		Date of test	16.05.2020-22.05.2020

S. No.	Parameters	Results	Limits of IS: 10500 – 2012		Test method
			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
1	Colour, Hazen unit, max	<1	5	25	APHA 23 <sup>rd</sup> Edition:2017-2120B
2	Odour	Agreeable	Agreeable	-----	APHA 23 <sup>rd</sup> Edition:2017-2150
3	Turbidity, NTU max	<1	5	10	APHA 23 <sup>rd</sup> Edition 2017 2130 B
4	Taste	Agreeable	Agreeable	-----	APHA 23 <sup>rd</sup> Edition:2012-2160
5	pH	7.22	6.5 – 8.5	No relaxation	APHA 23 <sup>rd</sup> Edition:2017 -4500-H· B
6	Total Dissolved Solids mg/l Max	422	500	2000	APHA 23 <sup>rd</sup> Edition:2017 -2540 C
7	Alkalinity ( as CaCO <sub>3</sub> ) mg/l ,Max	190	200	600	APHA 23 <sup>rd</sup> Edition:2017-2320 B
8	Chloride (as Cl) mg/l, Max	70	250	1000	APHA 23 <sup>rd</sup> Edition:2017 -4500-Cl B
9	Nitrate (as NO <sub>3</sub> ) mg/l, Max	18	45	No relaxation	APHA 23 <sup>rd</sup> Edition:2017 -4500-NO <sub>3</sub> B
10	Fluoride (as F) mg/l Max	0.37	1.0	1.5	APHA 23 <sup>rd</sup> Edition:2017 -4500-F D
11	Calcium (as Ca) mg/l Max	33	75	200	APHA 23 <sup>rd</sup> Edition:2017 -3500-Ca B
12	Magnesium (as Mg) mg/l, Max	23	30	100	APHA 23 <sup>rd</sup> Edition:2017 -3500-Mg B
13	Total Hardness( as CaCO <sub>3</sub> ) mg/l, Max	175	200	600	APHA 23 <sup>rd</sup> Edition:2017 -2340 C
14	Sodium (as Na) mg/l Max	71	-	-	APHA 23 <sup>rd</sup> Edition 2017-3500 Na B
15	Potassium (as K) mg/l Max	3.5	-	-	APHA 23 <sup>rd</sup> Edition 2017-3500 K B
16	Iron ( as Fe) mg/l Max	0.05	0.3	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3500 Fe B
17	Boron (as B) mg/l Max	Nil	0.5	1.0	APHA 23 <sup>rd</sup> Edition 2017-4500 B B
18	Copper (as Cu) mg/l Max	ND	0.05	1.5	APHA 23 <sup>rd</sup> Edition 2017-3111 B
19	Manganese (as Mn) mg/l Max	ND	0.1	0.3	APHA 23 <sup>rd</sup> Edition 2017-3111 B
20	Zinc (as Zn) mg/l Max	ND	5	15	APHA 23 <sup>rd</sup> Edition 2017-3111 B
21	Aluminium (as Al) mg/l Max	ND	0.03	0.2	IS: 3025 ( Part 31 ) : 1964 3500 Al.B
22	Selenium (as Se) mg/l Max	ND	0.01	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3114 B
23	Mercury (as Hg) mg/l Max	ND	0.001	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3112 B
24	Cadmium (as Cd) mg/l Max	ND	0.003	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3111 B
25	Arsenic (as As) mg/l	ND	0.01	0.05	APHA 23 <sup>rd</sup> Edition 2017-3114 B
26	Lead (as Pb) mg/l Max	ND	0.01	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3111 B
27	Chromium (as Cr) mg/l Max	ND	0.05	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3111 B
28	Cyanide (as CN) mg/l Max	ND	0.05	No relaxation	IS: 3025(Part -27)2009 / APHA 23 <sup>rd</sup> Edition 2017
29	Phenolic Compound (as C <sub>6</sub> H <sub>5</sub> OH) mg/l Max	ND	0.001	0.002	IS: 3025(Part -43)2009 / APHA 23 <sup>rd</sup> Edition 2017

Testing of Water, Waste Water, Soil, Food, Ambient Air, Noise Monitoring & Stack Emission  
Email : [envrontechlab72@yahoo.com](mailto:envrontechlab72@yahoo.com), [director@envrontechlab.in](mailto:director@envrontechlab.in) | Website : [envrontechlab.com](http://envrontechlab.com)  
NOT VALID FOR LEGAL PURPOSES



# Environ Tech Laboratories

NABL Accredited (ISO/IEC 17025:2017)/ MoEF & CC Recognized  
PPCB Approved/ OHSAS 45001:2018

Plot No.62, Janta Industrial Estate,  
Airport Road, Sector 82, S.A.S. Nagar  
(Mohali)-160062 Punjab  
Mob. 9417210081, 9417220081  
9464000081, Tel. 9463000081

GSTIN : 03BPEPS9693P1ZV  
PAN No. BPEPS9693P

DISPATCH No:-ETL/DSP/ 20804

Date:- 22/05/2020

Page 2 of 2

S. No.	Parameters	Results	Limits of IS: 10500 - 2012		Test method
			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
30	Ammonia (as total ammonia-N), mg/l, Max	ND	0.5	No relaxation	IS 3025 (Part 34) 2012-4500 C
31	Barium (as Ba), mg/l, Max	ND	0.7	No relaxation	Annex F of IS 13428
32	Chloramines (as Cl <sub>2</sub> ), mg/l, Max	ND	0.4	No relaxation	IS 3025 (Part 26)
33	Mineral oil, mg/l, Max	ND	0.5	No relaxation	Clause 6 of IS 3025, (Part 39) Infrared
34	Molybdenum (as Mo), mg/l, Max	ND	0.007	No relaxation	IS 3025 (Part 2)
35	Residual free chlorine, mg/l Min	Nil	0.2	1.0	APHA 23 <sup>rd</sup> Edition 2017-4500 Cl <sub>2</sub> B
36	Sulphate (as SO <sub>4</sub> ) mg/l, Max	38	200	400	APHA 23 <sup>rd</sup> Edition 2017-4500 SO <sub>4</sub> E
37	Sulphide (as H <sub>2</sub> S), mg/l, Max	ND	0.05	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-4500 S <sup>2</sup> D
38.	Bromoform, mg/l, Max	ND	0.1	No relaxation	APHA 6232
39	Dibromochloromethane, mg/l, Max	ND	0.1	No relaxation	APHA 6232
40	Bromodichloromethane, mg/l, Max	ND	0.06	No relaxation	APHA 6232
41	Chloroform, mg/l, Max	ND	0.2	No relaxation	APHA 6232

### PESTICIDE RESIDUE

S. NO	PARAMETERS	Results	Limit (µg/l)	Test method
1	Alachlor	ND	20	USEPA: 525.2.507
2	Atrazine	ND	2	USEPA:525.2, 8141 A
3	Aldrin/ Dieldrin	ND	0.03	USEPA:508
4	Alpha HCH	ND	0.01	USEPA:508
5	Beta HCH	ND	0.04	USEPA:508
6	Butachlor	ND	125	USEPA:525.2, 8141 A
7	Chlorpyrifos	ND	30	USEPA: 525.2, 8141 A
8	Delta HCH	ND	0.04	USEPA:508
9	2,4- Dichlorophenoxyacetic acid	ND	30	USEPA:515.1
10	DDT(o, p and p, p-Isomers of DDT,DDE and DDD)	ND	1	USEPA:508
11	Endosulfan (Alpha, Beta, and sulphate)	ND	0.4	USEPA:508
12	Ethion	ND	3	USEPA:1657 A
13	Gamma -HCH (Lindane)	ND	2	USEPA:508
14	Isoproturon	ND	9	USEPA:532
15	Malathion	ND	190	USEPA:8141 A
16	Methyl parathion	ND	0.3	USEPA:8141 A
17	Monocrotophos	ND	1	USEPA: 8141 A
18	Pharate	ND	2	USEPA: 8141 A

### Bacteriological examination:-

S. NO.	PARAMETERS	TEST RESULTS	LIMITS	TEST METHOD
1.	E.coli/100ml	ABSENT	ABSENT	IS 15185 2016
2.	Coliform /100ml	ABSENT	ABSENT	IS 15185 2016

Note:

- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- The sample will be destroyed after thirty days from the date of issue of test report unless otherwise specified.

Checked By

\*\*End of Report\*\*

(Authorized Signatory)

Environ Tech Laboratories

Testing of Water, Waste Water, Soil, Food, Ambient Air, Noise Monitoring & Stack Emission  
Email : [environtechlab72@yahoo.com](mailto:environtechlab72@yahoo.com), [director@environtechlab.in](mailto:director@environtechlab.in) | Website : [environtechlab.com](http://environtechlab.com)  
NOT VALID FOR LEGAL PURPOSES

# Environ Tech Laboratories

NABL Accredited (ISO/IEC 17025:2017)/ MoEF & CC Recognized  
PPCB Approved/ OHSAS 45001:2018

Plot No.62, Janta Industrial Estate,  
Airport Road, Sector 82, S.A.S. Nagar  
(Mohali)-160062 Punjab  
Mob. 9417210081, 9417220081  
9464000081, Tel. 9463000081

GSTIN : 03BPEPS9693P1ZV  
PAN No. BPEPS9693P

DISPATCH No:-ETL/DSP/ 20804

Date:- 22/05/2020

Page 1 of 2

## TEST REPORT

To  
M/s IOL CHEMICALS AND PHARMACEUTICALS LTD.  
VILLAGE-FATEHGARH, CHANNA,MANSA ROAD,  
DHAULA, DISTT.BARNALA (PB)

Report No.	ETL/44/2019-20/O/20644ZF	Report Date	22.05.2020
Your Ref. No.	Nil	Type of sample	Ground Water Sample
Sample Code Given by Customer	Nil	Quantity	10 LITER
		Date of sampling	15.05.2020
Sampling Location	Tubewell NO-2	Date of sample receipt	16.05.2020
Sample Collected By	Lab Person	Sample I.D.	ETL/32/2019-20/O/644ZF
Sampling procedure	As per SOP	Date of test	16.05.2020-22.05.2020

S. No.	Parameters	Results	Limits of IS: 10500 – 2012		Test method
			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
1	Colour, Hazen unit, max	<1	5	25	APHA 23 <sup>rd</sup> Edition:2017-2120B
2	Odour	Agreeable	Agreeable	----	APHA 23 <sup>rd</sup> Edition:2017-2150
3	Turbidity, NTU max	<1	5	10	APHA 23 <sup>rd</sup> Edition:2017-2130 B
4	Taste	Agreeable	Agreeable	----	APHA 23 <sup>rd</sup> Edition:2012-2160
5	pH	7.18	6.5 – 8.5	No relaxation	APHA 23 <sup>rd</sup> Edition:2017-4500-H+ B
6	Total Dissolved Solids mg/l Max	430	500	2000	APHA 23 <sup>rd</sup> Edition:2017-2540 C
7	Alkalinity ( as CaCO <sub>3</sub> ) mg/l ,Max	190	200	600	APHA 23 <sup>rd</sup> Edition:2017-2320 B
8	Chloride (as Cl), mg/l, Max	92	250	1000	APHA 23 <sup>rd</sup> Edition:2017-4500-Cl B
9	Nitrate (as NO <sub>3</sub> ) mg/l, Max	11	45	No relaxation	APHA 23 <sup>rd</sup> Edition:2017-4500-NO <sub>3</sub> B
10	Fluoride (as F) mg/l Max	0.13	1.0	1.5	APHA 23 <sup>rd</sup> Edition:2017-4500-F D
11	Calcium (as Ca) mg/l Max	56	75	200	APHA 23 <sup>rd</sup> Edition:2017-3500-Ca B
12	Magnesium (as Mg) mg/l, Max	9.7	30	100	APHA 23 <sup>rd</sup> Edition:2017-3500-Mg B
13	Total Hardness( as CaCO <sub>3</sub> ) mg/l, Max	180	200	600	APHA 23 <sup>rd</sup> Edition:2017-2340 C
14	Sodium (as Na) mg/l Max	75	-	-	APHA 23 <sup>rd</sup> Edition 2017-3500 Na B
15	Potassium (as K) mg/l Max	2.7	-	-	APHA 23 <sup>rd</sup> Edition 2017-3500 K B
16	Iron ( as Fe) mg/l Max	0.05	0.3	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3500 Fe B
17	Boron (as B) mg/l Max	Nil	0.5	1.0	APHA 23 <sup>rd</sup> Edition 2017-4500 B B
18	Copper (as Cu) mg/l Max	ND	0.05	1.5	APHA 23 <sup>rd</sup> Edition 2017-3111 B
19	Manganese (as Mn) mg/l Max	ND	0.1	0.3	APHA 23 <sup>rd</sup> Edition 2017-3111 B
20	Zinc (as Zn) mg/l Max	ND	5	15	APHA 23 <sup>rd</sup> Edition 2017-3111 B
21	Aluminium (as Al) mg/l Max	ND	0.03	0.2	IS: 3025 ( Part 31 ) ; 1964 3500 Al.B
22	Selenium (as Se) mg/l Max	ND	0.01	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3114 B
23	Mercury (as Hg) mg/l Max	ND	0.001	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3112 B
24	Cadmium (as Cd) mg/l Max	ND	0.003	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3111 B
25	Arsenic (as As) mg/l	ND	0.01	0.05	APHA 23 <sup>rd</sup> Edition 2017-3114 B
26	Lead (as Pb) mg/l Max	ND	0.01	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3111 B
27	Chromium (as Cr) mg/l Max	ND	0.05	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-3111 B
28	Cyanide (as CN) mg/l Max	ND	0.05	No relaxation	IS: 3025(Part-27)2009 / APHA 23 <sup>rd</sup> Edition 2017
29	Phenolic Compound (as C <sub>6</sub> H <sub>5</sub> OH) mg/l Max	ND	0.001	0.002	IS: 3025(Part-43)2009 / APHA 23 <sup>rd</sup> Edition 2017

Testing of Water, Waste Water, Soil, Food, Ambient Air, Noise Monitoring & Stack Emission  
Email : envrontechlab72@yahoo.com, director@envrontechlab.in | Website : envrontechlab.com

NOT VALID FOR LEGAL PURPOSES

# Environ Tech Laboratories

NABL Accredited (ISO/IEC 17025:2017)/ MoEF & CC Recognized  
PPCB Approved/ OHSAS 45001:2018

Plot No.62, Janta Industrial Estate,  
Airport Road, Sector 82, S.A.S. Nagar  
(Mohali)-160062 Punjab  
Mob. 9417210081, 9417220081  
9464000081, Tel. 9463000081

GSTIN : 03BPEPS9693P1ZV  
PAN No. BPEPS9693P

DISPATCH No:-ETL/DSP/ 20804

Date:- 22/05/2020

Page 2 of 2

S. No.	Parameters	Results	Limits of IS: 10500 – 2012		Test method
			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
30	Ammonia (as total ammonia-N), mg/l, Max	ND	0.5	No relaxation	IS 3025 (Part 34) 2012-4500 C
31	Barium (as Ba), mg/l, Max	ND	0.7	No relaxation	Annex F of IS 13428
32	Chloramines (as Cl <sub>2</sub> ), mg/l, Max	ND	04	No relaxation	IS 3025 (Part 26)
33	Mineral oil, mg/l, Max	ND	0.5	No relaxation	Clause 6 of IS 3025. (Part 39) Infrared
34	Molybdenum (as Mo), mg/l, Max	ND	0.007	No relaxation	IS 3025 (Part 2)
35	Residual free chlorine, mg/l Min	Nil	0.2	1.0	APHA 23 <sup>rd</sup> Edition 2017-4500 Cl. B
36	Sulphate (as SO <sub>4</sub> ) mg/l, Max	29	200	400	APHA 23 <sup>rd</sup> Edition 2017-4500 SO <sub>4</sub> E
37	Sulphide (as H <sub>2</sub> S), mg/l, Max	ND	0.05	No relaxation	APHA 23 <sup>rd</sup> Edition 2017-4500 S <sup>2</sup> D
38	Bromoform, mg/l, Max	ND	0.1	No relaxation	APHA 6232
39	Dibromochloromethane, mg/l, Max	ND	0.1	No relaxation	APHA 6232
40	Bromodichloromethane, mg/l, Max	ND	0.06	No relaxation	APHA 6232
41	Chloroform, mg/l, Max	ND	0.2	No relaxation	APHA 6232

### PESTICIDE RESIDUE

S. NO	PARAMETERS	Results	Limit (µg/l)	Test method
1	Alachlor	ND	20	USEPA: 525.2,507
2	Atrazine	ND	2	USEPA:525.2, 8141 A
3	Aldrin/ Dieldrin	ND	0.03	USEPA:508
4	Alpha HCH	ND	0.01	USEPA:508
5	Beta HCH	ND	0.04	USEPA:508
6	Butachlor	ND	125	USEPA:525.2, 8141 A
7	Chlorpyrifos	ND	30	USEPA: 525.2, 8141 A
8	Delta HCH	ND	0.04	USEPA:508
9	2,4- Dichlorophenoxyacetic acid	ND	30	USEPA:515.1
10	DDT(o, p and p, p-Isomers of DDT,DDE and DDD)	ND	1	USEPA:508
11	Endosulfan (Alpha, Beta, and sulphate)	ND	0.4	USEPA:508
12	Ethion	ND	3	USEPA:1657 A
13	Gamma -HCH (Lindane)	ND	2	USEPA:508
14	Isoproturon	ND	9	USEPA:532
15	Malathion	ND	190	USEPA:8141 A
16	Methyl parathion	ND	0.3	USEPA:8141 A
17	Monocrotophos	ND	1	USEPA: 8141 A
18	Pharate	ND	2	USEPA: 8141 A

### Bacteriological examination:-

S. NO.	PARAMETERS	TEST RESULTS	LIMITS	TEST METHOD
1.	E.coli/100ml	ABSENT	ABSENT	IS 15185 2016
2.	Coliform /100ml	ABSENT	ABSENT	IS 15185 2016

Note:

- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- The sample will be destroyed after thirty days from the date of issue of test report unless otherwise specified.

Checked By

\*\*End of Report\*\*

(Authorized Signatory)

AJAY SINGH  
Cy. Technical Manager  
Environ Tech Laboratories

Testing of Water, Waste Water, Soil, Food, Ambient Air, Noise Monitoring & Stack Emission.  
Email : envrontechlab72@yahoo.com, director@envrontechlab.in | Website : envrontechlab.com  
NOT VALID FOR LEGAL PURPOSES